

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
6 June 2002 (06.06.2002)

PCT

(10) International Publication Number
WO 02/44383 A1

- (51) International Patent Classification⁷: C12N 15/31, (74) Agents: HAWKINS, Michael, Howard et al.; Baldwin Shelston Waters, P.O. Box 852, Wellington 6001 (NZ).
C12R 1:225)
- (21) International Application Number: PCT/NZ01/00286 (81) Designated States (*national*): AE, AG, AL, AM, AT, AT (utility model), AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, CZ (utility model), DE, DE (utility model), DK, DK (utility model), DM, DZ, EC, EE, EE (utility model), ES, FI, FI (utility model), GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SK (utility model), SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.
- (22) International Filing Date:
28 November 2001 (28.11.2001)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
09/724,623 28 November 2000 (28.11.2000) US (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SI, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- (71) Applicants (*for all designated States except US*): GENESIS RESEARCH AND DEVELOPMENT CORPORATION LIMITED [NZ/NZ]; 1 Fox Street, Parnell, Auckland (NZ). VIALACTIA BIOSCIENCE (NZ) LIMITED [NZ/NZ]; 85 Park Road, Auckland (NZ).
- (72) Inventors; and
- (75) Inventors/Applicants (*for US only*): GLENN, Matthew [GB/NZ]; 14 Waunarue Road, Whenuapai, Auckland (NZ). HAVUKKALA, Ilkka, J. [FI/NZ]; 19 Liley Place, Remuera, Auckland (NZ). LUBBERS, Mark, William [NZ/NZ]; 397 Ruahine Street, Palmerston North (NZ). DEKKER, James [NZ/NZ]; 135 Russel Street, Palmerston North (NZ).
- Published:
— with international search report
— before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: LACTOBACILLUS RHAMNOSUS POLYNUCLEOTIDES, POLYPEPTIDES AND METHODS FOR USING THEM

(57) Abstract: Novel polynucleotides isolated from *Lactobacillus rhamnosus*, as well as probes and primers, genetic constructs comprising the polynucleotides, biological materials, including plants, microorganisms and multicellular organisms incorporating the polynucleotides, polypeptides expressed by the polynucleotides, and methods for using the polynucleotides and polypeptides are disclosed.



WO 02/44383 A1

**LACTOBACILLUS RHAMNOSUS POLYNUCLEOTIDES,
POLYPEPTIDES AND METHODS FOR USING THEM**

5 Technical Field of the Invention

 This invention relates to polynucleotides isolated from lactic acid bacteria, namely *Lactobacillus rhamnosus*, including partial and extended sequences, as well as to probes and primers specific to the polynucleotides; DNA constructs comprising the polynucleotides; biological materials, including plants, microorganisms and multicellular organisms
10 incorporating the polynucleotides; polypeptides expressed by the polynucleotides; and methods for using the polynucleotides and polypeptides.

Background of the Invention

 The present invention relates to polynucleotides isolated from a specific strain of
15 lactic acid bacteria, namely *Lactobacillus rhamnosus* HN001 (*L. rhamnosus* HN001). Lactic acid bacteria, and their enzymes, are the major determinants of flavor and fermentation characteristics in fermented dairy products, such as cheese and yogurt. Flavors are produced through the action of bacteria and their enzymes on proteins, carbohydrates and lipids.

Lactobacillus rhamnosus strain HN001 are heterofermentative bacteria that are Gram
20 positive, non-motile, non-spore forming, catalase negative, facultative anaerobic rods exhibiting an optimal growth temperature of 37±1°C and an optimum pH of 6.0–6.5. Experimental studies demonstrated that dietary supplementation with *Lactobacillus rhamnosus* strain HN001 induced a sustained enhancement in several aspects of both natural and acquired immunity (See PCT International Publication No. WO 99/10476). In addition,
25 *L. rhamnosus* HN001, and certain other Gram-positive bacteria can specifically and directly modulate human and animal health (See, for example, Tannock *et al.*, *Applied Environ. Microbiol.* 66:2578-2588, 2000; Gill *et al.*, *Brit. J. Nutrition* 83:167-176; Quan Shu *et al.*, *Food and Chem. Toxicol.* 38:153-161, 2000; Quan Shu *et al.*, *Intl. J. Food Microbiol.* 56:87-96, 2000; Quan Shu *et al.*, *Intl. Dairy J.* 9:831-836, 1999; Prasad *et al.*, *Intl. Dairy J.* 8:993-
30 1002, 1998; Sanders and Huis in't Veld, *Antonie van Leeuwenhoek* 76:293-315, 1999; Salminen *et al.*, 1998. *In: Lactic Acid Bacteria*, Salminen S and von Wright A (eds), Marcel Dekker Inc, New York, Basel, Hong Kong, pp. 211-253; Delcour *et al.*, *Antonie van Leeuwenhoek* 76:159-184, 1999; Blum *et al.*, *Antonie van Leeuwenhoek* 76:199-205, 1999;

Yasui *et al.*, *Antonie van Leeuwenhoek* 76:383-389, 1999; Hirayama and Rafter, *Antonie van Leeuwenhoek* 76:391-394, 1999; Ouwehand, 1998. *In: Lactic Acid Bacteria*, Salminen S and von Wright A (eds), Marcel Dekker Inc, New York, Basel, Hong Kong, pp. 139-159; Isolauri *et al.*, S 1998. *In: Lactic Acid Bacteria*, Salminen S and von Wright A (eds), Marcel Dekker Inc, New York, Basel, Hong Kong, pp. 255-268; Lichtenstein and Goldin, 1998. *In: Lactic Acid Bacteria*, Salminen S and von Wright A (eds), Marcel Dekker Inc, New York, Basel, Hong Kong, pp. 269-277; El-Nezami and Ahokas, 1998. *In: Lactic Acid Bacteria*, Salminen S and von Wright A (eds), Marcel Dekker Inc, New York, Basel, Hong Kong, pp. 629-367; Nousianen *et al.*, 1998. *In: Lactic Acid Bacteria*, Salminen S and von Wright A (eds), Marcel Dekker Inc, New York, Basel, Hong Kong, pp. 437-473; Meisel and Bockelmann, *Antonie van Leeuwenhoek* 76:207-215, 1999; Christensen *et al.*, *Antonie van Leeuwenhoek* 76:217-246, 1999; Dunne *et al.*, *Antonie van Leeuwenhoek* 76:279-292, 1999). Beneficial health effects attributed to these bacteria include the following:

15 **Increased resistance to enteric pathogens and anti-infection activity, including treatment of rotavirus infection and infantile diarrhea** – due to increases in antibody production caused by an adjuvant effect, increased resistance to pathogen colonization; alteration of intestinal conditions, such as pH; and the presence of specific antibacterial substances, such as bacteriocins and organic acids.

20

Aid in lactose digestion – due to lactose degradation by bacterial lactase enzymes (such as beta-galactosidase) that act in the small intestine.

25 **Anti-cancer (in particular anti-colon cancer) and anti-mutagenesis activities** – due to anti-mutagenic activity; alteration of procancerous enzymatic activity of colonic microbes; reduction of the carcinogenic enzymes azoreductase, beta-glucuronidase and nitroreductase in the gut and/or faeces; stimulation of immune function; positive influence on bile salt concentration; and antioxidant effects.

30 **Liver cancer reduction** – due to aflatoxin detoxification and inhibition of mould growth.

Reduction of small bowel bacterial overgrowth – due to antibacterial activity; and decrease in toxic metabolite production from overgrowth flora.

Immune system modulation and treatment of autoimmune disorders and allergies – due to enhancement of non-specific and antigen-specific defence against infection and tumors; enhanced mucosal immunity; adjuvant effect in antigen-specific immune responses; and
5 regulation of Th1/Th2 cells and production of cytokines.

Treatment of allergic responses to foods – due to prevention of antigen translocation into blood stream and modulation of allergenic factors in food.

10 **Reduction of blood lipids and prevention of heart disease** – due to assimilation of cholesterol by bacteria; hydrolysis of bile salts; and antioxidative effects.

Antihypertensive effect - bacterial protease or peptidase action on milk peptides produces antihypertensive peptides. Cell wall components act as ACE inhibitors

15

Prevention and treatment of urogenital infections – due to adhesion to urinary and vaginal tract cells resulting in competitive exclusion; and production of antibacterial substances (acids, hydrogen peroxide and biosurfactants).

20 **Treatment of inflammatory bowel disorder and irritable bowel syndrome** – due to immuno-modulation; increased resistance to pathogen colonization; alteration of intestinal conditions such as pH; production of specific antibacterial substances such as bacteriocins, organic acids and hydrogen peroxide and biosurfactants; and competitive exclusion.

25 **Modulation of infective endocarditis** – due to fibronectin receptor-mediated platelet aggregation associated with *Lactobacillus* sepsis.

Prevention and treatment of *Helicobacter pylori* infection – due to competitive colonization and antibacterial effect.

30

Prevention and treatment of hepatic encephalopathy – due to inhibition and/or exclusion of urease-producing gut flora.

Improved protein and carbohydrate utilisation and conversion – due to production of beneficial products by bacterial action on proteins and carbohydrates.

Other beneficial health effects associated with *L. rhamnosus* and its components include: improved nutrition; regulation of colonocyte proliferation and differentiation; improved lignan and isoflavone metabolism; reduced mucosal permeability; detoxification of carcinogens and other harmful compounds; relief of constipation and diarrhea; and vitamin synthesis, in particular folate.

Peptidases are enzymes that break the peptide bonds linking the amino group of one amino acid with the carboxy group (acid group) of an adjacent amino acid in a peptide chain. The bonds are broken in a hydrolytic reaction. There is a large family of peptidase enzymes that are defined by their specificity for the particular peptides bonds that they cleave (Barrett A J, Rawlings N D and Woessner J F (Eds.) 1998. *Handbook of proteolytic enzymes*. Academic Press, London, UK). The two main families are exopeptidases and endopeptidases.

Exopeptidases cleave amino acids from the N- or C- terminus of a peptide chain, releasing free amino acids or short (di- and tripeptides). Different types of exopeptidases include:

- Aminopeptidases - release a free amino acid from the N-terminus of a peptide chain;
- dipeptidyl-peptidase (also known as dipeptidyl-aminopeptidases) - release a dipeptide from the N-terminus of a peptide chain;
- tripeptidyl-peptidases (also known as tripeptidyl-aminopeptidases) - release a tripeptide from the N-terminus of a peptide chain);
- carboxypeptidases - release a free amino acid from the C-terminus of a peptide chain;
- peptidyl-dipeptidase - release a dipeptide from the C-terminus of a peptide chain;
- dipeptidases - release two free amino acids from a dipeptide; and
- tripeptidases - release a free amino acid and a dipeptide from a tripeptide.

Endopeptidases hydrolyze peptide bonds internally within a peptide and are classified on the basis of their mode of catalysis:

5

- serine-endopeptidases – depend on serine (or threonine) as the nucleophile in the catalytic reaction;
- cysteine-endopeptidases - depend on the sulphhydryl group of cysteine as the nucleophile in the catalytic reaction;
- 5 • aspartic-endopeptidases - contain aspartate residues that act as ligands for an activated water molecule which acts as the nucleophile in the catalytic reaction; and
- metallo-endopeptidases - contain one or more divalent metal ions that activate the water molecule that acts as the nucleophile in the catalytic reaction.

10

Peptidases are important enzymes in the process of cheese ripening and the development of cheese flavor. The hydrolysis of milk caseins in cheese results in textural changes and the development of cheese flavors. The raft of proteolytic enzymes that cause this hydrolysis come from the lactic acid bacteria that are bound up in the cheese – either starter cultures that grow up during the manufacture of the cheese, or adventitious and adjunct non-starter lactic acid bacteria that grow in the cheese as it ripens (Law Haandrikman, *Int. Dairy J.* 7:1-11, 1997).

Many other enzymes can also influence dairy product flavor, and functional and textural characteristics, as well as influencing the fermentation characteristics of the bacteria, such as speed of growth, acid production and survival (Urbach, *Int. Dairy J.* 5:877-890, 1995; Johnson and Somkuti, *Biotech. Appl. Biochem.* 13:196-204, 1991; El Soda and Pandian, *J. Dairy Sci.* 74:2317-2362, 1991; Fox *et al.*, In *Cheese: chemistry, physics and microbiology*. Volume 1, General aspects, 2nd edition, P Fox (ed) Chapman and Hall, London; Christensen *et al.*, *Antonie van Leeuwenhoek* 76:217-246, 1999; Stingle *et al.*, *J. Bacteriol.* 20:6624-6360, 1999; Stingle *et al.*, *Mol. Microbiol.* 32:1287-1295, 1999; Lemoine *et al.*, *Appl. Environ. Microbiol.* 63:1512-6218, 1997). Enzymes influencing specific characteristics and/or functions include the following:

- **Lysis of cells.** These enzymes are mostly cell wall hydrolases, including amidases; muramidases; lysozymes, including N-acetyl muramidase; muramidase; N-acetylglucosaminidase; and N-acetylmuramoyl-L-alanine amidase. DEAD-box helicase proteins also influence autolysis.

30

- 6
- **Carbohydrate utilization.** Lactose, citrate and diacetyl metabolism, and alcohol metabolism are particularly important. The enzymes involved include beta-galactosidase, lactate dehydrogenase, citrate lyase, citrate permease, 2,3 butanediol dehydrogenase (acetoin reductase), acetolactate decarboxylase, acetolactate synthase, pyruvate decarboxylase, pyruvate formate lyase, diacetyl synthase, diacetyl reductase, alcohol decarboxylase, lactate dehydrogenase, pyruvate dehydrogenase, and aldehyde dehydrogenase.
 - **Lipid degradation, modification or synthesis.** Enzymes involved include lipases, esterases, phospholipases, serine hydrolases, desaturases, and linoleate isomerase.
 - **Polysaccharide synthesis.** Polysaccharides are important not only for potential immune enhancement and adhesion activity but are important for the texture of fermented dairy products. The enzymes involved are a series of glucosyl transferases, including beta-(1-3) glucosyl transferase, alpha-N acetylgalactosaminyl transferase, phosphogalactosyl transferase, alpha-glycosyl transferase, UDP-N-acetylglucosamine C4 epimerase and UDP-N-acetylglucosamine transferase.
 - **Amino acid degradation.** Enzymes include glutamate dehydrogenase, aminotransferases, amino acid decarboxylases, and enzymes involved in sulphur amino acid degradation including cystothione beta-lyase.

Sequencing of the genomes, or portions of the genomes, of numerous organisms, including humans, animals, microorganisms and various plant varieties, has been and is being carried out on a large scale. Polynucleotides identified using sequencing techniques may be partial or full-length genes, and may contain open reading frames, or portions of open reading frames, that encode polypeptides. Putative polypeptides may be identified based on polynucleotide sequences and further characterized. The sequencing data relating to polynucleotides thus represents valuable and useful information.

Polynucleotides and polypeptides may be analyzed for varying degrees of novelty by comparing identified sequences to sequences published in various public domain databases, such as EMBL. Newly identified polynucleotides and corresponding putative polypeptides may also be compared to polynucleotides and polypeptides contained in public domain

information to ascertain homology to known polynucleotides and polypeptides. In this way, the degree of similarity, identity or homology of polynucleotides and polypeptides having an unknown function may be determined relative to polynucleotides and polypeptides having known functions.

- 5 Information relating to the sequences of isolated polynucleotides may be used in a variety of ways. Specified polynucleotides having a particular sequence may be isolated, or synthesized, for use in *in vivo* or *in vitro* experimentation as probes or primers. Alternatively, collections of sequences of isolated polynucleotides may be stored using magnetic or optical storage medium and analyzed or manipulated using computer hardware and software, as well
10 as other types of tools.

Summary of the Invention

- The present invention provides isolated polynucleotides comprising a sequence selected from the group consisting of: (a) sequences identified in the attached Sequence
15 Listing as SEQ ID NOS: 1-59; (b) variants of those sequences; (c) extended sequences comprising the sequences set out in SEQ ID NOS: 1-59, and their variants; and (d) sequences comprising at least a specified number of contiguous residues of a sequence of SEQ ID NOS: 1-59 (x-mers). Oligonucleotide probes and primers corresponding to the sequences set out in SEQ ID NOS: 1-59 and their variants are also provided. All of these polynucleotides and
20 oligonucleotide probes and primers are collectively referred to herein, as "polynucleotides of the present invention."

- The polynucleotide sequences identified as SEQ ID NOS: 1-59 were derived from a microbial source, namely from fragmented genomic DNA of *Lactobacillus rhamnosus*, strain HN001, described in PCT International Publication No. WO 99/10476. *Lactobacillus*
25 *rhamnosus* strain HN001 are heterofermentative bacteria that are Gram positive, non-motile, non-spore forming, catalase negative, facultative anaerobic rods exhibiting an optimal growth temperature of $37\pm 1^\circ\text{C}$ and an optimum pH of 6.0 – 6.5. Experimental studies demonstrated that dietary supplementation with *Lactobacillus rhamnosus* strain HN001 induced a sustained enhancement in several aspects of both natural and acquired immunity. A biologically pure
30 culture of *Lactobacillus rhamnosus* strain HN001 was deposited at the Australian Government Analytical Laboratories (AGAL), The New South Wales Regional Laboratory, 1 Suakin Street, Pymble, NSW 2073, Australia, as Deposit No. NM97/09514, dated 18 August 1997.

The polynucleotides identified as SEQ ID NOS: 1-59 were isolated from *Lactobacillus rhamnosus* genomic DNA clones and represent sequences that are present in the cells from which the DNA was prepared. The sequence information may be used to identify and isolate, or synthesize, DNA molecules such as promoters, DNA-binding elements, open reading frames or full-length genes, that then can be used as expressible or otherwise functional DNA in transgenic organisms. Similarly, RNA sequences, reverse sequences, complementary sequences, antisense sequences and the like, corresponding to the polynucleotides of the present invention, may be routinely ascertained and obtained using the polynucleotides identified as SEQ ID NOS: 1-59.

Many of the polynucleotide sequences disclosed herein are "full-length" sequences, in that they represent a full-length gene encoding a full-length polypeptide and confirm an open reading frame. Some of the polynucleotides are partial length, in that they do not represent a full-length gene. Such partial length sequences may be extended as described herein to obtain the full-length sequences. RNA sequences, reverse sequences, complementary sequences, antisense sequences and the like, corresponding to the polynucleotides of the present invention, may be routinely ascertained and obtained using the polynucleotides identified as SEQ ID NOS: 1-59.

The present invention further provides isolated polypeptides encoded, or partially encoded by the polynucleotides disclosed herein. In certain specific embodiments, the polypeptides of the present invention comprise a sequence selected from the group consisting of sequences identified as SEQ ID NO: 62-120, and variants thereof. Polypeptides encoded by the polynucleotides of the present invention may be expressed and used in various assays to determine their biological activity. Such polypeptides may be used to raise antibodies, to isolate corresponding interacting proteins or other compounds, and to quantitatively determine levels of interacting proteins or other compounds. The polypeptides of the present invention may also be used as nutritional additives and as additives in dairy processing and fermentation processing. Several polypeptides of the present invention also have human and animal health related benefits.

Genetic constructs comprising the inventive polynucleotides are also provided, together with transgenic host cells comprising such constructs and transgenic organisms, such as microbes, comprising such cells. Desired attributes may be produced in food, such as dairy (including milk protein hydrolysates and cheese), in living organisms and in non-food systems, by directed activity or directed suppression of activity of the appropriate enzyme.

Directed activity of an enzyme may be achieved by introducing an appropriate polynucleotide or polypeptide to a bacterial strain (including strain HN001, or starter cultures), or by administering an enzyme preparation.

The present invention also contemplates methods for modulating the polynucleotide and/or polypeptide content and composition of an organism, such methods involving stably incorporating into the genome of the organism a genetic construct comprising a polynucleotide of the present invention. . Such modulation may involve up regulating or down regulating expression from one or more polynucleotides of the present invention. Up regulation may be accomplished, for example, by providing multiple gene copies, modulating expression by modifying regulatory elements or the like. Similarly, down regulation may be accomplished using known antisense and gene silencing techniques. In one embodiment, the target organism is a microbe, preferably a microbe used in fermentation, more preferably a microbe of the genus *Lactobacillus*, and most preferably *Lactobacillus rhamnosus*, or other closely microbial related species used in the dairy industry. In a related aspect, methods for producing a microbe having an altered genotype and/or phenotype is provided, such methods comprising transforming a microbial cell with a genetic construct of the present invention to provide a transgenic cell, and cultivating the transgenic cell under conditions conducive to growth and multiplication. Organisms having an altered genotype or phenotype as a result of modulation of the level or content of a polynucleotide or polypeptide of the present invention compared to a wild-type organism, as well as components and progeny of such organisms, are contemplated by and encompassed within the present invention.

The isolated polynucleotides of the present invention may be usefully employed for the detection of lactic acid bacteria, preferably *L. rhamnosus*, in a sample material, using techniques well known in the art, such as polymerase chain reaction (PCR) and DNA hybridization, as detailed below.

The inventive polynucleotides and polypeptides may also be employed in methods for the selection and production of more effective probiotic bacteria; as "bioactive" (health-promoting) ingredients and health supplements, for immune function enhancement; for reduction of blood lipids such as cholesterol; for production of bioactive material from genetically modified bacteria; as adjuvants; for wound healing; in vaccine development, particularly mucosal vaccines; as animal probiotics for improved animal health and productivity; in selection and production of genetically modified rumen microorganisms for improved animal nutrition and productivity, better flavor and improved milk composition; in

methods for the selection and production of better natural food bacteria for improved flavor, faster flavor development, better fermentation characteristics, vitamin synthesis and improved textural characteristics; for the production of improved food bacteria through genetic modification; and for the identification of novel enzymes for the production of, for example, flavors or aroma concentrates.

The isolated polynucleotides of the present invention also have utility in genome mapping, in physical mapping, and in positional cloning of genes of more or less related microbes. Additionally, the polynucleotide sequences identified as SEQ ID NOS: 1-59, and their variants, may be used to design oligonucleotide probes and primers. Oligonucleotide probes and primers have sequences that are substantially complementary to the polynucleotide of interest over a certain portion of the polynucleotide. Oligonucleotide probes designed using the polynucleotides of the present invention may be used to detect the presence and examine the expression patterns of genes in any organism having sufficiently similar DNA and RNA sequences in their cells, using techniques that are well known in the art, such as slot blot DNA hybridization techniques. Oligonucleotide primers designed using the polynucleotides of the present invention may be used for PCR amplifications. Oligonucleotide probes and primers designed using the polynucleotides of the present invention may also be used in connection with various microarray technologies, including the microarray technology of Affymetrix. (Santa Clara, CA).

The polynucleotides of the present invention may also incorporate regulatory elements such as promoters, gene regulators, origins of DNA replication, secretion signals, cell wall or membrane anchors for genetic tools (such as expression or integration vectors).

The polynucleotide sequences, encoded polypeptides and genetic constructs of this invention are useful for improving the properties of microbes that are used in the manufacture of milk-derived products, such as cheeses, yogurt, fermented milk products, sour milks, and buttermilk. Microbial metabolism during fermentation, which results in the breakdown of proteins, lipids and lactose in milk, influences the speed of ripening, the texture and consistency of fermented milk products, and the development of flavors and aromas during ripening. Undesirable flavors in milk products are produced, for example, by the food of milk-producing animals, microbial action, and enzymatic activity during fermentation, and require removal. The present invention provides polynucleotides and polypeptides and methods for their use in modifying the flavor, aroma, texture and health-related benefits of milk-derived products. Methods are described for modulating the polynucleotide content or

composition of microbes used in the dairy industry by transforming the microbes with one or more polynucleotides sequences of *Lactobacillus rhamnosus* strain HN001. The inventive polynucleotides also include sequences encoding polypeptides that increase the survivability of microbes during industrial fermentation processes, wherein exposure to osmotic, temperature and other stresses can lead to reduced microbial viability, impaired metabolic activity and suboptimal fermentation conditions. While the present invention is described with particular reference to milk-derived products, it will be recognized that microbes such as *Lactobacillus*, which are used in the dairy industry, are also used in the production of other foods and beverages (e.g., fermented vegetables, beer, wines, juices, sourdough breads). It is expected that the polynucleotides described herein and their methods of use can be used for the processing of these foods and beverages as well.

This invention also provides transgenic microbial populations comprising expressible polynucleotide sequences of *Lactobacillus rhamnosus* strain HN001 which health-related benefits. For example, the polypeptides encoded by the inventive sequences include enzymes that detoxify carcinogens, degrade allergenic proteins and lactose, and produce bioactive peptides and biogenic amines. Microbes transformed with these polynucleotide sequences can be taken internally as a probiotic composition or alternatively, the microbes or their encoded polypeptides can be added to products to provide health-related benefits. Nonpathogenic bacteria, preferably lactic-acid producing species of *Bacillus*, *Lactobacillus*, *Sporolactobacillus* or *Bifidobacterium*, that are able to colonize the gastrointestinal tract, preferably the gastrointestinal tract of a mammal, are useful for preventing or reducing pathogen colonization of the gastrointestinal mucosa, and for replacing normal flora that are depleted, for example, by drug therapy. The polynucleotide sequences of this invention can be used to transform microbes for use in a therapeutic composition that is effective for treating or preventing a gastrointestinal condition or disorder caused by the presence of pathogenic microbes in the gastrointestinal tract or by the absence of normal intestinal microbes in the intestinal tract. Such probiotic compositions can be administered alone or in combination with another pharmaceutical agent, depending on the condition that is to be treated.

All references cited herein, including patent references and non-patent publications, are hereby incorporated by reference in their entireties.

Brief Description of the Drawings

12

Fig. 1 shows the nucleotide sequence containing *L. rhamnosus* strain HN001 fibronectin binding protein AB2 showing ATG initiation and translation stop codons (boxed).

Fig. 2 shows the amino acid sequence of HN001 fibronectin binding protein AB2, with the subcloned fibronectin binding domain boxed.

5 Fig. 3 demonstrates specific blocking of fibronectin binding to HN001 cells by the fibronectin binding protein domain of AB2.

Detailed Description

The polynucleotides disclosed herein were isolated by high throughput sequencing of
10 DNA libraries from the lactic acid bacteria *Lactobacillus rhamnosus* as described in Example 1. Cell wall, cell surface and secreted components of lactic acid bacteria are known to mediate immune modulation, cell adhesion and antibacterial activities, resulting in many beneficial effects including: resistance to enteric pathogens; modulation of cancer, including colon cancer; anti-mutagenesis effects; reduction of small bowel bacterial overgrowth;
15 modulation of auto-immune disorders; reduction in allergic disorders; modulation of urogenital infections, inflammatory bowel disorder, irritable bowel syndrome, *Helicobacter pylori* infection and hepatic encephalopathy; reduction of infection with pathogens; regulation of colonocyte proliferation and differentiation; reduction of mucosal permeability; and relief of constipation and diarrhea. These cell components include, but are not limited to,
20 peptidoglycans, teichoic acids, lipoteichoic acids, polysaccharides, adhesion proteins, secreted proteins, surface layer or S-layer proteins, collagen binding proteins and other cell surface proteins, and antibacterial substances such as bacteriocins and organic acids produced by these bacteria. Polynucleotides involved in the synthesis of these proteins and in the synthesis, modification, regulation, transport, synthesis and/or accumulation of precursor
25 molecules for these proteins can be used to modulate the immune effects, antibacterial, cell adhesion and competitive exclusion effects of the bacteria or of components that might be produced by these bacteria.

In order to function effectively as probiotic bacteria, *L. rhamnosus* HN001 must survive environmental stress conditions in the gastrointestinal tract, as well as commercial
30 and industrial processes. Modification of particular polynucleotides or regulatory processes have been shown to be effective against a number of stresses including oxidative stress, pH, osmotic stress, dehydration, carbon starvation, phosphate starvation, nitrogen starvation, amino acid starvation, heat or cold shock and mutagenic stress. Polynucleotides involved in

stress resistance often confer multistress resistance, i.e., when exposed to one stress, surviving cells are resistant to several non-related stresses. Bacterial genes and/or processes shown to be involved in multistress resistance include:

- 5 **Intracellular phosphate pools** - inorganic phosphate starvation leads to the induction of *pho* regulon genes, and is linked to the bacterial stringent response. Gene knockouts involving phosphate receptor genes appear to lead to multistress resistance.

- 10 **Intracellular guanosine pools** - purine biosynthesis and scavenger pathways involve the production of phosphate-guanosine compounds that act as signal molecules in the bacterial stringent response. Gene knockouts involving purine scavenger pathway genes appear to confer multistress resistance.

- 15 **Osmoregulatory molecules** - small choline-based molecules, such as glycine-betaine, and sugars, such as trehalose, are protective against osmotic shock and are rapidly imported and/or synthesized in response to increasing osmolarity.

- 20 **Acid resistance** - lactobacilli naturally acidify their environment through the excretion of lactic acid, mainly through the *cit* operon genes responsible for citrate uptake and utilization.

- 25 **Stress response genes** - a number of genes appear to be induced or repressed by heat shock, cold shock, and increasing salt through the action of specific promoters.

- 30 The isolated polynucleotides of the present invention, and genetic constructs comprising such polynucleotides, may be employed to produce bacteria having desired phenotypes, including increased resistance to stress and improved fermentation properties.

- Many enzymes are known to influence dairy product flavor, functional and textural characteristics as well as general fermentation characteristics such as speed of growth, acid production and survival. These enzymes include those involved in the metabolism of lipids, polysaccharides, amino acids and carbohydrates as well as those involved in the lysis of the bacterial cells.

The isolated polynucleotides and polypeptides of the present invention have demonstrated similarity to polynucleotides and/or polypeptides of known function. The

14

putative identity and functions of the inventive polynucleotides based on such similarities are shown below in Table 1.

TABLE 1

5

SEQ ID NO Polynucleotide	SEQ ID NO Polypeptide	Category	Gene function or protein class
1	62		Transmembrane protein that participates in the adhesion of bacteria to gut cells, part of an operon containing the mapA gene encoding a mucin binding protein. This gene may be used to identify or manipulate interactions with gut cells.
2	63		Homolog of a 28 kDa antigen and major cell adherence molecule of <i>Campylobacter jejuni</i> and <i>Campylobacter coli</i> . Significant similarity to amino acid transport proteins in Gram-negative bacteria. This gene may be used to identify or manipulate both interactions with gut cells and amino acid metabolism.
3	64		Histidinol-phosphate aminotransferase, have tyrosine and phenylalanine aminotransferase activity. It is involved in amino acid metabolism and is useful to identify or manipulate metabolism and influence growth and the production of flavor compounds.
4	65		Tyrosine aminotransferase (EC 2.6.1.5) (L-tyrosine:2-oxoglutarate aminotransferase) transfers nitrogenous groups as part of the aromatic amino acid pathway. It is involved in synthesis of flavor compounds and amino acid metabolism. It is used to identify or manipulate metabolism and influence growth and the production of flavor compounds.
5	66		Cysteine desulfurase, a class-V aminotransferase that supplies inorganic sulfide for Fe-S clusters is involved in cysteine metabolism and generation of flavor compounds. It is used to identify or manipulate metabolism and influence growth and the production of flavor compounds.
6	67		Lipase that plays a role in breakdown of triglycerides. It is used to identify or manipulate metabolism and influence growth and the production of flavor compounds.
7	68		O-acetylserine sulfhydrylase is involved in cysteine synthesis. It converts O-acetyl-L-serine and H ₂ S to L-cysteine and acetate. It is involved in synthesis of flavor and aroma compounds and used to identify or manipulate metabolism and influence growth and the production of flavor compounds.
8	69		Surface protein involved in a number of functions including as a collagen and/or mucin binding protein in cellular adhesion and as a cysteine transporter, part of the

SEQ ID NO Polynucleotide	SEQ ID NO Polypeptide	Category	Gene function or protein class
			ABC superfamily, which affects amino acid metabolism and flavor compound synthesis. It is used to identify or manipulate metabolism, growth, the production of flavor compounds, and interactions with gut cells.
9	70		Homolog of Group B streptococcal oligopeptidase, that degrades a variety of bioactive peptides. It is involved in protein breakdown and metabolism, and may impact on flavor compounds as well impact on health through the stability or production of bioactive peptides.
10	71		Homolog of Pz-peptidase, a metalloproteinase and part of the thimet oligopeptidase family. It hydrolyzes the Pz-peptide, 4-phenylazobenzoyloxycarbonyl-Pro-Leu-Gly-Pro-Arg. It impacts on flavor compounds as well impact on health through the stability or production of bioactive peptides.
11	72		Adenosine triphosphatase clpC. ATP-dependent Clp proteinase regulatory protein, a pleiotropic regulator controlling growth at high temperatures that is involved in stress response. It is used to identify or impact on the survival or virulence of organisms.
12	73		Homolog of Streptococcal C5a peptidase that specifically cleaves human serum chemotaxin C5a near its C-terminus, destroying its ability to serve as a chemoattractant. It mediates interactions with host immune system and is used to identify or impact on interactions with immune systems.
13	74		Homolog of dipeptidase from <i>Lactococcus lactis</i> that hydrolyzes a broad range of dipeptides but no tri, tetra, or larger oligopeptides. It is used to identify or impact on protein metabolism and flavor compound synthesis.
14	75		Acylamino-acid-releasing enzyme (acyl-peptidehydrolase or acylaminoacyl-peptidase) EC 3.4.19.1 that catalyzes removal of N alpha-acetylated amino acid residues from N alpha-acetylated peptides. It is used to identify or impact on metabolism or flavor or aroma compound production.
15	76		Heat shock protease regulatory subunit, the ATPase subunit of an intracellular ATP-dependent protease. It is used to identify or impact on survival or virulence.
16	77		Homologue of O-sialoglycoprotein endopeptidase (EC 3.4.24.57) that hydrolyses O-sialoglycoproteins, but does not cleave unglycosylated proteins, desialylated glycoproteins or N-glycosylated glycoproteins. Sialoglycoproteins can act as receptors for adhesion to gut cells. It is used to identify or impact on interactions with gut cells, protein metabolism, stability or production of bioactive peptides.
17	78		Carboxylesterase that converts a carboxylic ester to an

SEQ ID NO Polynucleotide	SEQ ID NO Polypeptide	Category	Gene function or protein class
			alcohol and a carboxylic acid anion. Esters and alcohols can be potent flavor and aroma compounds. It is used to identify or impact on metabolism or flavor or aroma compound production.
18	79		Glycerophosphodiester phosphodiesterase converts glycerophosphodiesters to an alcohol and glycerol 3-phosphate. Alcohols are potentially important flavor compounds. It is used to identify or impact on metabolism or flavor or aroma compound production.
19	80		Bifunctional alcohol dehydrogenase and acetaldehyde dehydrogenase that plays a role in fermentation of glucose to ethanol under anaerobic conditions. It is used to identify or impact on metabolism or flavor or aroma compound production.
20	81		Short-chain alcohol dehydrogenase is used to identify or impact on metabolism or flavor or aroma compound production.
21	82		Branched chain amino acid transport system II carrier protein that is involved in amino acid metabolism. Amino acid metabolism is important in flavor compound production. It is used to identify or impact on metabolism or flavor compound production.
22	83		Homolog of a human bile salt export pump. Bile tolerance is an important property of probiotic bacteria. Bile salt removal can reduce cholesterol. It can be used to identify or impact on bile tolerance or cholesterol reduction.
23	84		Bifunctional HPr Kinase/P-Ser-HPr phosphatase from <i>Lactobacillus casei</i> controls catabolite repression and is involved in phosphate regulation. Phosphate regulation is important in cell survival and stress tolerance. It is used to identify or impact on gene regulation and on stress tolerance.
24	85		Homolog of Suppressor of dominant negative ftsH mutations affecting extracellular protein transport in <i>E. coli</i> . It is used to identify or impact on protein transport.
25	86		Malolactic enzyme that converts between malate and lactate. It is central to carbohydrate metabolism, and is also involved in acid tolerance. It is used to identify or impact on metabolism or flavor compound production or cell survival.
26	87		Magnesium transporter, that also has affinity for cobalt. Metal ion transport is necessary for bacterial survival as well as other aspects of metabolism. It is used to identify or impact on metabolism or cell survival.
27	88		Pyruvate dehydrogenase E1 (lipoamide) alpha subunit (EC 1.2.4.1). This glycolytic enzyme is also involved in branched-chain amino acid synthesis and is used to

SEQ ID NO Polynucleotide	SEQ ID NO Polypeptide	Category	Gene function or protein class
			identify or impact on metabolism or flavor or aroma compound production.
28	89		Adhesin is involved in diffuse adherence of diarrhoeagenic <i>E. coli</i> . May be used to identify or impact on interactions with gut cells, survival and persistence in the gut.
29	90		dTDP-4-keto- <i>L. rhamnose</i> reductase is involved in polysaccharide biosynthesis. Polysaccharides are important for adhesion to gut cells, immune system modulation, stress tolerance and for physical properties of fermented products. It is used to identify or impact on polysaccharide production and interaction with gut cells.
30	91		Glucose inhibited division protein that is involved in stress resistance: <i>gidA</i> mutants are UV-sensitive and exhibit decreased homologous recombination in plasmidic tests. It is used to identify or impact on cell survival and gene regulation.
31	92		Glucose-1-phosphate thymidyl transferase is involved in polysaccharide biosynthesis. Polysaccharides are important for adhesion to gut cells, immune system modulation, stress tolerance and for physical properties of fermented products. It is used to identify or impact on polysaccharide production and interaction with gut cells.
32	93		Phosphate starvation-induced protein is important for survival under low phosphate conditions. Phosphate levels have been shown to be important in multistress resistance. It is used to identify or impact on cell survival.
33	94		Formate C-acetyltransferase (or pyruvate formate lyase, EC 2.3.1.54) converts formate to pyruvate during malate utilization. Pyruvate is central to cell metabolism and is used to identify or impact on metabolism and the generation of flavor compounds.
34	95		Alpha-glycerophosphate oxidase oxidizes alpha-glycerophosphate to dihydroxyacetone phosphate while reducing oxygen to hydrogen peroxide. These compounds are important for metabolism as well as for antimicrobial activity. It is used to identify or impact on metabolism and the generation of flavor compounds as well as antimicrobial activity.
35	96		6-Phosphogluconate dehydrogenase converts 6-phospho-D-gluconate to D-ribulose 5-phosphate and CO ₂ , part of the hexose monophosphate shunt pathway used for carbohydrate metabolism. It is used to identify or impact on metabolism and the generation of flavor compounds.
36	97		5-methyltetrahydropteroyltriglutamate homocysteine methyltransferase converts 5-methyltetrahydropteroyltriglutamate and L-homocysteine to Tetrahydropteroyltriglutamate and L-methionine. Sulphur compounds are

SEQ ID NO Polynucleotide	SEQ ID NO Polypeptide	Category	Gene function or protein class
			important in flavor development. Homocysteine is important in cardiovascular health. It is used to identify or impact on metabolism and the generation of flavor or aroma compounds as well as cardiovascular health.
37	98		S-methylmethionine permease is an integral membrane protein involved in S-methylmethionine uptake. Sulfur compounds are important in flavor development, and S-methylmethionine may also be involved in cellular methylation pathways. Cellular methylation is important for gene regulation. It is used to identify or impact on metabolism and the generation of flavor compounds and for cellular methylation.
38	99		6-Phospho-beta-galactosidase is central to lactose metabolism and results in alcohol compounds that may have flavor properties. It is used to identify or impact on metabolism and the generation of flavor compounds.
39	100		GTP binding protein (membrane bound) is involved in the stress response. It is used to identify or impact on cell survival.
40	101		Gamma-glutamyl phosphate reductase (glutamate-5-semialdehyde dehydrogenase) is involved in proline biosynthesis and amino acid metabolism pathways. It is used to identify or impact on metabolism and the generation of flavor compounds.
41	102		Dihydrofolate reductase (EC 1.5.1.3) is responsible for resistance to the cytotoxic drug methotrexate and involved in vitamin synthesis. It is used to identify or impact on metabolism and the generation of vitamin compounds and for drug resistance.
42	103		Lactate dehydrogenase converts lactate to pyruvate, and also has a role in acid tolerance. Lactate can have antimicrobial effects. It is used to identify or impact on metabolism and the generation of flavor compounds, for cell survival and virulence and antimicrobial effects.
43	104		Heat-inducible transcription repressor protein is involved in stress resistance. It is used to identify or impact on survival and on gene regulation.
44	105		Daunorubicin resistance protein (DrrC) is a daunorubicin resistance protein with a strong sequence similarity to the UvrA protein that is involved in excision repair of DNA. DrrC is induced by the anticancer drug daunorubicin and behaves like an ATP-dependent, DNA binding protein in vitro.
45	106		Dihydrodipicolinate synthase (EC 4.2.1.52) (DHDPS) is also known as DapA or AF0910. DapA catalyzes the first step in the biosynthesis of diaminopimelate and lysine from aspartate semialdehyde. The known pathways for

SEQ ID NO Polynucleotide	SEQ ID NO Polypeptide	Category	Gene function or protein class
			diaminopimelate (DAP) and lysine biosynthesis share two key enzymes, dihydrodipicolinate synthase and dihydrodipicolinate reductase, encoded by the <i>dapA</i> and <i>dapB</i> genes, respectively. Diaminopimelate (DAP) is a metabolite that is also involved in peptidoglycan formation. <i>DapA</i> can be used for the industrial production of L-lysine. DHDPS belongs to the DHDPS family.
46	107		Lysin (Lys) is one of the lytic enzymes encoded by bacteriophages. Together with holin, lysis of bacteria used in cheese-making can be achieved to accelerate cheese ripening and to facilitated release of intracellular enzymes for development of flavor formation. Production of holin alone leads to partial lysis of the host cells, whereas production of lysin alone does not cause significant lysis. Model cheese experiments in which an inducible holin/lysin overproducing strain was used showed a fourfold increase in release of L-Lactate dehydrogenase activity into the curd relative to the control strain and the holin-overproducing strain (de Ruyter <i>et al.</i> , <i>Nature Biotechnol.</i> 15:976-979, 1997), demonstrating the suitability of the system for cheese applications.
47	108		Penicillin-binding protein 1A or PDPF is penicillin-binding protein PBP 1A that is an essential murein polymerases of bacteria. The penicillin binding proteins (PBPs) synthesize and remodel peptidoglycan, the structural component of the bacterial cell wall. Resistance to beta-lactam antibiotics in bacteria is due to alteration of the penicillin-binding proteins (PBPs). PBP 1A belongs to the class A high-molecular-mass PBPs, which harbor transpeptidase (TP) and glycosyltransferase (GT) activities. The GT active site represents a target for the generation of novel non-penicillin antibiotics.
48	109		Virulence-associated protein BH6253 plays a role in the virulence of the pathogens.
49	110		Adherence and virulence protein A (Pav A) is a virulence factor that is widely distributed in bacteria and participates in adherence to host cells and soft tissue pathology.
50	111		Proline iminopeptidase gene (<i>pepI</i>) is part of an operon-like structure of three open reading frames (ORF1, ORF2 and ORF3). ORF1 is preceded by a typical prokaryotic promoter region, and a putative transcription terminator can be found downstream of ORF3, identified as the <i>pepI</i> gene. <i>PepI</i> was shown to be a metal-independent serine peptidase having thiol groups at or near the active site. Kinetic studies identified proline-p-nitroanilide as substrate. <i>PepI</i> is a dimer of M(r) 53,000 (Varmanen <i>et al.</i> , <i>Microbiol.</i> 142 (Pt 12):3459-68, 1996). The enzyme can

SEQ ID NO Polynucleotide	SEQ ID NO Polypeptide	Category	Gene function or protein class
			be utilized to facilitate the accumulation of proline from dipeptides and oligopeptides during the ripening of cheese.
51	112		Sensory transduction protein regX3 forms part of a two-component regulatory system regX3/senX3 phosphorylated by senX3. The N-terminal region is similar to that of other regulatory components of sensory transduction systems. The senX3-regX3 IR contains a novel type of repetitive sequence, called mycobacterial interspersed repetitive units (MIRUs). The regX3 gene has utility in diagnostic assays to differentiate between bacterial strains.
52	113		Aminopeptidase pepS (EC 3.4.11.-) is part of the proteolytic system of lactic acid bacteria that is essential for bacterial growth in milk and for development of the organoleptic properties of dairy products. PepS is a monomeric metallopeptidase of approximately 45 kDa with optimal activity in the range pH 7.5-8.5 and at 55 degrees C on Arg-paranitroanilide as substrate (Fernandez-Espla and Rul, <i>Eur. J. Biochem.</i> 263:502-510, 1999). PepS exhibits a high specificity towards peptides possessing arginine or aromatic amino acids at the N-terminus. PepS is part of the aminopeptidase T family. In view of its substrate specificity, PepS is involved both in bacterial growth by supplying amino acids, and in the development of dairy products' flavor, by hydrolyzing bitter peptides and liberating aromatic amino acids which are important precursors of aroma compounds.
53	114		Phosphoribosylaminoimidazolecarboxamide formyltransferase/imp cyclohydrolase (ec 2.1.2.3) (purH) or AICARFT is biosynthetic enzyme in the <i>de novo</i> purine biosynthesis pathway.
54	115		Prolinase (pepR) is a peptidase gene expressing L-proline-beta-naphthylamide-hydrolyzing activity. PepR was shown to be the primary enzyme capable of hydrolyzing Pro-Leu in Lactobacilli. The purified enzyme hydrolyzed Pro-Met, Thr-Leu, and Ser-Phe as well as dipeptides containing neutral, nonpolar amino acid residues at the amino terminus. The isoelectric point of the enzyme was determined to be 4.5 (Shao <i>et al.</i> , <i>Appl. Environ. Microbiol.</i> 63:3438-3443, 1997). PepR is a serine-dependent protease that can be utilized in production of dairy products where it is used to acidify milk.
55	116		Hexulose-6-phosphate isomerase is also known as Humpl or SGBU and is part of a sugar metabolic pathway along with SGBH where it is involved in isomerization of D-arabino-6-hexulose 3-phosphate to D-fructose 6-phosphate. SGBU belongs to the Humpl family.

21

SEQ ID NO Polynucleotide	SEQ ID NO Polypeptide	Category	Gene function or protein class
56	117		Succinyl-diaminopimelate desuccinylase encodes the DapE that has utility as antibiotic target.
57	118		Transcriptional regulator (GntR family) is part of the GntR family of DNA binding proteins that has a characteristic helix-turn-helix motif. The motif interacts with DNA double helix and recognizes specific base sequences.
58	119		Xaa-Pro dipeptidase (ec 3.4.13.9) is also known as X-Pro dipeptidase, proline dipeptidase, prolidase, imidodipeptidase or pepQ. PepQ is involved in the hydrolysis of Xaa-[Pro dipeptides and also acts on aminoacyl-hydroxyproline analogs. PepQ belongs to peptidase family M24b. PepQ can be utilized in the production of cheese.
59	120		Fibronectin binding proteins are expressed by a number of bacteria and been shown to be essential for bacterial adhesion to human epithelial cell surfaces (Holmes <i>et al.</i> , <i>Mol. Microbiol.</i> 41:1395-1408, 2001; Peacock <i>et al.</i> , <i>Microbiol.</i> 145:3477-3486, 1999), and may also bind fibrinogen (Kushiro <i>et al.</i> , <i>J. Mol. Microbiol. Biotechnol.</i> 3:563-571, 2001). Fibronectin binding protein AB2 can be used to alter flavor and aroma in dairy products, to develop products to enhance adhesion to intestinal surface and cell lines, and to enhance survival in intestinal environment. The molecule is also useful to alter metabolic and adhesion characteristics and enhance probiotic effects. It can interact in the human immune system and block or modify adherence of bacteria to mucosal surfaces. Fibronectin can be incorporated as carrier molecules in vaccines.

Isolated polynucleotides of the present invention include the polynucleotides identified herein as SEQ ID NOS: 1-59; isolated polynucleotides comprising a polynucleotide sequence selected from the group consisting of SEQ ID NOS: 1-59; isolated polynucleotides comprising at least a specified number of contiguous residues (x-mers) of any of the polynucleotides identified as SEQ ID NOS: 1-59; isolated polynucleotides comprising a polynucleotide sequence that is complementary to any of the above polynucleotides; isolated polynucleotides comprising a polynucleotide sequence that is a reverse sequence or a reverse complement of any of the above polynucleotides; antisense sequences corresponding to any of the above polynucleotides; and variants of any of the above polynucleotides, as that term is described in this specification.

The word "polynucleotide(s)," as used herein, means a single or double stranded polymer of deoxyribonucleotide or ribonucleotide bases and includes DNA and corresponding RNA molecules, including mRNA molecules, both sense and antisense strands of DNA and RNA molecules, and comprehends cDNA, genomic DNA and recombinant DNA, as well as wholly or partially synthesized polynucleotides. A polynucleotide of the present invention may be an entire gene, or any portion thereof. A gene is a DNA sequence which codes for a functional protein or RNA molecule. Operable antisense polynucleotides may comprise a fragment of the corresponding polynucleotide, and the definition of "polynucleotide" therefore includes all operable antisense fragments. Antisense polynucleotides and techniques involving antisense polynucleotides are well known in the art and are described, for example, in Robinson-Benion, *et al.*, "Antisense techniques," *Methods in Enzymol.* 254(23): 363-375, 1995; and Kawasaki, *et al.*, *Artific. Organs* 20 (8): 836-848, 1996.

The definitions of the terms "complement," "reverse complement," and "reverse sequence," as used herein, are best illustrated by the following examples. For the sequence 5' AGGACC 3', the complement, reverse complement, and reverse sequences are as follows:

complement	3' TCCTGG 5'
reverse complement	3' GGTCCT 5'
reverse sequence	5' CCAGGA 3'

Identification of genomic DNA and heterologous species DNA can be accomplished by standard DNA/DNA hybridization techniques, under appropriately stringent conditions, using all or part of a DNA sequence as a probe to screen an appropriate library. Alternatively, PCR techniques using oligonucleotide primers that are designed based on known DNA and protein sequences can be used to amplify and identify other identical or similar DNA sequences. Synthetic DNA corresponding to the identified sequences or variants thereof may be produced by conventional synthesis methods. All of the polynucleotides described herein are isolated and purified, as those terms are commonly used in the art.

The polynucleotides identified as SEQ ID NOS: 1-59 may contain open reading frames ("ORFs"), or partial open reading frames, encoding polypeptides. Additionally, polynucleotides identified as SEQ ID NOS: 1-59 may contain non-coding sequences such as promoters and terminators that may be useful as control elements. Additionally, open reading frames encoding polypeptides may be identified in extended or full-length sequences

corresponding to the sequences set out as SEQ ID NOS: 62-120. Open reading frames may be identified using techniques that are well known in the art. These techniques include, for example, analysis for the location of known start and stop codons, most likely reading frame identification based on codon frequencies, similarity to known bacterial expressed genes, etc. Suitable tools and software for ORF analysis are available, for example, on the Internet at the NCBI's site. Additional tools and software suitable for ORF analysis, include GeneWise (The Sanger Center, Wellcome Trust Genome Campus, Hinxton, Cambridge CB10 1SA, United Kingdom), Diogenes (Computational Biology Centers, University of Minnesota, Academic Health Center, UMHG Box 43 Minneapolis MN 55455), and GRAIL (Informatics Group, Oak Ridge National Laboratories, Oak Ridge, Tennessee, TN). Open reading frames and portions of open reading frames may be identified in the polynucleotides of the present invention. Once a partial open reading frame is identified, the polynucleotide may be extended in the area of the partial open reading frame using techniques that are well known in the art until the polynucleotide for the full open reading frame is identified. Thus, polynucleotides and open reading frames encoding polypeptides may be identified using the polynucleotides of the present invention.

Once open reading frames are identified in the polynucleotides of the present invention, the open reading frames may be isolated and/or synthesized. Expressible genetic constructs comprising the open reading frames and suitable promoters, initiators, terminators, etc., which are well known in the art, may then be constructed. Such genetic constructs may be introduced into a host cell to express the polypeptide encoded by the open reading frame. Suitable host cells may include various prokaryotic and eukaryotic cells. *In vitro* expression of polypeptides is also possible, as well known in the art.

As used herein, the term "oligonucleotide" refers to a relatively short segment of a polynucleotide sequence, generally comprising between 6 and 60 nucleotides, and comprehends both probes for use in hybridization assays and primers for use in the amplification of DNA by polymerase chain reaction.

As used herein, the term "x-mer," with reference to a specific value of "x," refers to a polynucleotide comprising at least a specified number ("x") of contiguous residues of any of the polynucleotides identified as SEQ ID NOS: 1-59. The value of x may be from about 20 to about 600, depending upon the specific sequence.

In another aspect, the present invention provides isolated polypeptides encoded, or partially encoded, by the above polynucleotides, including the polypeptides of SEQ ID NOS:

62-120. As used herein, the term "polypeptide" encompasses amino acid chains of any length, including full-length proteins, wherein the amino acid residues are linked by covalent peptide bonds. The term "polypeptide encoded by a polynucleotide" as used herein, includes polypeptides encoded by a polynucleotide which comprises an isolated
5 polynucleotide sequence or variant provided herein. Polypeptides of the present invention may be naturally purified products, or may be produced partially or wholly using recombinant techniques. Such polypeptides may be glycosylated with bacterial, fungal, mammalian or other eukaryotic carbohydrates or may be non-glycosylated.

Polypeptides of the present invention may be produced recombinantly by inserting a
10 polynucleotide that encodes the polypeptide into an expression vector and expressing the polypeptide in an appropriate host. Any of a variety of expression vectors known to those of ordinary skill in the art may be employed. Expression may be achieved in any appropriate host cell that has been transformed or transfected with an expression vector containing a polypeptide encoding a recombinant polypeptide. Suitable host cells include prokaryotes,
15 yeast and higher eukaryotic cells. Preferably, the host cells employed are *Escherichia coli*, *Lactococcus lactis*, *Lactobacillus*, insect, yeast or a mammalian cell line such as COS or CHO. The polynucleotide(s) expressed in this manner may encode naturally occurring polypeptides, portions of naturally occurring polypeptides, or other variants thereof.

In a related aspect, polypeptides are provided that comprise at least a functional
20 portion of a polypeptide having an amino acid sequence encoded by a polynucleotide of the present invention. As used herein, a "functional portion" of a polypeptide is that portion which contains the active site essential for affecting the function of the polypeptide, for example, the portion of the molecule that is capable of binding one or more reactants. The active site may be made up of separate portions present on one or more polypeptide chains
25 and will generally exhibit high binding affinity.

Functional portions of a polypeptide may be identified by first preparing fragments of the polypeptide by either chemical or enzymatic digestion of the polypeptide, or by mutation analysis of the polynucleotide that encodes the polypeptide and subsequent expression of the resulting mutant polypeptides. The polypeptide fragments or mutant polypeptides are then
30 tested to determine which portions retain biological activity, using, for example, the representative assays provided below.

Portions and other variants of the inventive polypeptides may be generated by synthetic or recombinant means. Synthetic polypeptides having fewer than about 100 amino

acids, and generally fewer than about 50 amino acids, may be generated using techniques that are well known to those of ordinary skill in the art. For example, such polypeptides may be synthesized using any of the commercially available solid-phase techniques, such as the Merrifield solid-phase synthesis method, where amino acids are sequentially added to a growing amino acid chain (*See* Merrifield, *J. Am. Chem. Soc.* 85:2149-2154, 1963). Equipment for automated synthesis of polypeptides is commercially available from suppliers such as Perkin Elmer/Applied Biosystems, Inc. (Foster City, CA), and may be operated according to the manufacturer's instructions. Variants of a native polypeptide may be prepared using standard mutagenesis techniques, such as oligonucleotide-directed site-specific mutagenesis (Kunkel, *Proc. Natl. Acad. Sci. USA* 82: 488-492, 1985). Sections of DNA sequences may also be removed using standard techniques to permit preparation of truncated polypeptides.

In general, the polypeptides disclosed herein are prepared in an isolated, substantially pure form. Preferably, the polypeptides are at least about 80% pure; more preferably at least about 90% pure; and most preferably at least about 99% pure.

As used herein, the term "variant" comprehends polynucleotide or polypeptide sequences different from the specifically identified sequences, wherein one or more nucleotides or amino acid residues is deleted, substituted, or added. Variants may be naturally occurring allelic variants, or non-naturally occurring variants. Variant polynucleotide sequences preferably exhibit at least 40%, more preferably at least 60%, more preferably yet at least 75%, and most preferably at least 90% identity to a sequence of the present invention. Variant polypeptide sequences preferably exhibit at least 50%, more preferably at least 75%, more preferably yet at least 90%, and most preferably at least 95% identity to a sequence of the present invention. The percentage identity is determined by aligning the two sequences to be compared as described below, determining the number of identical residues in the aligned portion, dividing that number by the total number of residues in the inventive (queried) sequence, and multiplying the result by 100.

Polynucleotide and polypeptide sequences may be aligned, and the percentage of identical residues in a specified region may be determined against another polynucleotide or polypeptide, using computer algorithms that are publicly available. Two exemplary algorithms for aligning and identifying the similarity of polynucleotide sequences are the BLASTN and FASTA algorithms. Polynucleotides may also be analyzed using the BLASTX algorithm, which compares the six-frame conceptual translation products of a nucleotide

query sequence (both strands) against a protein sequence database. The percentage identity of polypeptide sequences may be examined using the BLASTP algorithm. The BLASTN, BLASTX and BLASTP programs are available on the NCBI anonymous FTP server and are available from the National Center for Biotechnology Information (NCBI),
 5 National Library of Medicine, Building 38A, Room 8N805, Bethesda, MD 20894, USA. The BLASTN algorithm Version 2.0.4 [Feb-24-1998], Version 2.0.6 [Sept-16-1998] and Version 2.0.11 [Jan-20-2000], set to the parameters described below, is preferred for use in the determination of polynucleotide variants according to the present invention. The BLASTP algorithm, set to the parameters described below, is preferred for use in the determination of
 10 polypeptide variants according to the present invention. The use of the BLAST family of algorithms, including BLASTN, BLASTP and BLASTX, is described at NCBI's website at URL <http://www.ncbi.nlm.nih.gov/BLAST/newblast.html> and in the publication of Altschul *et al.*, *Nucleic Acids Res.* 25: 3389-3402, 1997.

The computer algorithm FASTA is available on the Internet and from the University
 15 of Virginia by contacting David Hudson, Vice Provost for Research, University of Virginia, P.O. Box 9025, Charlottesville, VA 22906-9025, USA. FASTA Version 2.0u4 [February 1996], set to the default parameters described in the documentation and distributed with the algorithm, may be used in the determination of variants according to the present invention. The use of the FASTA algorithm is described in Pearson and Lipman, *Proc. Natl. Acad. Sci.*
 20 *USA* 85:2444-2448, 1988; and Pearson, *Methods in Enzymol.* 183: 63-98, 1990.

The following running parameters are preferred for determination of alignments and similarities using BLASTN that contribute to the E values and percentage identity for polynucleotide sequences: Unix running command: `blastall -p blastn -d embldb -e 10 -G 0 -E 0 -r 1 -v 30 -b 30 -i queryseq -o results`; the parameters are: -p Program Name [String]; -
 25 d Database [String]; -e Expectation value (E) [Real]; -G Cost to open a gap (zero invokes default behavior) [Integer]; -E Cost to extend a gap (zero invokes default behavior) [Integer]; -r Reward for a nucleotide match (BLASTN only) [Integer]; -v Number of one-line descriptions (V) [Integer]; -b Number of alignments to show (B) [Integer]; -i Query File [File In]; and -o BLAST report Output File [File Out] Optional.

30 The following running parameters are preferred for determination of alignments and similarities using BLASTP that contribute to the E values and percentage identity of polypeptide sequences: `blastall -p blastp -d swissprot -e 10 -G 0 -E 0 -v 30 -b 30 -i queryseq -o results`; the parameters are: -p Program Name [String]; -d Database [String]; -e

Expectation value (E) [Real]; -G Cost to open a gap (zero invokes default behavior) [Integer]; -E Cost to extend a gap (zero invokes default behavior) [Integer]; -v Number of one-line descriptions (v) [Integer]; -b Number of alignments to show (b) [Integer]; -I Query File [File In]; -o BLAST report Output File [File Out] Optional. The "hits" to one or more database sequences by a queried sequence produced by BLASTN, FASTA, BLASTP or a similar algorithm, align and identify similar portions of sequences. The hits are arranged in order of the degree of similarity and the length of sequence overlap. Hits to a database sequence generally represent an overlap over only a fraction of the sequence length of the queried sequence.

10 The BLASTN, FASTA, and BLASTP algorithms also produce "Expect" values for alignments. The Expect value (E) indicates the number of hits one can "expect" to see over a certain number of contiguous sequences by chance when searching a database of a certain size. The Expect value is used as a significance threshold for determining whether the hit to a database, such as the preferred EMBL database, indicates true similarity. For example, an
15 E value of 0.1 assigned to a polynucleotide hit is interpreted as meaning that in a database of the size of the EMBL database, one might expect to see 0.1 matches over the aligned portion of the sequence with a similar score simply by chance. By this criterion, the aligned and matched portions of the polynucleotide sequences then have a probability of 90% of being the same. For sequences having an E value of 0.01 or less over aligned and matched portions,
20 the probability of finding a match by chance in the EMBL database is 1% or less using the BLASTN or FASTA algorithm.

According to one embodiment, "variant" polynucleotides and polypeptides, with reference to each of the polynucleotides and polypeptides of the present invention, preferably comprise sequences producing an E value of 0.01 or less when compared to the
25 polynucleotide or polypeptide of the present invention. That is, a variant polynucleotide or polypeptide is any sequence that has at least a 99% probability of being the same as the polynucleotide or polypeptide of the present invention, measured as having an E value of 0.01 or less using the BLASTN, FASTA, or BLASTP algorithms set at parameters described above. According to a preferred embodiment, a variant polynucleotide is a sequence having
30 the same number or fewer nucleic acids than a polynucleotide of the present invention that has at least a 99% probability of being the same as the polynucleotide of the present invention, measured as having an E value of 0.01 or less using the BLASTN or FASTA algorithms set at parameters described above. Similarly, according to a preferred

embodiment, a variant polypeptide is a sequence having the same number or fewer amino acids than a polypeptide of the present invention that has at least a 99% probability of being the same as a polypeptide of the present invention, measured as having an E value of 0.01 or less using the BLASTP algorithm set at the parameters described above.

- 5 As noted above, the percentage identity is determined by aligning sequences using one of the BLASTN, FASTA, or BLASTP algorithms, set at the running parameters described above, and identifying the number of identical nucleic or amino acids over the aligned portions; dividing the number of identical nucleic or amino acids by the total number of nucleic or amino acids of the polynucleotide or polypeptide sequence of the present invention; and then multiplying by 100 to determine the percentage identity. For example, a
10 polynucleotide of the present invention having 220 nucleic acids has a hit to a polynucleotide sequence in the EMBL database having 520 nucleic acids over a stretch of 23 nucleotides in the alignment produced by the BLASTN algorithm using the parameters described above. The 23 nucleotide hit includes 21 identical nucleotides, one gap and one different nucleotide.
- 15 The percentage identity of the polynucleotide of the present invention to the hit in the EMBL library is thus 21/220 times 100, or 9.5%. The polynucleotide sequence in the EMBL database is thus not a variant of a polynucleotide of the present invention.

- In addition to having a specified percentage identity to an inventive polynucleotide or polypeptide sequence, variant polynucleotides and polypeptides preferably have additional
20 structure and/or functional features in common with the inventive polynucleotide or polypeptide. Polypeptides having a specified degree of identity to a polypeptide of the present invention share a high degree of similarity in their primary structure and have substantially similar functional properties. In addition to sharing a high degree of similarity in their primary structure to polynucleotides of the present invention, polynucleotides having a
25 specified degree of identity to, or capable of hybridizing to an inventive polynucleotide preferably have at least one of the following features: (i) they contain an open reading frame or partial open reading frame encoding a polypeptide having substantially the same functional properties as the polypeptide encoded by the inventive polynucleotide; or (ii) they contain identifiable domains in common.

- 30 Alternatively, variant polynucleotides of the present invention hybridize to the polynucleotide sequences recited in SEQ ID NOS: 1-59, or complements, reverse sequences, or reverse complements of those sequences under stringent conditions. As used herein, "stringent conditions" refers to prewashing in a solution of 6X SSC, 0.2% SDS; hybridizing

at 65°C, 6X SSC, 0.2% SDS overnight; followed by two washes of 30 minutes each in 1X SSC, 0.1% SDS at 65°C and two washes of 30 minutes each in 0.2X SSC, 0.1% SDS at 65°C.

The present invention also encompasses polynucleotides that differ from the disclosed sequences but that, as a consequence of the discrepancy of the genetic code, encode a polypeptide having similar enzymatic activity as a polypeptide encoded by a polynucleotide of the present invention. Thus, polynucleotides comprising sequences that differ from the polynucleotide sequences recited in SEQ ID NOS: 1-59, or complements, reverse sequences, or reverse complements of those sequences as a result of conservative substitutions are encompassed within the present invention. Additionally, polynucleotides comprising sequences that differ from the inventive polynucleotide sequences or complements, reverse complements, or reverse sequences as a result of deletions and/or insertions totaling less than 10% of the total sequence length are also contemplated by and encompassed within the present invention. Similarly, polypeptides comprising sequences that differ from the inventive polypeptide sequences as a result of amino acid substitutions, insertions, and/or deletions totaling less than 10% of the total sequence length are contemplated by and encompassed within the present invention, provided the variant polypeptide has similar activity to the inventive polypeptide.

The polynucleotides of the present invention may be isolated from various libraries, or may be synthesized using techniques that are well known in the art. The polynucleotides may be synthesized, for example, using automated oligonucleotide synthesizers (e.g., Beckman Oligo 1000M DNA Synthesizer) to obtain polynucleotide segments of up to 50 or more nucleic acids. A plurality of such polynucleotide segments may then be ligated using standard DNA manipulation techniques that are well known in the art of molecular biology. One conventional and exemplary polynucleotide synthesis technique involves synthesis of a single stranded polynucleotide segment having, for example, 80 nucleic acids, and hybridizing that segment to a synthesized complementary 85 nucleic acid segment to produce a 5-nucleotide overhang. The next segment may then be synthesized in a similar fashion, with a 5-nucleotide overhang on the opposite strand. The "sticky" ends ensure proper ligation when the two portions are hybridized. In this way, a complete polynucleotide of the present invention may be synthesized entirely *in vitro*.

Certain of the polynucleotides identified as SEQ ID NOS: 1-59 are generally referred to as "partial" sequences, in that they do not represent the full coding portion of a gene

encoding a naturally occurring polypeptide. The partial polynucleotide sequences disclosed herein may be employed to obtain the corresponding full-length genes for various species and organisms by, for example, screening DNA expression libraries using hybridization probes based on the polynucleotides of the present invention, or using PCR amplification with primers based upon the polynucleotides of the present invention. In this way one can, using methods well known in the art, extend a polynucleotide of the present invention upstream and downstream of the corresponding DNA, as well as identify the corresponding mRNA and genomic DNA, including the promoter and enhancer regions, of the complete gene. The present invention thus comprehends isolated polynucleotides comprising a sequence identified in SEQ ID NOS: 1-59, or a variant of one of the specified sequences, that encode a functional polypeptide, including full length genes. Such extended polynucleotides may have a length of from about 50 to about 4,000 nucleic acids or base pairs, and preferably have a length of less than about 4,000 nucleic acids or base pairs, more preferably yet a length of less than about 3,000 nucleic acids or base pairs, more preferably yet a length of less than about 2,000 nucleic acids or base pairs. Under some circumstances, extended polynucleotides of the present invention may have a length of less than about 1,800 nucleic acids or base pairs, preferably less than about 1,600 nucleic acids or base pairs, more preferably less than about 1,400 nucleic acids or base pairs, more preferably yet less than about 1,200 nucleic acids or base pairs, and most preferably less than about 1,000 nucleic acids or base pairs.

Polynucleotides and polypeptides of the present invention comprehend polynucleotides and polypeptides comprising at least a specified number of contiguous residues (x -mers) of any of the polynucleotides and polypeptides identified as SEQ ID NOS: 1-59 and 62-120, or their variants. According to preferred embodiments, the value of x is preferably at least 20, more preferably at least 40, more preferably yet at least 60, and most preferably at least 80. Thus, polynucleotides of the present invention include polynucleotides comprising a 20-mer, a 40-mer, a 60-mer, an 80-mer, a 100-mer, a 120-mer, a 150-mer, a 180-mer, a 220-mer, a 250-mer, or a 300-mer, 400-mer, 500-mer or 600-mer of a polynucleotide or polypeptide identified as SEQ ID NOS: 1-59 and 62-120 or a variant thereof.

Oligonucleotide probes and primers complementary to and/or corresponding to SEQ ID NOS: 1-59, and variants of those sequences, are also comprehended by the present invention. Such oligonucleotide probes and primers are substantially complementary to the

polynucleotide of interest. An oligonucleotide probe or primer is described as "corresponding to" a polynucleotide of the present invention, including one of the sequences set out as SEQ ID NOS: 1-59 or a variant, if the oligonucleotide probe or primer, or its complement, is contained within one of the sequences set out as SEQ ID NOS: 1-59 or a variant of one of the specified sequences.

Two single stranded sequences are said to be substantially complementary when the nucleotides of one strand, optimally aligned and compared, with the appropriate nucleotide insertions and/or deletions, pair with at least 80%, preferably at least 90% to 95%, and more preferably at least 98% to 100%, of the nucleotides of the other strand. Alternatively, substantial complementarity exists when a first DNA strand will selectively hybridize to a second DNA strand under stringent hybridization conditions. Stringent hybridization conditions for determining complementarity include salt conditions of less than about 1 M, more usually less than about 500 mM and preferably less than about 200 mM. Hybridization temperatures can be as low as 5°C, but are generally greater than about 22°C, more preferably greater than about 30°C and most preferably greater than about 37°C. Longer DNA fragments may require higher hybridization temperatures for specific hybridization. Since the stringency of hybridization may be affected by other factors such as probe composition, presence of organic solvents and extent of base mismatching, the combination of parameters is more important than the absolute measure of any one alone. DNA-DNA hybridization studies may performed using either genomic DNA or DNA derived by preparing cDNA from the RNA present in a sample to be tested.

In addition to DNA-DNA hybridization, DNA-RNA or RNA-RNA hybridization assays are also possible. In the first case, the mRNA from expressed genes would then be detected instead of genomic DNA or cDNA derived from mRNA of the sample. In the second case, RNA probes could be used. In addition, artificial analogs of DNA hybridizing specifically to target sequences could also be used.

In specific embodiments, the oligonucleotide probes and/or primers comprise at least about 6 contiguous residues, more preferably at least about 10 contiguous residues, and most preferably at least about 20 contiguous residues complementary to a polynucleotide sequence of the present invention. Probes and primers of the present invention may be from about 8 to 100 base pairs in length or, preferably from about 10 to 50 base pairs in length or, more preferably from about 15 to 40 base pairs in length. The primers and probes may be readily selected using procedures well known in the art, taking into account DNA-DNA

hybridization stringencies, annealing and melting temperatures, potential for formation of loops and other factors, which are well known in the art. Tools and software suitable for designing probes, and especially suitable for designing PCR primers, are available on the Internet, for example, at the Horizon Press site. In addition, a software program suitable for
5 designing probes, and especially for designing PCR primers, is available from Premier Biosoft International, 3786 Corina Way, Palo Alto, CA 94303-4504. Preferred techniques for designing PCR primers are also disclosed in Dieffenbach and Dyksler, *PCR primer: a laboratory manual*, CSHL Press: Cold Spring Harbor, NY, 1995.

A plurality of oligonucleotide probes or primers corresponding to a polynucleotide of
10 the present invention may be provided in a kit form. Such kits generally comprise multiple DNA or oligonucleotide probes, each probe being specific for a polynucleotide sequence. Kits of the present invention may comprise one or more probes or primers corresponding to a polynucleotide of the present invention, including a polynucleotide sequence identified in SEQ ID NOS: 1-59.

15 In one embodiment useful for high-throughput assays, the oligonucleotide probe kits of the present invention comprise multiple probes in an array format, wherein each probe is immobilized in a predefined, spatially addressable location on the surface of a solid substrate. Array formats which may be usefully employed in the present invention are disclosed, for example, in U.S. Patents No. 5,412,087, 5,545,531, and PCT Publication No. WO 95/00530,
20 the disclosures of which are hereby incorporated by reference.

Oligonucleotide probes for use in the present invention may be constructed synthetically prior to immobilization on an array, using techniques well known in the art (*See, for example, Gait, ed., Oligonucleotide synthesis a practical approach*, IRL Press: Oxford, England, 1984). Automated equipment for the synthesis of oligonucleotides is available
25 commercially from such companies as Perkin Elmer/Applied Biosystems Division (Foster City, CA) and may be operated according to the manufacturer's instructions. Alternatively, the probes may be constructed directly on the surface of the array using techniques taught, for example, in PCT Publication No. WO 95/00530.

The solid substrate and the surface thereof preferably form a rigid support and are
30 generally formed from the same material. Examples of materials from which the solid substrate may be constructed include polymers, plastics, resins, membranes, polysaccharides, silica or silica-based materials, carbon, metals and inorganic glasses. Synthetically prepared

probes may be immobilized on the surface of the solid substrate using techniques well known in the art, such as those disclosed in U.S. Patent No. 5,412,087.

In one such technique, compounds having protected functional groups, such as thiols protected with photochemically removable protecting groups, are attached to the surface of the substrate. Selected regions of the surface are then irradiated with a light source, preferably a laser, to provide reactive thiol groups. This irradiation step is generally performed using a mask having apertures at predefined locations using photolithographic techniques well known in the art of semiconductors. The reactive thiol groups are then incubated with the oligonucleotide probe to be immobilized. The precise conditions for incubation, such as temperature, time and pH, depend on the specific probe and can be easily determined by one of skill in the art. The surface of the substrate is washed free of unbound probe and the irradiation step is repeated using a second mask having a different pattern of apertures. The surface is subsequently incubated with a second, different, probe. Each oligonucleotide probe is typically immobilized in a discrete area of less than about 1 mm². Preferably each discrete area is less than about 10,000 mm², more preferably less than about 100 mm². In this manner, a multitude of oligonucleotide probes may be immobilized at predefined locations on the array.

The resulting array may be employed to screen for differences in organisms or samples or products containing genetic material as follows. Genomic or cDNA libraries are prepared using techniques well known in the art. The resulting target DNA is then labeled with a suitable marker, such as a radiolabel, chromophore, fluorophore or chemiluminescent agent, using protocols well known for those skilled in the art. A solution of the labeled target DNA is contacted with the surface of the array and incubated for a suitable period of time.

The surface of the array is then washed free of unbound target DNA and the probes to which the target DNA hybridized are determined by identifying those regions of the array to which the markers are attached. When the marker is a radiolabel, such as ³²P, autoradiography is employed as the detection method. In one embodiment, the marker is a fluorophore, such as fluorescein, and the location of bound target DNA is determined by means of fluorescence spectroscopy. Automated equipment for use in fluorescence scanning of oligonucleotide probe arrays is available from Affymetrix, Inc. (Santa Clara, CA) and may be operated according to the manufacturer's instructions. Such equipment may be employed to determine the intensity of fluorescence at each predefined location on the array, thereby providing a measure of the amount of target DNA bound at each location. Such an assay

would be able to indicate not only the absence and presence of the marker probe in the target, but also the quantitative amount as well.

The significance of such high-throughput screening system is apparent for applications such as microbial selection and quality control operations in which there is a need to identify large numbers of samples or products for unwanted materials, to identify microbes or samples or products containing microbial material for quarantine purposes, etc., or to ascertain the true origin of samples or products containing microbes. Screening for the presence or absence of polynucleotides of the present invention used as identifiers for tagging microbes and microbial products can be valuable for later detecting the genetic composition of food, fermentation and industrial microbes or microbes in human or animal digestive system after consumption of probiotics, etc.

In this manner, oligonucleotide probe kits of the present invention may be employed to examine the presence/absence (or relative amounts in case of mixtures) of polynucleotides in different samples or products containing different materials rapidly and in a cost-effective manner. Examples of microbial species which may be examined using the present invention, include lactic acid bacteria, such as *Lactobacillus rhamnosus*, and other microbial species.

Another aspect of the present invention involves collections of a plurality of polynucleotides and/or polypeptides of the present invention. A collection of a plurality of the polynucleotides and/or polypeptides of the present invention, particularly the polynucleotides and polypeptides identified as SEQ ID NOS: 1-59 and 62-120, may be recorded and/or stored on a storage medium and subsequently accessed for purposes of analysis, comparison, etc. Suitable storage media include magnetic media such as magnetic diskettes, magnetic tapes, CD-ROM storage media, optical storage media, and the like. Suitable storage media and methods for recording and storing information, as well as accessing information such as polynucleotide sequences recorded on such media, are well known in the art. The polynucleotide information stored on the storage medium is preferably computer-readable and may be used for analysis and comparison of the polynucleotide information.

Another aspect of the present invention thus involves storage medium on which are recorded a collection of the polynucleotides and/or polypeptides of the present invention, particularly a collection of the polynucleotides and/or polypeptides identified as SEQ ID NOS: 1-59 and 62-120. According to one embodiment, the storage medium includes a collection of at least 20, preferably at least 50, more preferably at least 100, and most

preferably at least 200 of the polynucleotides of the present invention, preferably the polynucleotides identified as SEQ ID NOS: 1-59, including variants of those polynucleotides.

Another aspect of the present invention involves a combination of polynucleotides, the combination containing at least 5, preferably at least 10, more preferably at least 20, and most preferably at least 50 different polynucleotides and/or polypeptides of the present invention, including polynucleotides and polypeptides selected from SEQ ID NOS: 1-59 and 62-120, and variants of these polynucleotides and polypeptides.

In another aspect, the present invention provides genetic constructs comprising, in the 5'-3' direction, a gene promoter sequence; and an open reading frame coding for at least a functional portion of a polypeptide encoded by a polynucleotide of the present invention. In certain embodiments, the genetic constructs of the present invention also comprise a gene termination sequence. The open reading frame may be oriented in either a sense or antisense direction. Genetic constructs comprising a non-coding region of a gene coding for a polypeptide encoded by the above polynucleotides or a nucleotide sequence complementary to a non-coding region, together with a gene promoter sequence, are also provided. A terminator sequence may form part of this construct. Preferably, the gene promoter and termination sequences are functional in a host organism. More preferably, the gene promoter and termination sequences are common to those of the polynucleotide being introduced. The genetic construct may further include a marker for the identification of transformed cells.

Techniques for operatively linking the components of the genetic constructs are well known in the art and include the use of synthetic linkers containing one or more restriction endonuclease sites as described, for example, by Sambrook *et al.*, in *Molecular cloning: a laboratory manual*, Cold Spring Harbor Laboratories Press: Cold Spring Harbor, NY, 1989. The genetic constructs of the present invention may be linked to a vector having at least one replication system, for example, *E. coli*, whereby after each manipulation, the resulting construct can be cloned and sequenced and the correctness of the manipulation determined.

Transgenic microbial cells comprising the genetic constructs of the present invention are also provided by the present invention, together with microbes comprising such transgenic cells, products and progeny of such microbes, and materials including such microbes. Techniques for stably incorporating genetic constructs into the genome of target microbes, such as *Lactobacillus* species, *Lactococcus lactis* or *E. coli*, are well known in the art of bacterial transformation and are exemplified by the transformation of *E. coli* for sequencing in Example 1.

Transgenic, non-microbial, cells comprising the genetic constructs of the present invention are also provided, together with organisms comprising such transgenic cells, and products and progeny of such organisms. Genetic constructs of the present invention may be stably incorporated into the genomes of non-microbial target organisms, such as fungi, using techniques well known in the art.

In preferred embodiments, the genetic constructs of the present invention are employed to transform microbes used in the production of food products, ingredients, processing aids, additives or supplements and for the production of microbial products for pharmaceutical uses, particularly for modulating immune system function and immunological effects; and in the production of chemoprotectants providing beneficial effects, probiotics and health supplements. The inventive genetic constructs may also be employed to transform bacteria that are used to produce enzymes or substances such as polysaccharides, flavor compounds, and bioactive substances, and to enhance resistance to industrial processes such as drying and to adverse stimuli in the human digestive system. The genes involved in antibiotic production, and phage uptake and resistance in *Lactobacillus rhamnosus* are considered to be especially useful. The target microbe to be used for transformation with one or more polynucleotides or genetic constructs of the present invention is preferably selected from the group consisting of bacterial genera *Lactococcus*, *Lactobacillus*, *Streptococcus*, *Oenococcus*, *Lactosphaera*, *Trichococcus*, *Pediococcus* and others potentially useful in various fermentation industries selected, most preferably, from the group consisting of *Lactobacillus* species in the following list: *Lactobacillus acetotolerans*, *Lactobacillus acidophilus*, *Lactobacillus agilis*, *Lactobacillus alimentarius*, *Lactobacillus amylolyticus*, *Lactobacillus amylophilus*, *Lactobacillus amylovorus*, *Lactobacillus animalis*, *Lactobacillus arizonae*, *Lactobacillus aviarius*, *Lactobacillus bavaricus*, *Lactobacillus bif fermentans*, *Lactobacillus brevis*, *Lactobacillus buchneri*, *Lactobacillus bulgaricus*, *Lactobacillus casei*, *Lactobacillus collinoides*, *Lactobacillus coryniformis*, *Lactobacillus crispatus*, *Lactobacillus curvatus*, *Lactobacillus delbrueckii*, *Lactobacillus delbrueckii* subsp. *bulgaricus*, *Lactobacillus delbrueckii* subsp. *lactis*, *Lactobacillus farciminis*, *Lactobacillus fermentum*, *Lactobacillus fructivorans*, *Lactobacillus gallinarum*, *Lactobacillus gasseri*, *Lactobacillus graminis*, *Lactobacillus hamsteri*, *Lactobacillus helveticus*, *Lactobacillus helveticus* subsp. *jugurti*, *Lactobacillus hetero*, *Lactobacillus hilgardii*, *Lactobacillus homohiochii*, *Lactobacillus japonicus*, *Lactobacillus johnsonii*, *Lactobacillus kefir*, *Lactobacillus lactis*, *Lactobacillus leichmannii*, *Lactobacillus lindneri*, *Lactobacillus mali*, *Lactobacillus*

maltaromicus, *Lactobacillus manihotivorans*, *Lactobacillus mucosae*, *Lactobacillus murinus*, *Lactobacillus oris*, *Lactobacillus panis*, *Lactobacillus paracasei*, *Lactobacillus paracasei* subsp. *pseudoplanatarum*, *Lactobacillus paraplantarum*, *Lactobacillus pentosus*, *Lactobacillus plantarum*, *Lactobacillus pontis*, *Lactobacillus reuteri*, *Lactobacillus rhamnosus*, *Lactobacillus ruminis*, *Lactobacillus sake*, *Lactobacillus salivarius*, *Lactobacillus salivarius* subsp. *salicinius*, *Lactobacillus salivarius* subsp. *salivarius*, *Lactobacillus sanfranciscensis*, *Lactobacillus sharpeae*, *Lactobacillus thermophilus*, *Lactobacillus vaginalis*, *Lactobacillus vermiforme*, *Lactobacillus zeae*.

In yet a further aspect, the present invention provides methods for modifying the concentration, composition and/or activity of a polypeptide in a host organism, such as a microbe, comprising stably incorporating a genetic construct of the present invention into the genome of the host organism by transforming the host organism with such a genetic construct. The genetic constructs of the present invention may be used to transform a variety of organisms. Organisms which may be transformed with the inventive constructs include plants, such as monocotyledonous angiosperms (e.g., grasses, corn, grains, oat, wheat and barley); dicotyledonous angiosperms (e.g., *Arabidopsis*, tobacco, legumes, alfalfa, oaks, eucalyptus, maple); gymnosperms, (e.g., Scots pine (Aronen, *Finnish Forest Res. Papers*, Vol. 595, 1996); white spruce (Ellis *et al.*, *Biotechnology* 11:84-89, 1993); and larch (Huang, *et al.*, *In Vitro Cell* 27:201-207, 1991); and any kind of plant amenable to genetic engineering.

Thus, in yet another aspect, transgenic plant cells comprising the genetic constructs of the present invention are provided, together with plants comprising such transgenic cells, and fruits, seeds, products and progeny of such plants. Techniques for stably incorporating genetic constructs into the genome of target organisms, such as plants, are well known in the art and include *Agrobacterium tumefaciens* mediated introduction, electroporation, protoplast fusion, injection into reproductive organs, injection into immature embryos, high velocity projectile introduction and the like. The choice of technique will depend upon the target plant to be transformed. For example, dicotyledonous plants and certain monocots and gymnosperms may be transformed by *Agrobacterium* Ti plasmid technology, as described, for example by Bevan, *Nucleic Acids Res.* 12:8711-8721, 1984. Targets for the introduction of the genetic constructs include tissues, such as leaf tissue, disseminated cells, protoplasts, seeds, embryos, meristematic regions; cotyledons, hypocotyls, and the like.

Once the cells are transformed, cells having the genetic construct incorporated in their genome are selected. Transgenic cells may then be cultured in an appropriate medium, using techniques well known in the art. In the case of protoplasts, the cell wall is allowed to reform under appropriate osmotic conditions. In the case of seeds or embryos, an appropriate germination or callus initiation medium is employed. For explants, an appropriate regeneration medium is used. Regeneration of plants is well established for many species. For a review of regeneration of forest trees, see Dunstan *et al.*, "Somatic embryogenesis in woody plants," in Thorpe, T.A., ed., *In vitro embryogenesis of plants, (Current Plant Science and Biotechnology in Agriculture)*, 20(12):471-540, 1995. Specific protocols for the regeneration of spruce are discussed by Roberts *et al.* ("Somatic embryogenesis of Spruce," in Redenbaugh K., ed., *Synseed: applications of synthetic seed to crop improvement*, CRC Press: Ch.23:427-449, 1993). The resulting transformed plants may be reproduced sexually or asexually, using methods well known in the art, to give successive generations of transgenic plants and practically unlimited amounts of tagged plant-derived products.

Polynucleotides of the present invention may also be used to specifically suppress gene expression by methods such as RNA interference (RNAi), which may also include cosuppression and quelling. This and other techniques of gene suppression are well known in the art. A review of this technique is found in *Science* 288:1370-1372, 2000. Traditional methods of gene suppression, employing antisense RNA or DNA, operate by binding to the reverse sequence of a gene of interest such that binding interferes with subsequent cellular processes and thereby blocks synthesis of the corresponding protein. RNAi also operates on a post-transcriptional level and is sequence specific, but suppresses gene expression far more efficiently

Studies have demonstrated that one or more ribonucleases specifically bind to and cleave double-stranded RNA into short fragments. The ribonuclease(s) remains associated with these fragments, which in turn specifically bind to complementary mRNA, i.e. specifically bind to the transcribed mRNA strand for the gene of interest. The mRNA for the gene is also degraded by the ribonuclease(s) into short fragments, thereby obviating translation and expression of the gene. Additionally, an RNA polymerase may act to facilitate the synthesis of numerous copies of the short fragments, which exponentially increases the efficiency of the system. A unique feature of this gene suppression pathway is that silencing is not limited to the cells where it is initiated. The gene-silencing effects may

be disseminated to other parts of an organism and even transmitted through the germ line to several generations.

Specifically, polynucleotides of the present invention are useful for generating gene constructs for silencing specific genes. Polynucleotides of the present invention may be used to generate genetic constructs that encode a single self-complementary RNA sequence specific for one or more genes of interest. Genetic constructs and/or gene-specific self-complementary RNA sequences may be delivered by any conventional method known in the art. Within genetic constructs, sense and antisense sequences flank an intron sequence arranged in proper splicing orientation making use of donor and acceptor splicing sites. Alternative methods may employ spacer sequences of various lengths rather than discrete intron sequences to create an operable and efficient construct. During post-transcriptional processing of the gene construct product, intron sequences are spliced-out, allowing sense and antisense sequences, as well as splice junction sequences, to bind forming double-stranded RNA. Select ribonucleases bind to and cleave the double-stranded RNA, thereby initiating the cascade of events leading to degradation of specific mRNA gene sequences, and silencing specific genes. Alternatively, rather than using a gene construct to express the self-complementary RNA sequences, the gene-specific double-stranded RNA segments are delivered to one or more targeted areas to be internalized into the cell cytoplasm to exert a gene silencing effect.

Using this cellular pathway of gene suppression, gene function may be studied and high-throughput screening of sequences may be employed to discover sequences affecting gene expression. Additionally, genetically modified microbes and higher order organisms may be generated.

The following examples are offered by way of illustration and not by way of limitation.

Example 1

Isolation and Characterization of DNA Sequences from *Lactobacillus rhamnosus* strain HN001

30

Lactobacillus rhamnosus strain HN001 DNA libraries were constructed and screened as follows.

DNA was prepared in large scale by cultivating the bacteria in 2 x 100 ml cultures with 100 ml MRS broth (Difco Laboratories, Detroit MI) and 1 ml *Lactobacillus* glycerol stock as inoculum, placed into 500 ml culture flasks and incubated at 37 °C for approx. 16 hours with shaking (220 rpm).

5 The cultures were centrifuged at 6200 rpm for 10 min to pellet the cells. The supernatant was removed and the cell pellet resuspended in 40 ml fresh MRS broth and transferred to clean 500 ml culture flasks. Fresh MRS broth (60 ml) was added to bring the volume back to 100 ml and flasks were incubated for a further 2 hrs at 37°C with shaking (220 rpm). The cells were pelleted by centrifugation (6200 rpm for 10 min) and supernatant
10 removed. Cell pellets were washed twice in 20 ml buffer A (50 mM NaCl, 30 mM Tris pH 8.0, 0.5 mM EDTA).

Cells were resuspended in 2.5 ml buffer B (25% sucrose (w/v), 50 mM Tris pH 8.0, 1 mM EDTA, 20 mg/ml lysozyme, 20 µg/ml mutanolysin) and incubated at 37 °C for 45 min. Equal volumes of EDTA (0.25 M) was added to each tube and allowed to incubate at room
15 temperature for 5 min. 20% SDS (1 ml) solution was added, mixed and incubated at 65 °C for 90 min. 50 µl Proteinase K (Gibco BRL, Gaithersburg, MD) from a stock solution of 20 mg/ml was added and tubes incubated at 65 °C for 15 min.

DNA was extracted with equal volumes of phenol:chloroform:isoamylalcohol (25:24:1). Tubes were centrifuged at 6200 rpm for 40 min. The aqueous phase was removed
20 to clean sterile Oak Ridge centrifuge tubes (30 ml). Crude DNA was precipitated with an equal volume of cold isopropanol and incubated at -20 °C overnight.

After resuspension in 500 µl TE buffer, DNase-free RNase was added to a final concentration of 100 µg/ml and incubated at 37 °C for 30 min. The incubation was extended for a further 30 min after adding 100 µl Proteinase K from a stock solution of 20 mg/ml.
25 DNA was precipitated with ethanol after a phenol:chloroform:isoamylalcohol (25:24:1) and a chloroform:isoamylalcohol (24:1) extraction and dissolved in 250 µl TE buffer.

DNA was digested with *Sau3AI* at a concentration of 0.004 U/µg in a total volume of 1480 µl, with 996 µl DNA, 138.75 µl 10X REACT 4 buffer and 252.75 µl H₂O. Following incubation for 1 hour at 37 °C, DNA was divided into two tubes. 31 µl 0.5 M EDTA was
30 added to stop the digestion and 17 µl samples were taken for agarose gel analysis. Samples were put into 15 ml Falcon tubes and diluted to 3 ml for loading onto sucrose gradient tubes.

Sucrose gradient size fractionation was conducted as follows. 100 ml of 50% sucrose (w/v) was made in TEN buffer (1M NaCl, 20 mM Tris pH 8.0, 5 mM EDTA) and sterile

filtered. Dilutions of 5, 10, 15, 20, 25, 30, 62⁴¹ and 40% sucrose were prepared and overlaid carefully in Beckman Polyallomer tubes, and kept overnight at 4°C. TEN buffer (4 ml) was loaded onto the gradient, with 3 ml of DNA solution on top. The gradients were centrifuged at 26K for 18 hours at 4°C in a Centrifuge T-2060 centrifuge using a Kontron TST 28-38 rotor. After deceleration without braking (approx. 1 hour), the gradients were removed and fractions collected using an auto Densi-Flow (Haake-Buchler Instruments). Agarose gel was used to analyse the fractions. The best two pairs of fractions were pooled and diluted to contain less than 10% sucrose. TEN buffer (4 ml) was added and DNA precipitated with 2 volumes of 100% ice cold ethanol and an overnight incubation at -20°C.

DNA pellets were resuspended in 300 µl TE buffer and re-precipitated for approx. 6 hours at -20 °C after adding 1/10 volume 3 M NaOAC pH 5.2 and 2 volumes of ethanol. DNA was pelleted at top speed in a microcentrifuge for 15 min, washed with 70% ethanol and pelleted again, dried and resuspended in 10 µl TE buffer.

DNA was ligated into dephosphorylated *Bam*HI-digested pBluescript SK II⁺ and dephosphorylated *Bam*HI-digested lambda ZAP Express using standard protocols. Packaging of the DNA was done using Gigapack III Gold packaging extract (Stratagene, La Jolla, CA) following the manufacturer's protocols. Packaged libraries were stored at 4 °C.

Mass excision from the primary packaged phage library was done using XL1-Blue MRF' cells and ExAssist Helper Phage (Stratagene). The excised phagemids were diluted with NZY broth (Gibco BRL, Gaithersburg, MD) and plated out onto LB-kanamycin agar plates containing 5-bromo-4-chloro-3-indolyl-β-D-galactoside (X-gal) and isopropylthio-beta-galactoside (IPTG). After incubation, single colonies were picked for PCR size determination before the most suitable libraries were selected for sequencing.

Of the colonies picked for DNA minipreps and subsequent sequencing, the large majority contained an insert suitable for sequencing. Positive colonies were cultured in LB broth with kanamycin or ampicillin depending on the vector used, and DNA was purified by means of rapid alkaline lysis minipreps (solutions: Qiagen, Venlo, The Netherlands; clearing plates, Millipore, Bedford, MA). Agarose gels at 1% were used to screen sequencing templates for chromosomal contamination and concentration. Dye terminator sequencing reactions were prepared using a Biomek 2000 robot (Beckman Coulter, Inc., Fullerton, CA) and Hydra 96 (Robbins Scientific, Sunnyvale, CA) for liquid handling. DNA amplification was done in a 9700 PCR machine (Perkin Elmer/Applied Biosystems, Foster City, CA) according to the manufacturer's protocol.

The sequence of the genomic DNA fragments were determined using a Perkin Elmer/Applied Biosystems Division Prism 377 sequencer.

To extend the sequences of the inserts from these clones, primers were designed from the determined nucleotide sequences so that the primer sequences are located approximately 100 bp downstream of the 5' end and 100 bp upstream of the 3' end of the determined nucleotide sequence. Selection of primers were done with the Gap4 Genome Assembly Program (Bonfield *et al.*, *Nucleic Acids Res.* 24:4992-4999, 1995 using the following parameters: No. of bases ahead: 40; No. of bases back: 40; Minimum melting temperature: 55°C; maximum melting temperature: 60°C; minimum length: 17 bp; maximum length: 20 bp; minimum GC-content: 40%; maximum GC-content: 60%. Sequencing of clones was done as described above. The determined nucleotide sequences are identified as SEQ ID NOS: 1-59 disclosed herein.

This example not only shows how the sequences were obtained, but also that a bacterium (*E. coli*) can be stably transformed with any desired DNA fragment of the present invention for permanent marking for stable inheritance.

The determined DNA sequences were compared to and aligned with known sequences in the public databases. Specifically, the polynucleotides identified in SEQ ID NO: 1-59 were compared to polynucleotides in the EMBL database as of the end of July 2000, using BLASTN algorithm Version 2.0.11 [Jan-20-2000], set to the following running parameters: Unix running command: blastall -p blastn -d embldb -e 10 -G 0 -E 0 -r 1 -v 30 -b 30 -i queryseq -o results. Multiple alignments of redundant sequences were used to build up reliable consensus sequences. Based on similarity to known sequences, the isolated polynucleotides of the present invention identified as SEQ ID NOS: 1-59 were identified as encoding polypeptides having similarity to the polypeptides shown above in Table 1. The amino acid sequences encoded by the DNA sequences of SEQ ID NO: 1-59 are provided in SEQ ID NO: 62-120, respectively.

Several of the sequences provided in SEQ ID NO: 1-59 were found to be full-length and to contain open reading frames (ORFs). Specifically, SEQ ID NOS: 1; 2; 4-9; 11; 17; 18; 22; 30; 32; 38; 40; 41; 50; 51; 55; 57 and 59 were found to be full-length. The location of ORFs (by nucleotide position) contained within SEQ ID NOS: 1-62, and the corresponding amino acid sequences are provided in Table 2 below.

TABLE 2

43

Polynucleotide SEQ ID NO:	Open reading frame	Polypeptide SEQ ID NO:
1	1 - 672	62
2	1 - 1,419	63
3	1 - 1,104	64
4	1 - 891	65
5	1 - 1,158	66
6	1 - 786	67
7	1 - 927	68
8	1 - 810	69
9	1 - 1,422	70
10	1 - 768	71
11	1 - 1,923	72
12	1 - 1,443	73
13	1 - 993	74
14	1 - 1,032	75
15	1 - 1,674	76
16	1 - 876	77
17	1 - 732	78
18	1 - 1,299	79
19	1 - 1,344	80
20	1 - 474	81
21	1 - 1,239	82
22	1 - 1,881	83
23	1 - 606	84
24	1 - 1,023	85
25	1 - 1,227	86
26	1 - 1,158	87
27	1 - 1,071	88
28	1 - 1,308	89
29	1 - 645	90
30	1 - 1,920	91
31	1 - 762	92
32	1 - 936	93
33	1 - 840	94
34	1 - 1,341	95
35	1 - 726	96
36	1 - 972	97
37	1 - 888	98
38	1 - 1,422	99
39	1 - 774	100
40	1 - 1,254	101
41	1 - 489	102
42	1 - 285	103
43	1 - 969	104
44	417 - 1,336	105
45	1 - 760	106

44

Polynucleotide SEQ ID NO:	Open reading frame	Polypeptide SEQ ID NO:
46	193 – 846	107
47	463 – 1,310	108
48	628 – 1,662	109
49	1 - 887	110
50	251 - 946	111
51	66 - 743	112
52	1 - 780	113
53	256 – 1,569	114
54	274 – 1,112	115
55	8 - 954	116
56	17 - 948	117
57	206 – 1,006	118
58	1 – 1,563	119
59	371 - 2048	120

Example 2

Isolation and Characterisation of Fibronectin Binding Protein from *L. rhamnosus* HN001

5 The full-length polynucleotide sequence of fibronectin binding protein from *L. rhamnosus* strain HN001, given in SEQ ID NO: 59 is shown in Fig. 1 with ATG initiation and translation stop codons (boxed). Based on amino acid sequence similarity between the *Streptococcus pyogenes* fibronectin bind protein FBP54 and the HN001 protein AB2, nucleotides encoding the fibronectin binding domain from AB2 was amplified by PCR and

10 cloned into the pGEX-6P-3 expression vector. The primer sequences used are given in SEQ ID NOS: 60 and 61 and were tagged with *EcoRI* and *BamHI* restriction endonuclease recognition sequences, respectively, to facilitate cloning. Cloned AB2 fibronectin binding domain sequence was transformed into *E. coli* DH5 α cells according to standard laboratory methods. The polypeptide sequence of fibronectin binding protein AB2 is given in SEQ ID

15 NO: 120 and shown in Fig. 2, showing the fibronectin binding domain (boxed). The AB2 fibronectin binding domain was expressed as a fusion protein with glutathione S-transferase (GST), and purified using Glutathione Sepharose 4B resin (Pharmacia Biotech) according to the manufacturer's instructions. An aliquot of the purified AB2 fibronectin binding domain-GST fusion protein was checked by SDS-PAGE analysis.

20 To analyze the fibronectin binding activity of the cloned AB2 fragment, a competition assay was performed such that the ability of unlabeled AB2 fibronectin binding domain-GST

45

fusion protein to block the binding of iodine- 125 labeled fibronectin to HN001 was compared to GST and bovine serum albumin (BSA).

A commercial preparation of fibronectin (Sigma) was radio-iodinated 0.1 mCi iodine-125 (Amersham Pharmacia) using IODO-BEADS iodination reagent (Pierce) and separated from unincorporated iodine-125 and excess sodium iodide-125 using a PD-10 desalting column (Amersham-Pharmacia) according to the manufacturer's instructions except that the elution was performed in phosphate buffered saline in twelve 500 µl aliquots. Radioactivity in eluted fractions was quantitated on a Bioscan Quick Count QC-4000/XER Benchtop Radioisotope Counter (Bioscan, Inc.) and fractions containing the first peak of radioactivity (corresponding to labeled fibronectin) were pooled and diluted to 1.5 ng/µl.

A 100 µl aliquot of an overnight culture of HN001 cells was inoculated into 10 ml MRS broth and incubated at 37 °C for 18 hrs, after which a series of 100 µl aliquots were taken for assay. To each aliquot of cells, 30 ng of iodine-125-labeled fibronectin and 30 µg of unlabeled protein in 250 µl phosphate buffered saline pH 7.4 (PBS). After 1 hr incubation at room temperature, 1.5 ml of ice-cold PBS with 0.1% Tween 20 (Sigma) was added, cultures centrifuged to pellet cells and supernatants removed. Radioactive levels in the pellets were measured as above. Results were compared to blank control without HN001 cells to measure background protein binding. Results are the means triplicate samples and presented as the percent radioactivity (dpm) of the bacterial pellet compared to the radioactivity of the added iodine-125-labeled fibronectin \pm twice the standard error (Table 1, Figure 3).

Table 3. Proportion of radioactively-labeled fibronectin bound to HN001 cells after co-incubation with unlabeled AB2 fibronectin binding domain-GST-fusion protein, BSA, GST only, and background fibronectin binding (no cell control).

Unlabeled Protein	Mean % Bound Labeled Fibronectin
BSA	4.7 \pm 0.3
AB2-GST	2.3 \pm 0.3
GST	3.3 \pm 0.1
no cells	1.7 \pm 0.1

The results in Fig. 3 indicate that while in the presence of 30 µg BSA 4.7% of the total fibronectin added at the start of the assay remained bound to HN001 cells after washing, this level dropped to 2.3% in the presence of unlabeled AB2 fibronectin binding domain-GST

46

fusion protein. This was significantly lower than fibronectin binding in the presence of GST protein alone and approached the level of background fibronectin binding seen in the absence of HN001 cells. Thus, the HN001 AB2 protein contains a domain capable of specifically blocking fibronectin binding to HN001 cells indicating that the AB2 gene encodes a fibronectin binding protein.

Fibronectin binding proteins are expressed by a number of bacteria and been shown to be essential for bacterial adhesion to human epithelial cell surfaces (Holmes *et al.*, *Mol. Microbiol.* 41:1395-1408, 2001; Peacock *et al.*, *Microbiology* 145:3477-3486, 1999), and may also bind fibrinogen (Kushiro *et al.*, *J. Mol. Microbiol. Biotechnol.* 3:563-571, 2001).

Applications for HN001 fibronectin binding protein AB2 include:

- enhanced adhesion to intestinal surface and cell lines;
- enhanced survival in intestinal environment;
- altered metabolic characteristics;
- altered adhesion characteristics;
- altered flavor or aroma characteristics;
- enhanced probiotic effects;
- human immune system interaction
- reagents to block or modify adherence of bacteria to mucosal surfaces; and
- development of vaccine carriers

These attributes may be produced in food, such as dairy, systems (including milk protein hydrolysates and cheese) by directed activity of the enzyme, either in a bacterial strain (including strain HN001, or starter cultures) or as an enzyme preparation.

SEQ ID NOS: 1-120 are set out in the attached Sequence Listing. The codes for nucleotide sequences used in the attached Sequence Listing, including the symbol "n," conform to WIPO Standard ST.25 (1998), Appendix 2, Table 1.

While in the foregoing specification this invention has been described in relation to certain preferred embodiments, and many details have been set forth for purposes of illustration, it will be apparent to those skilled in the art that the invention is susceptible to additional embodiments and that certain of the details described herein may be varied considerably without departing from the basic principles of the invention.

We claim:

1. An isolated polynucleotide comprising a nucleotide sequence present in *Lactobacillus rhamnosus* strain HN001 that encodes a polypeptide having at least one of the following activities: enzyme activity; anti-infection activity; lactose digestion modulating activity; immune system modulating activity; amino acid, lipid, vitamin or carbohydrate metabolic activity; flavor, texture or aroma modulating activity; multistress resistance and survival activity; antigenic activity; adhesion activity; and regulatory activity.
2. An isolated polynucleotide of claim 1, comprising a nucleotide sequence selected from the group consisting of: (1) the sequences recited in SEQ ID NOS: 1-59; and (2) sequences comprising a nucleotide sequence producing an Expectation ("E") value of 0.01 or less when compared to a sequence of (1) above using the BLASTN algorithm version 2.04 set to the default parameters described in the specification, above.
3. An isolated polynucleotide of claim 1 comprising a nucleotide sequence having at least 75% identical nucleotides to a compare sequence selected from the nucleotide sequences recited in SEQ ID NOS: 1-59, the percentage identical nucleotides being determined by aligning the sequence and the compare sequences using the BLASTN algorithm version 2.04 set at default parameters, identifying the number of identical nucleotides over aligned portions of the sequence and the compare sequences, dividing the number of identical nucleotides by the total number of nucleic acids of the compare sequence, and multiplying by 100 to determine the percentage identical nucleotides.
4. An isolated polynucleotide of claim 1 comprising a nucleotide sequence that hybridizes to a polynucleotide comprising a sequence recited in SEQ ID NOS: 1-59 under stringent hybridization conditions;
5. An isolated polynucleotide comprising a nucleotide sequence selected from the group consisting of: (1) complements of the sequences recited in SEQ ID NOS: 1-59; (2) reverse complements of the sequences recited in SEQ ID NOS: 1-59; and (3) reverse sequences of the sequences recited in SEQ ID NOS: 1-59.

6. An isolated polynucleotide comprising a nucleotide sequence selected from the group consisting of: (1) sequences comprising a nucleotide sequence that is a 200-mer of a sequence of claim 2; (2) sequences comprising a nucleotide sequence that is a 100-mer of a sequence of claim 2; and (3) sequences comprising a nucleotide sequence that is a 40-mer of a sequence recited in claim 2.
7. An isolated polynucleotide of claim 1 comprising a nucleotide sequence that differs from a nucleotide sequence recited in SEQ ID NOS: 1-59 as a result of conservative substitutions.
8. An isolated polynucleotide of claim 1 comprising a nucleotide sequence that differs from a nucleotide sequence recited in SEQ ID NOS: 1-59 as a result of deletions and/or insertions and/or substitutions totaling less than 10% of the total sequence length.
9. An isolated polynucleotide of claim 1 comprising a nucleotide sequence that differs from a nucleotide sequence recited in SEQ ID NOS: 1-59 as a result of substitutions, insertions, and/or deletions totaling less than 15% of the total sequence length.
10. An isolated polypeptide encoded by an isolated polynucleotide of any of claims 1-9.
11. An isolated polypeptide comprising an amino acid sequence selected from the group consisting of : (1) the sequences recited in SEQ ID NOS: 62-120; (2) sequences producing an Expectation ("E") value of 0.01 or less when compared to a sequence recited in (1) above using the BLASTP algorithm version 2.0.11 set to default parameters; (3) sequences comprising an amino acid sequence having at least 75% identical amino acid residues with a compare sequence selected from the amino acid sequences recited in (1) and (2) above, the percentage identical amino acids being determined by aligning the sequence and the compare sequences using the BLASTP algorithm version 2.0.11 set at default parameters, identifying the number of identical amino acids over aligned portions of the sequence and the compare sequences, dividing the number of identical amino acids by the total number of amino acids of the compare sequence, and multiplying by 100 to determine the percentage identical amino acids; (4) sequences differing by codon alterations that reflect the

49

degeneracy of the genetic code; and (5) functionally similar sequences differing only by conservative amino acid substitutions.

12. A fusion protein comprising at least one polypeptide according to claim 11.
13. A kit comprising a plurality of oligonucleotide probes or primers comprising at least 10 contiguous residues complementary to 10 contiguous residues of a nucleotide sequence recited in claim 2.
14. A genetic construct comprising a polynucleotide of claim 2.
15. The genetic construct of claim 14, wherein said polynucleotide encodes a polypeptide that modifies the flavor, aroma, texture and health-related benefits of milk-derived products selected from the group consisting of: histidinol-phosphate aminotransferase, tyrosine aminotransferase, cysteine desulfurase, lipase, O-acetylserine sulfhydrylase, surface protein, Group B streptococcal oligopeptidase, Pz-peptidase, dipeptidase, acylaminoacyl-peptidase, carboxylesterase, glycerophosphodiester phosphodiesterase, bifunctional alcohol dehydrogenase and acetaldehyde dehydrogenase, short-chain alcohol dehydrogenase, branched chain amino acid transport system II carrier protein, malolactic enzyme, pyruvate dehydrogenase, E1 (lipoamide) alpha subunit, formate C-acetyltransferase, 6-phosphogluconate dehydrogenase, 5-methyltetrahydropteroyltriglutamate homocysteine methyltransferase, S-methylmethionine permease, 6-phospho-beta-galactosidase, gamma-glutamyl phosphate reductase, dihydrofolate reductase, lactate dehydrogenase, lysine, aminopeptidase pepS, fibronectin binding protein AB2, prolinase (pepR), Xaa-Pro dipeptidase and human bile salt export pump.
16. The genetic construct of claim 14, wherein said polynucleotide encodes a polypeptide that increases the survivability of a microbe used in the manufacture of dairy products and probiotic supplements, wherein said polypeptide is selected from the group consisting of: transmembrane adhesion protein (SEQ ID NO: 1), major cell adherence molecule of *Campylobacter jejuni* and *Campylobacter coli*, collagen/mucin binding protein (SEQ ID NO: 8), ATP-dependent ClpC proteinase regulatory protein, O-sialoglycoprotein endopeptidase, human bile salt export pump, adhesin (SEQ ID

50

NO: 28), bifunctional HPr Kinase/P-Ser-HPr phosphatase, malolactic enzyme, magnesium transporter, dTDP-4-keto-*L. rhamnose* reductase, glucose inhibited division protein, glucose-1-phosphate thymidyl transferase, phosphate starvation-induced protein, GTP binding protein, gamma-glutamyl phosphate reductase, Pav A, aminopeptidase pepS, heat-inducible transcription repressor protein, phosphoribosylaminoimidazolecarboxamide formyltransferase/imp cyclohydrolase, hexulose-6-phosphate isomerase and fibronectin binding protein AB2.

17. A transgenic cell comprising a genetic construct according to any of claims 14-16.
18. A genetic construct comprising, in the 5'-3' direction:
 - (a) a gene promoter sequence;
 - (b) a polynucleotide sequence comprising at least one of the following: (1) a polynucleotide coding for at least a functional portion of a polypeptide encoded by a nucleotide sequence described in claim 2; and (2) a polynucleotide comprising a non-coding region of a gene coding for an polypeptide encoded by a nucleotide sequence selected from the group consisting of sequences recited in claim 2; and
 - (c) a gene termination sequence.
19. The genetic construct of claim 14-16 or 18 wherein the polynucleotide is in a sense orientation.
20. The genetic construct of claim 14-16 or 18 wherein the polynucleotide is in an antisense orientation.
21. The genetic construct of claim 18, wherein the gene promoter sequence and gene termination sequences are functional in a prokaryote or eucaryote.
22. A method for modulating the polynucleotide content or composition of an organism comprising transforming the organism with a genetic construct of claim 14-16 or 18.

23. A method for improving the properties of microbes used in the manufacture of milk-derived products and probiotic supplements, which comprises modulating the polynucleotide content or composition of said microbes by transforming said microbes with one or more polynucleotide sequences selected from the group consisting of:
- 5 (a) *Lactobacillus rhamnosus* strain HN001 sequences encoding polypeptides that modify the flavor, aroma, texture and health-related benefits of milk-derived products; and
- (b) *Lactobacillus rhamnosus* strain HN001 sequences encoding polypeptides that increase the survivability of said microbes in dairy product manufacturing processes.
- 10 24. The method of claim 23, wherein said polypeptides are selected from the group consisting of: histidinol-phosphate aminotransferase, tyrosine aminotransferase, cysteine desulfurase, lipase, O-acetylserine sulfhydrylase, surface protein, Group B streptococcal oligopeptidase, Pz-peptidase, dipeptidase, acylaminoacyl-peptidase,
- 15 carboxylesterase, glycerophosphodiester phosphodiesterase, bifunctional alcohol dehydrogenase and acetaldehyde dehydrogenase, short-chain alcohol dehydrogenase, branched chain amino acid transport system II carrier protein, malolactic enzyme, pyruvate dehydrogenase, E1 (lipoamide) alpha subunit, formate C-acetyltransferase,
- 20 6-phosphogluconate dehydrogenase, 5-methyltetrahydropteroyltriglutamate homocysteine methyltransferase, S-methylmethionine permease, 6-phospho-beta-galactosidase, gamma-glutamyl phosphate reductase, dihydrofolate reductase, lactate dehydrogenase, lysin, aminopeptidase pepS, fibronectin binding protein AB2, prolinase (pepR), Xaa-Pro dipeptidase, human bile salt export pump, transmembrane
- 25 adhesion protein (SEQ ID NO: 1), major cell adherence molecule of *Campylobacter jejuni* and *Campylobacter coli*, collagen/mucin binding protein (SEQ ID NO: 8), ATP-dependent ClpC proteinase regulatory protein, O-sialoglycoprotein endopeptidase, adhesin (SEQ ID NO: 28), bifunctional HPr Kinase/P-Ser-HPr phosphatase, malolactic enzyme, magnesium transporter, dTDP-4-keto-L. *rhamnose*
- 30 reductase, glucose inhibited division protein, glucose-1-phosphate thymidyl transferase, phosphate starvation-induced protein, GTP binding protein, Pav A, heat-inducible transcription repressor protein, hosphoribosylaminoimidazolecarboxamide formyltransferase/imp cyclohydrolase, and hexulose-6-phosphate isomerase.

25. A method for modifying the flavor, aroma, texture and/or nutritional and health
'benefits of milk-derived products, which comprises adding one or more polypeptides
to the milk being processed, wherein said polypeptides are selected from the group
consisting of *Lactobacillus rhamnosus* strain HN001 histidinol-phosphate
aminotransferase, tyrosine aminotransferase, cysteine desulfurase, lipase, O-
acetylserine sulfhydrylase, surface protein, Group B streptococcal oligopeptidase, Pz-
peptidase, dipeptidase, acylaminoacyl-peptidase, carboxylesterase,
glycerophosphodiester phosphodiesterase, bifunctional alcohol dehydrogenase and
acetaldehyde dehydrogenase, short-chain alcohol dehydrogenase, branched chain
amino acid transport system II carrier protein, malolactic enzyme, pyruvate
dehydrogenase, E1 (lipoamide) alpha subunit, formate C-acetyltransferase, 6-
phosphogluconate dehydrogenase, 5-methyltetrahydropteroyltriglutamate
homocysteine methyltransferase, S-methylmethionine permease, 6-phospho-beta-
galactosidase, gamma-glutamyl phosphate reductase, dihydrofolate reductase, lactate
dehydrogenase, lysine, aminopeptidase pepS, fibronectin binding protein AB2,
prolinase (pepR), Xaa-Pro dipeptidase and human bile salt export pump.
26. A method of identifying an organism or reproductive material or an extract therefrom
as having a specific origin, the method comprising detecting in the genetic
complement of the organism, material or extract the presence or absence of a
polynucleotide identifier representative of said origin, the polynucleotide identifier
comprising a sequence recited in SEQ ID NOS: 1-59.
27. The method of claim 26 wherein the organism is a bacterial cell or a yeast cell.
28. The method of claim 26 wherein the presence or absence of the polynucleotide
identifier is detected by isolating DNA from the organism or material and contacting
the isolated DNA with at least one oligonucleotide probe specific for the
polynucleotide identifier.
29. The method of claim 26 wherein the isolated DNA is contacted with a plurality of
oligonucleotide probes in an array format.

Figure 1. Nucleotide sequence containing *L. rhamnosus* strain HN001 fibronectin binding protein AB2 showing putative ATG initiation and translation stop codons (boxed).

```


GTTATTTTAGG CCGAAAGTT TTATAAAAA CGCGCGGNGC TTAACCTTAA GTCCCATTTT 60
GCGGGTTTGC CCTCATTC CAAAATATTG TTTCCTACCC GTGTTTGGTG AACGAACCTT 120
ATTGGGCCCT CCCCATTITT ACACAGGCCG AATAAATTAA GGTGTTTGA TCCCAAAAAA 180
TTGTGTAATG GTGAAGCGTT AAACCCCGGG CGGGTTTATT GTCCCAAAAT TTCCTTCTTA 240
AATTCGGGC ATGTTACGG TGGGCGGTG ACCAGCCTTT GGCTTAGGC GGCTAAAAA 300
CCGGTAAAT GATTGGGACA ATTGAAAAGC GAGCGGATCA ATATGCTTT TGACGGAATT 360
TTTTCAACAT GCAATGCGC CAGGAGCTTA ATACCAGTT AAGCGCGGG CGGGTTGCTA 420
AAATTCACCA ACCTTATGAA AATGAAATTA TCATCACGAT TCGAGCTGGA CGCAAGAAC 480
ATCCCTTGTT GCTCTCAGCT AATCCACAGT ATGCGCGGGT GCAAATTACC CACATTCCAT 540
TTACAAATCC AGACGTTCTT GCAACCTTCA CGATGACGTT GCGGAAGTAT TTTAACGCGG 600
CTACGTTAAC AGAGATTCAC CAAGTGCAAA ACGATCGGGT ACTACACTTT GAATTCTCCA 660
CGCGGGATGA ATTGGGGGAT GAACTGGGGC TGCGCTTGAT CATTGAAATG ATGGGTCGGC 720
ACAGTAACAT CTTTTAGTC AGCAAGCGCA CCGGCAAAAT TATTGATCTC ATTCGCCACG 780
TTTCTGCGGA TCAAAATCGC TATCGTCCGT TGATGCCCGG TGCCCCGTAT GTCGAGCCG 840
CTAAGCAAGA TAAAGTGGAT CCGTTTCATG ATTCGAGCG GATTATCAC GAACTTGAAC 900
GTCAGGTAAC ACCTTCATTG AGTCGCGCCG CCTTGCTCCA GCAACATTAC CAAGGACTTG 960
CCAAGGATTC TGCAGCTGAA TTGGCCCTGC GACTCAATCA AGGCGATGCC GGCTGGGATA 1020
GCTTTTTTGC AGCGCTGGCA ACCCTGAAC CGACTATTAC AACCAGGGG AAAAAAGCCG 1080
TTTTTACCGC GATCCCGTAT CAGTCTCTGA CCGCGAGCA GCAACATTTT CCAACCTTAA 1140
GCGCGATGCT GGATGCCAT TATGCGCAAA AAGCGGAACA TGATCGGGTT TTGCAACAAG 1200
GCGGGAACCT GATTATGTG ATCAAAAATG TGATTGATAA AGATCGCAA AAGCAGCGCA 1260
AATTAAAGCG AACGCTGGAA GAAACCGAAA AAGCCGATGA TTATCGAATT CGCGCGGAGA 1320
TTCTGACGAC TTATCTGAGT CAAGTCAAAC GCGGCATGAC GAGTATTGAA CTGCCTAATT 1380
TCTATGCTGA TAATGAGCCA ATTAAGATCA CCTTGCTCAA TCAACTGACG CCATCACGCA 1440
ACGCCCAGAA ATATTTTGCC AAGTATACGA AATTACGCAA TGCAGTGGCG CATGTTAC 1500
AGCAAAATGA GGAACCAAC GAAGAACTCG ACTACCTTGA AGGCATCATG GCGCAGATTG 1560
ATGTAGCTAG TCCGAAAGAT TTAGTCGATA TTCGATTGGA ATTACAGCAA CAAGGCTATC 1620
TACGTAAACA GAAATCCGGA AAAAAAGGCA ATAAACGCCA AAAAGTCTCC AAACCAGATC 1680
AATTCTATGC TAGTGACGGC ACTAAATCT GGGTCGGAAA AAACAACCTA CAAAATGATC 1740
AGTTGACCCT ACACACCGCG AAAAAACCG ACATTGGCT GCACGTCAA GATATCCCGG 1800
GATCACACGT GATTATCGAT AGCAGTGATC CCAGTGAGAA AACCTTGCTG GAAGCAGCCA 1860
AGCTGGCAGC GTATTTTTC AAAGCGCGC ACAGTGCCAA TGTTCGGTT GACTGGATTG 1920
AGGTTAAAAA GATTCTGAAA CCTAATGGGG CCAAACCCGG CTTTGTCAAT TACGAAGGCC 1980
AAAAAACAGT GAGTGTACG CCTGACGCTG ATTTAGTCGC CAAGCTGCGT AACCCGCCGA 2040
CAAAATAGGA GATGCTTTT CATGTCAGAA TCATCCGCC AAATCAGCCG CCCACTTCAG 2100
GAACATATCA TTGCCAACAA AGTCAACAT GG

```

Fig 2. The amino acid sequence of HN001 fibronectin binding protein AB2 showing the subcloned fibronectin binding domain (boxed).

```
MAQELNTTLS GGRVAKIQQP YENEIIITIR AGRKNHPLLL SANPQYARVQ 50
ITHIPFTNPD VPATFTMTLR KYFNAATLTE IHQVQNDRLV HFEFSTRDEL 100
GDELGLRLII EMMGRHSNIF LVSKRTGKII DLIRHVSADQ NRYRPLMPGA 150
PYVEEPKQDK VDPFHDSERI YHELERQVTP SLSRAALLQQ HYQGLAKDSA 200
AELALRLNQG DAGWDSFFAA LATPEPTITT QGKKAVFTAI PYQSLTGEQQ 250
HFPTLSAMLD AYYAQKAEHD RVLQQGGLI HVIKNVIDKD RKKQRKLKRT 300
LEETEKADDY RIRGEILTTY LSQVKGMTS IELPNFYADN EPIKITLSNQ 350
LTPSRNAQKY FAKYTKLRNA VAHVHQMQE NQEELDYLEG IMAQIDVASP 400
KDLVDIRLEL QQGGYLRKQK SGKKGNKRQK VSKPDQFYAS DGTKIWVGKN 450
NLQNDQLTLH TAKKTDIWLH VKDIPGSHVI IDSSDPSEKT LLEAAKLAAY 500
FSKARDSANV PVDWIEVKKI RKPNGAKPGF VIYEGQKTVS VTPDADLVAK 550
LRNPPTK 557
```

Fig. 3 Competition assay of iodine-125-labeled Fibronectin binding to HN001.



SEQUENCE LISTING

<110> Glenn, Matthew
Havukkala, Ilkka Jaako
Lubbers, Mark William
Dekker, James

<120> Polynucleotides, materials incorporating
them, and methods for their use.

<130> JC216685/142

<150> US 09/724623

<151> 2000-11-28

<141> 28 November 2001

<160> 120

<170> FastSEQ for Windows Version 4.0

<210> 1

<211> 711

<212> DNA

<213> Lactobacillus rhamnosus

<400> 1

atgtggaaag	ttattaccga	tgcagttccg	caaatgatag	cagccggcat	taaatacacc	60
attccaattg	cactcgtgtc	atttgcgatc	ggcctgatca	tcgcacttgt	aaccgcattg	120
acgcgcata	cggttcgtaa	aggatatttg	atccgaatcg	caaaaggaat	cgccgttttt	180
tacgttttggc	tctttcgctc	aacgcctttg	ctggtgcagt	tattcatcgt	ttctttcggc	240
ttaccagacc	tcatcatecc	gggtattttc	ccgcattggc	tcaagttaga	tcccgcggcc	300
gcccgaatta	taacattctc	acttaacacg	ggggcgattt	gtgccgaaac	gaccgcggcc	360
tcgctgttgt	cgattgattc	cgggcaatgg	gaagcggctt	atgcaattgg	attgccgcgg	420
cgactggtgc	tgcgcgaaat	cattattcct	caagcactac	gaacggccat	cccgccactg	480
tcaaatagtt	tcatcagcct	gatcaaagac	acatcccttg	ctgcctcgat	caccattgtc	540
gaaatgtttc	aagtcagcca	acaaatcgcg	gcggaaaatt	accaaccatt	actgatgtac	600
tcaatcgttg	cgctttctgt	tgccattgtc	tgcaactttc	tagcttgggg	tcagcgggat	660
ctcgaaaaat	tcacatcacg	ctacaatgcc	aatgcacaaa	ccacgcaatt	a	711

<210> 2

<211> 1425

<212> DNA

<213> Lactobacillus rhamnosus

<400> 2

ctgatttgca	aaggtcgaag	cttgaagcca	ttcggacatt	ttattgatgc	catcacggta	60
aatcgagaac	acgtcttgac	aaccgctgcc	gaggccttga	ttgcaagtgc	gggcgatgcc	120
ttaaatgcca	gtcacgcgac	cttcaatgta	ttaaacaact	ctgatctgca	attcgggttt	180
gttgaataatg	aagatggcga	aaccgtccag	cttagtaacg	gtttgtacgg	tcagttgatt	240
cgctcgacta	accgtaaat	acgcaaggag	gctttcgagg	cccttctgcg	tgcttacgaa	300
agtttaaaaa	atacgtttgc	gcaaacgtta	agtggctcaag	tgaaagccca	taatttcaac	360
gcgacagcgc	atcattacaa	aaatgcgcgt	gctgccgcta	tggaagtaa	tcacattccg	420
gaaagtgtgt	acacgacgct	tatcgaccag	gttaacaccc	acctgccgct	tttacatcgt	480
tatgtcgcct	tgcgtaaaaa	ggtgttggca	gtcgatcagt	tacacatgta	tgacatttac	540
acaccactga	ctggccagcc	gccgttgact	tatacgcttg	aacaagccaa	agcagaggcc	600
ttaaaagctt	tagccccact	aggcgatgat	tatcttgagc	atgttcgcga	aatttttgac	660
aatcgctata	ttgatgttgt	cgaaaataaa	ggcaaacggt	caggtgccta	ttccggtggt	720

gcttatgata	ccaatccggt	catcttattg	aactggcagc	atgccgttga	tgaactctat	780
acgttggttc	acgaaaccgg	ccacagcgtc	cacagttggt	acacgcgtca	caatcagccg	840
tatgtctatg	gtgattatcc	gatctttggt	gccgaaattg	cttcaacaac	caacgaaaac	900
ctgttaactg	attatttcct	gacacattcg	gatgatccca	aagtacgagc	ctacattttg	960
aattactatc	tcgatggttt	taaaggaact	gttttccgtc	agacacaatt	tgccgagttc	1020
gagcactgga	ttcaccaaca	ggatcagcaa	ggcgaaccgt	tgacggccac	cagcatgtca	1080
caatattacg	ccgatctcaa	cgcccggtat	tatggaccgg	aagttgcacg	cgatccggaa	1140
attgcctttg	aatgggcccg	cattccgcac	ttctattaca	attactatgt	ttaccagtat	1200
gcaaccggct	ttgctgctgc	ctcaacctta	gcagcgggca	tcagtagcgg	tgaacctgac	1260
gcggctgccc	attacttaga	ctatttgaag	tcagggagtt	ctaagtatgc	cattgacacc	1320
atgaaaacag	ctggcggtga	tatgaccaa	cccgattatc	ttgaagccgc	cttttcagta	1380
tttgaacagc	gcttgacgga	attggaaaaa	atcttgcaga	aagga		1425

<210> 3

<211> 1104

<212> DNA

<213> *Lactobacillus rhamnosus*

<400> 3

atgtttaaac	ccaccattca	tcaacttcat	ccctatacgc	cagaaaagcc	tcttgccgta	60
ttaaaagaag	aacttggtct	gccacagctg	gtgcggtatg	cagcaaacga	aaacccattc	120
ggtaccagcg	tcaaagttca	gcaggccgtg	accaactgga	attttacgca	aagtcgtgat	180
taccccgatg	gctatgccag	tcaactacgc	accgcggtgg	caaaacattt	agacgttgcc	240
gcagagcagt	tggtttttgg	caatggctctg	gatgaagtca	ttgccttaat	tgcccgact	300
tttttgagcc	cgggggatga	agtcattgaa	ccatggccaa	cattttccga	gtaccgcttg	360
catgcccaaa	ttgaaggggc	caccgtgatt	gatgtgcccg	tcactgaaac	tggcaatttt	420
gatttatctg	caatggcgca	ggcgctaacc	gcgaaaacga	aactgatttg	ggtgtgcaac	480
ccaaataacc	ccacgggcac	gctgctgtca	attgcgacac	tgaccgaatg	gctgcgacag	540
ataccaaaag	acgtgctggt	tttaatggat	gaggcttata	ttgagttcac	tgatgactat	600
ccagccacga	gcgctatcag	cttattatca	aagtttccaa	acctcgctcg	gctgcgaaca	660
ttttcaaaaa	tctatggact	ggcgaatttc	cgggtcggct	tcggtgtttt	tcctaaacaa	720
cttggttaact	acttgcaaac	cgttcggctg	ccttacaatt	taagcagcat	tgcccaagtt	780
agcgcacagg	cggccttggc	tgatcaagat	tttgtcgcga	tgacacgcaa	gcgagtgcag	840
caagcgcgcg	atagttggga	acgcttttta	acccaactg	gactgccaca	caccgggagc	900
caaaccaact	ttcaattctt	tcaggcccca	aaaatgcagg	catcggtctt	aaaaaagcgc	960
ctgctacaac	aaggttttct	tgtccgtgat	ggcttaaaac	ccggctggct	gcgcgtcacg	1020
tttggcactg	aggtacaaaa	cacggcggta	cagcgcacat	ttgaaacttt	tcaggcagaa	1080
ctcactgggc	caaatgcgct	gaag				1104

<210> 4

<211> 891

<212> DNA

<213> *Lactobacillus rhamnosus*

<400> 4

gtggcgcgcc	tcattgctga	tcccggcgat	ggcctagtgt	ttgaagcgcc	aacgtatctc	60
ggtgccttag	ccgcctttaa	tgcttatcag	ccaacttatt	atgaaatccc	gatgcaagac	120
gatgggatgg	acattaatgc	cttacagcgc	gttttaatga	gtcacaaagt	caagttcatc	180
tatacggtag	ctgattttca	aaatccaacc	ggcgctcgtaa	tgtctgtggc	taagcgctcag	240
gcgctgattc	gactcgccaa	ccaatatgac	ggtatgatcc	tcgaagacaa	cccctaccgc	300
gatcttcgct	atgatggtaa	accgctgcca	accattaatg	catttgacac	gcaaggccgc	360
gtcgtttatc	tcggcagctt	cagcaagatc	ctctcaccac	gtctacggat	gggctggctc	420
ggtgctgcac	cggacctttt	gcaggaatta	ctagcgttaa	aaggcgggaag	cgacttggaa	480
tccagcaacc	tgaccatgca	cggcattgat	gcctacatgg	cggaaaatga	cttagacgcc	540
cacatcacgc	aaatccagaa	ttgttgccgc	gaaaagaaga	atgccatggt	cgcagcgatg	600
aatcgttacc	ttctgatga	agcgcacttc	accaacctg	atggcggctt	cttctgtgg	660
ctcaccatgc	cagccggctt	cgacatgggt	gccttcacga	agcaacatct	gttaccggaa	720

agcaacattt	cctatgtgcc	tccgcgaac	ctatatgcaa	cttcggetca	ggtaacggc	780
gcacggctaa	acttcaccgg	tccgacactt	gaacagatcg	acactgggtat	caaagcatta	840
ggcgatgcgc	tcaaaaccgc	gctgcagcat	cacctagtag	ccgaacaagc	t	891

<210> 5

<211> 1158

<212> DNA

<213> Lactobacillus rhamnosus

<220>

<221> misc_feature

<222> (1)...(1158)

<223> n = A,T,C or G

<400> 5

atgatttatt	ttgataatag	tgcaacgacg	aagatttcgc	ctgatgcggt	ggcgacttat	60
aacaaggcca	gcacggattt	ttttgggaat	cccagcagtt	tgcatgctct	aggaactaaa	120
gcaaatgagg	ttttgcagag	tccgcgagcc	cagattgcta	aattaatcgg	tgctaagccg	180
gacgagattt	attttacgag	cggggggaact	gaaagggata	actgggtgan	nttaaagggc	240
actgcatggc	ttaacgcgaa	tttggcccgc	attctgatta	cgaccagtat	cgagcctccg	300
gctgtgatca	atacatgaa	acagctagag	aaactgggat	ttgaagtga	ttatttgccg	360
gttgatcggc	gcggttttat	tcataattgac	gatttgaaag	cggtatttcg	caaagatacg	420
attttggtgt	cgattatggc	ggtaataaat	gaaattggca	gtatgcagcc	gattgttcag	480
gccgcgcggg	tggttgataa	ttatccgaat	attcattttc	atgtcgatgc	tgtacaagcc	540
gttggttaagg	ggttggatgc	agcgtttcag	gatccgcgga	ttgattttct	cagtttttcc	600
ggccataagt	ttcatgctcc	ccgcgggtacc	ggctttatct	atgccaaaga	gggtcgcgat	660
cttgatccgt	tgctaaccgg	tggcgggtcag	gaacatgatt	ggcgctcagg	cacggaaaat	720
gttcgcgcga	ttgcggcgat	ggccaagtgc	ctgcgcttac	ttttggctaa	tgaagatgct	780
aatgttgccc	ggcagcaagc	agttcgcaag	cggatttttg	aacatgtcag	ccaaaagccc	840
aagggtgacga	tgtttagtca	gttaacaccg	gattttgccc	cacatgtttt	atgttttgcc	900
attgctggtg	tccgcggcga	aacgattgtt	catgcgtttg	aggatcatca	gatttacatt	960
tccacaacca	gtgcctgtct	gagtaagaaa	ggcacggaaa	gcagtacctt	ggccgccatg	1020
catacgacc	cgaaaattgc	tacttccgcg	attcgggtga	gtttggatga	agctaatact	1080
ttggatgaag	cggatgcggt	taatgcagcg	tttgatacga	tttatgcaaa	gtttgccaag	1140
cttgataaag	cgaccgtc					1158

<210> 6

<211> 786

<212> DNA

<213> Lactobacillus rhamnosus

<400> 6

atgccaaacta	aaataggcct	tcactacaac	aaaattggag	ttgggaaaac	catctacttt	60
ttacatggca	tggggttaga	cggacacagc	atggcagctt	tttatgagcc	acgttttacc	120
agcgaagagc	ggcattttgc	ccgcctctat	cggattttac	cggaatggg	aaattcaccg	180
gccacgtcag	cattgcaatc	tgctgatgat	gtgttgccac	aggttcatgc	tttcattcag	240
gcgaccagcg	aagggccatg	ttatcttgtc	ggccattctt	acggtggcta	tctagcatta	300
ggcctgcttg	cacgatttcc	tgacgagttt	tccggtgctt	ttttaaccgc	tccggttgta	360
ctcgcgga	aaacagcacg	tacggttgca	acactaaagc	atcttattag	tcgcccagtg	420
accagtcagt	caccggaatt	taccgactat	caacacatga	atgttggtat	caatccttca	480
acctggcgac	aatatcagga	acttatcctg	ccagggtcta	aaacttttaa	ccgcgatttc	540
tgggttgcca	tgaagaaccg	ccatgcttat	cgtctgtcga	ttgaatcacg	cttaaccagc	600
ctgattaagt	caccagttac	gcttgtgtta	ggtgaaaatg	acaatgaagt	tggctatcag	660
gatcaagtgg	tctttgcccc	taaaggcgca	cacatgacca	caaccgtaat	cccaaaccgc	720
ggtcataatc	tgatgatcga	tgccgctgag	gctgtcatga	ccgcgtttca	tcagtttcta	780
cacaaa						786

<210> 7
 <211> 927
 <212> DNA
 <213> Lactobacillus rhamnosus

<400> 7
 atggtaacag cagcagataa tattacaggt ttaattggca atacgccgct actcaagctc 60
 aatcgcggtg tacctgaagg cgccgcggat gtttatgtca agctggaatt ctttaatccc 120
 ggcggctcag tcaaggaccg gattgccttg gcgatgattg aagacgctga atataaaggg 180
 gtcttgaagc caggcggcac cattgttgag ccaacgtccg gcaacaccgg cattggactg 240
 gcaactgggtg cggcggcaaa aggttatcac ctcacatca ccagccgga aacgatgagt 300
 gttgagcggc gtgctttgat gcgtggttac ggagccgaac tcattttgac gccgggtgcc 360
 gatggaatgc cgggagcaat taaaaagca gaagcattaa gcaaggaaaa tggctacttc 420
 ttgccaatgc aattccagaa ccccgccaat ccagacgtcc acgagcgac gaccggacaa 480
 gaaatcatcc gttcatttga tgggtggcacc ccagatgcct ttgtagccgg cgtcggcaca 540
 ggcggaacac tcaccggggt tggtcgggct ctgcgtaaga tcaatccaga tgtacaatc 600
 tatgcgttgg aagcagcggg gtcgccaatg ctaaaagaag gccatggcgg caagcacaag 660
 attcaaggga tctcagccgg ttttattcca gacgtcttag atacgaacct ctatcaagac 720
 atcattgaag tcaccagcga tcaagctatc gacatggctc gccacgtcag ccataagaa 780
 ggcttctac caggcatttc cgctggcgct aacatttttg gcgcgattga aatcgccaag 840
 aaactcggca aaggcaagag tgctgccact gtacgaccgg ataattgtga acggtatttg 900
 tcgacggatt tgtttaagtt tgatgat 927

<210> 8
 <211> 810
 <212> DNA
 <213> Lactobacillus rhamnosus

<400> 8
 atgttaaaga aaaagttgtg gttcctgttg ccgcttgttg ccttggtaac cttcacgctc 60
 accgcttgca ccagcgcac atctgacacg tcaaaaaaca gcgacgtcac cgccgaactc 120
 atcaacaaaa atgagcttac catcgccctt gaagggtactt atgcgccatt ttcttatcgc 180
 aaagatggca aacttgaagg cttcgaagtg gaactgggga aagccttagc caagaaaatc 240
 ggggttaagg caaaattcgt gccacccaa tgggattcgc tgattgcagg attaggcagc 300
 cagaaatttg atctcgtact gaatgatatt agtgaaacgc ccgcacgcaa aaaggtctac 360
 aacttcacca ctccgtacat gtactcgcgt tatgccttaa taaccgcgag cgataacacc 420
 accatcaaat cgcttgccga tattaaaggc aaaacatttg tcgaaggcac cggtagaccc 480
 aatgcgcgtt tagccaaaaa atacggcgct aagatcaccc cgtctggcga ctttaccgta 540
 tcgcttagcc ttgtgaaaga aaaacgcgca gacggaacca tcaacgcctc ggctgcatgg 600
 tatgcctttg ccaagaataa ctcaaccgcg ggcttaaaga gtcaaacctt caaagatagt 660
 gtcgttaaac ccgatgaagt agctggcatg gtcagcaaaa aatcgcttaa actacaagcc 720
 gcactttcaa agggcattca agaactacgc aaagacggca cgttgaaaaa actgtcgcaa 780
 aaatattttg gcaccgattt aaccaccaag 810

<210> 9
 <211> 1425
 <212> DNA
 <213> Lactobacillus rhamnosus

<400> 9
 ctgatttgca aaggtcgaag cttgaagcca ttcggacatt ttattgatgc catcacggta 60
 aatcgagaac agctcttgac aaccgctgcc gaggccttga ttgcaagtgc gggcgatgcc 120
 ttaaatgcca gtcacgcgac cttcaatgta ttaaacact ctgatctgca attcgggttt 180
 gttgaaaatg aagatggcga aaccgtccag cttagtaacg gtttgtagcg tcagttgatt 240
 cgctcgacta accgtaaatt acgcaaggag gctttcgagg cccttctgcg tgcttacgaa 300
 agtttaaaaa atacgtttgc gcaaacgtta agtggtcaag tgaaagccca taatttcaac 360
 gcgacagcgc atcattacaa aaatgcgcgt gctgccgcta tggcaagtaa tcacattccg 420

gaaagtgtgt	acacgacgct	tatcgaccag	gttaacaccc	acctgccgct	tttacatcgt	480
tatgtcgcct	tgcgtaaaaa	ggtgttgcca	gtcgatcagt	tacacatgta	tgacatttac	540
acaccactga	ctggccagcc	gccgttgact	tatacgcttg	aacaagccaa	agcagaggcc	600
ttaaaagctt	tagccccact	aggcgatgat	tatcttgagc	atgttcgcga	aatttttgac	660
aatcgctata	ttgatgttgt	cgaaaaataa	ggcaaacgtt	caggtgccta	ttccggtggt	720
gcttatgata	ccaatccgtt	catcttattg	aactggcacg	atgccgttga	tgaactctat	780
acgttggttc	acgaaaccgg	ccacagcgtc	cacagttggt	acacgcgtca	caatcagccg	840
tatgtctatg	gtgattatcc	gatctttgtt	gccgaaattg	cttcaacaac	caacgaaaac	900
ctgttaactg	attatttcct	gacacattcg	gatgatccca	aagtacgagc	ctacattttg	960
aattactatc	tcgatggttt	taaaggaact	gttttccgtc	agacacaatt	tgccgagttc	1020
gagcactgga	ttcaccaaca	ggatcagcaa	ggcgaaccgt	tgacggccac	cagcatgtca	1080
caatattacg	ccgatctcaa	cgcccgggat	tatggaccgg	aagttagcacg	cgatccggaa	1140
attgcctttg	aatgggcccg	cattccgcac	ttctattaca	attactatgt	ttaccagtat	1200
gcaaccggct	ttgctgtctg	ctcaacctta	gcagcgggca	tcagtagcgg	tgaacctgac	1260
gcggctgccc	attacttaga	ctatttgaag	tcagggagtt	ctaagtatgc	cattgacacc	1320
atgaaaacag	ctggcggttg	tatgaccaa	cccgattatc	ttgaagccgc	cttttcagta	1380
tttgaacagc	gcttgacgga	attggaaaaa	atcttgcaga	aagga		1425

<210> 10

<211> 768

<212> DNA

<213> Lactobacillus rhamnosus

<400> 10

agttatgcgc	caaccatcac	actagaacaa	gccaaagaag	atattaaaaa	tgccaccgca	60
ctcatgggtc	aagattacca	ggcacagatg	atgcaggcct	tttcagagcg	gtggatcgat	120
tttcttgcta	atcaaggcaa	ggattccgga	gcttacactg	ctggaccgta	tggtgtgcac	180
ccttatgtcg	aaatgacttg	gagtaatacg	ctgcctgctg	tttacacctt	gattcacgaa	240
ttaggccata	cggtcagat	ggttcgttca	caagaagccc	acaatgtgtt	ggatgcggac	300
tttaaatgct	atttgggtcg	aagtccttcc	accttcaacg	aactgttgct	gactcactat	360
ctcgaagaaa	acgctaaaga	tcgcggaatg	aagcgctttg	ccttgtcacg	gttattaaat	420
gatacctatt	tcacacaact	tgtcacccat	ctgctcgaag	ctgcgtttca	acgggaagtc	480
tataacttga	tcgataacgg	cgaaactttt	gatgctgctc	ggttgaacgc	cattacgcgt	540
aaagtccctg	ccgatttttg	gggatcgggc	gtagaacttg	agccagggtc	cgagctaact	600
tggaatgcggc	aaagccatta	ctacatgggc	ttatatctgt	actcctattc	ggccggcttg	660
acggttgcta	cccaagcggt	tcaggccatc	gaacaacaag	gtcaaccagc	cgttgatcgg	720
tggttgcggt	atctcagcct	aggcgactca	cttgatccag	tcgaagca		768

<210> 11

<211> 1923

<212> DNA

<213> Lactobacillus rhamnosus

<400> 11

ttgttaggtc	agtttgggtg	tgatctcact	gaacaggcac	gcaaagggtca	aattgatcca	60
gtcatcggtc	gtgataagga	aatcttcacg	gtgattgaaa	ttctgaatcg	ccggaccaag	120
aataatccag	ttttaatcgg	tgaagccggg	gtcgccaaaa	ccgcggttgt	tgagggactg	180
gccttaaaga	ttgctaattg	cgacgttcca	gccaaagtgc	aggatcgcca	tgtgattcgc	240
cttgatgtcg	tttcaactcg	tcaaggcaca	ggcattcgcg	gtcaattcga	gcagcgcatg	300
caacaattga	ttgacgaact	gaagcaaaat	agaatatta	tcctatttat	tgatgaaatc	360
cacgaaattg	tgggtgcccg	caatgctgaa	ggcgggatgg	acgccggcaa	cgttttgaaa	420
cccgcattgg	ctcgtggcga	attacaacta	gtcggcgcaa	cgaccagcaa	cgaataccgt	480
cagattgaaa	aggattctgc	cctcgctcgg	cgcttcagc	cggatgatgg	tgaagagcct	540
agcgttgatg	aaaccattaa	aattctgaaa	ggtctgcaac	cgcgctacca	agacttccac	600
catgtgaaat	acacggaagg	cgcaattgaa	gctgcggcaa	ccctcagcaa	tcgttacatt	660
caggatcggt	tcctccctga	taaagccatt	gacttggttag	acgaagccgg	ttcacgcaag	720
aacctaacga	ttgccaccgt	ggatcctgaa	accattaaag	ctaagattgc	tgatgccgaa	780

aagcaaaagc	aagccgcact	caagcaggaa	gactatgaaa	aagccgcctt	ctatcgtgat	840
caggtcacca	agttagaaga	catggccaaa	aagcaatcca	acctgccaga	taatgaaatc	900
ccaacagtta	ccgaaaaaga	catggaaaaa	attgttgaag	aaaagacaaa	cattccagtc	960
ggtgaactca	aagctcagga	acaggcgcaa	ctgaagaatc	tcgccagtga	ccttgagcaa	1020
cacgtcattg	gtcaaaatga	agcagttgat	aaagttgctc	gggcaattcg	gcgcaatcgt	1080
atcgggttca	ataaaaccgg	gcggccaat	ggctcattcc	tctttgtcgg	accaaccggg	1140
gtcggcaaaa	cggaaactgg	aaaacagctc	gctaaagaac	tattcgggtc	tgaagatgcc	1200
atgattcggg	ttgacatgtc	ggaatacatg	gagaagttca	gcgtctctaa	gctcatcggg	1260
tcaccgccag	gctatgtcgg	ctatgaagaa	gccggccagc	taactgaaaa	agttcggcgc	1320
aatccataca	gtttgatttt	gcttgatgaa	attgaaaaag	cccacccgga	tgctcatgaac	1380
atgttctctg	agattcttga	tgacggccgc	ctaaccgatt	cacaaggctg	aactgtttcc	1440
ttcaaagata	ctatcatcat	catgacttct	aacgcgggat	caactgatgc	ggaagctaac	1500
gtaggctttg	gtgcaacggt	aagcggtaaa	accacagtg	tgctggatca	gctgggtaac	1560
tacttcaaac	cagaattcct	gaatcgcttt	gatgacattg	ttgaattcaa	gccgctttct	1620
aaagacgacc	ttttgaagat	tgtgtcactg	atgattaatg	acactaacia	caatctcaag	1680
agtcagggat	taacgattca	cgtcacccag	cccgtcaaa	aaaagcttgt	cactctgggt	1740
tacaatccat	ccatgggggc	acggccattg	cgtcgggtta	tccaggaaca	gattgaagac	1800
cgtgtggctg	acttttacct	cgaccatcct	aatgccaaag	aacttgaagc	aaggatcagc	1860
aacggagaaa	tcacagttgg	cgaaccagcc	aaggcagaag	cctcttcaaa	aacagccaag	1920
aaa						1923

<210> 12

<211> 1443

<212> DNA

<213> Lactobacillus rhamnosus

<400> 12

accaagtcag	ttgtcgggtg	agcgccagaa	tcacaattat	tagcgatgaa	ggtgtttacc	60
aattcagaca	catcagcgac	gactgggttc	tcaacgcttg	tttctgcgat	tgaagattca	120
gccaaactgg	gcgcggatgt	tttgaatatg	tcccttgggt	ctgtttccgg	caatcaaaca	180
ctggaagatc	ctgaaattgc	agcgtttcaa	aacgccaatg	aatccgggac	cgcagcgggt	240
atttcagcag	gaaattcggg	tacatccggg	tcagggtacg	aaggggtcaa	caaagattat	300
tatggcctgc	aggataatga	gacgggtggc	acaccgggga	catcacgcgg	ggcaacaact	360
gtcgcacatc	ccgagaatac	agatgtcatc	aaccaagctg	ttacgattac	tgacggcagt	420
gggttaaaac	tcgggcctga	aaccgtacag	ctttcaagca	atgactttgt	tgacagtttt	480
gatcagaaga	aattctacgt	tgtaaaagac	gcaagcggta	agttaagtac	aggtgatgct	540
ggcgactata	cggcggatgc	caaaaggaaa	attgcgattg	tcaaactgtg	cagtctgact	600
ttcactgaca	agcagaaata	tgccgaggcc	gctgggtgcg	caggcttaat	cattgttaat	660
aatgatggca	catccacacc	tttgacttcg	atttctctaa	cggctacttt	tctacttttt	720
ggtctttcca	atacgactgg	ccaaaaactg	gttgattggg	taactgcgca	tccaaatgac	780
agtctgggcg	taaaaattgc	cttggcattg	ttgccaaatc	aaaattataa	agcagatcgg	840
atgtcaagtt	tcacttcata	tggccctgta	tctgatcttt	cctttaagcc	tgatattaca	900
gcgcggggtg	gtaatatattg	gtcaacgcaa	aacaacaatg	gttatacgaa	tatgtcgggg	960
acctcaatgg	catctccatt	tatcgccggc	tcccaggcac	ttctaaaaca	agcgctaaat	1020
aataaagaca	atgagttcta	tgccgattac	aagcaactta	aaggcacagc	attaaccgat	1080
tttctcaaaa	cagttgaaat	gaatactgca	aagccgatta	atgatattaa	ctatgataat	1140
gtcatcgtct	ctccacgccg	acagggagca	gggttggtgg	atgtcaaagc	cgcgattgat	1200
gctttggaga	agaatccatc	aacgggtgtt	tcggaaaacg	gctatcctgc	tgttgaattg	1260
aaagattttca	caagcactac	caaaacgttt	aagttgacgt	ttaccaaccg	caccaaaccat	1320
cagctgacgt	atcaaatgac	tagcaatgaa	gataccaatg	cggtttatac	ttcggctacc	1380
gatctagaat	cgttttatata	aagcagtaaa	atgggctaaac	taattcatga	aaggggcgcg	1440
gca						1443

<210> 13

<211> 993

<212> DNA

<213> Lactobacillus rhamnosus

<400> 13

atgaccatta	attggcagca	agaagttgaa	aaattggaac	cccaacttct	ctcagatcta	60
accacacttt	tgaagatcaa	ttcgggaacgt	gatactgac	atcaaaccga	tgagtatcca	120
ctcggaccgg	gaccggccaa	agcgcttgaa	gcatttttgg	cgattgcaca	gcgggacggt	180
ttcaaaacat	taaatgtcga	ccatgttgcc	ggccgcacg	aattaggcga	tggcgatgaa	240
atctttgggc	tttttgcca	tgttgatgtc	gtgcccggc	gaccaggctg	gcaaaccgat	300
ccatttgacc	ccgttattcg	cgatggcaag	atztatggcc	gcggaacaag	cgatgacaaa	360
ggcccaagta	tcgctgctta	ctatgcctta	aagcttattc	gcgatctcaa	gttgccgatt	420
aataaaaaaga	ttcacttcat	tcttggtacc	gatgaagagt	ctgactgggt	cggtattcac	480
cgctatctcg	aaactgaacc	tgctcccgc	ttcggatttt	caccagacgc	ggaatttcct	540
atcatcaatg	gcgaaaaagg	gattgctagt	tttgaaatcg	ttcaaaaacc	aatcgccgct	600
gcaaccgctg	atctaaccgt	gaatcatttt	tccgcccgt	ttcggccaaa	catggtgcca	660
caagaagcaa	aggctgtcct	cagcgggcca	ttaccggaag	catttgtgac	gcaagccgag	720
aaatgggcag	cggagcaaga	agtcaccctc	actctgacac	taggcaaccc	gacaacgatt	780
gaattgattg	gaaaaggcgc	ccatgcccga	gaacaaaaag	atggcaaaaa	cggcgcaacc	840
tatttagcaa	cgcttttggc	cgacttacca	tttgatccag	cgggaaagc	ctatctgacc	900
atgattgcca	accacettca	tctggactca	cgtggtcacc	atthagggat	taattatacc	960
gataaactaa	tgggtgacct	gaccgcaagt	ccg			993

<210> 14

<211> 1032

<212> DNA

<213> Lactobacillus rhamnosus

<400> 14

ggcaaaatga	gtctgtatgc	tggcgggcct	gacgagcgg	tgacgccttt	gattgatgg	60
cggcgtcatg	tgacggactt	tgcattgaca	ccagatcatc	gtgggggtgg	tttcaactg	120
agtagcatga	ccattccgag	tcggctgggt	tattttgatt	tggcatcgga	agaagagcag	180
gttttgtatg	accggaatcg	tcaggtaaca	cgtcacttgg	gcttagttac	ccctcaaacc	240
tttaattttc	aacgagacgg	ttttgagatt	gagggctgg	attttccacc	gcaacaggcg	300
tcatcatcgc	atccggcaat	tttgatgtc	catggcggcc	cagcagtcgg	atatggctat	360
acctttttcc	atgaaatgca	gtatctggca	gcaaaaggct	atggcgtgat	ttgtcgaaat	420
ccgcgtggag	ggttagggtta	ccgcgaggca	tttacgggcg	ctgtcattaa	acattaaccg	480
gcaggcgatt	atgaagattg	cttggtctcg	ggtgaagaag	cgctaaagct	cgatacaaca	540
attgatccgc	aacgtctatt	tgtcactggc	ggttcttatg	gcgggtttat	gactaactgg	600
attgtgaccc	atacgcatcg	ttttaaagca	gcggtaaccc	agcgttcgat	ttccaattgg	660
ctgagtatgt	atggtaccag	tgacatcggt	tattacttta	caccgtggga	actagaagga	720
aagtggactg	gcgatttgct	agatgtgcaa	gggctttggg	atttttcacc	attagctcac	780
attgatcatg	ccagaacacc	gacgcttggt	atgcacagtg	aaaatgatga	acgctgcccc	840
atcggcccaa	gtagaaaagt	tgatcatcgg	tctcaaactg	catggtgttg	aaaccaagtt	900
catgcgtttc	ccaaagtcaa	atcatgattt	gtccccgcag	cggggttgcc	gaatttgcca	960
gtggcacgat	tgacaggcaat	tgtggattgg	tttgacgccc	atcaagcaca	accgcagatg	1020
gctaaaggag	aa					1032

<210> 15

<211> 1674

<212> DNA

<213> Lactobacillus rhamnosus

<400> 15

catttaatcg	gtgcgacgac	gctggacgaa	tatcgcgaaa	atattgaaaa	agataaagca	60
ttagagcgcc	gattccaacg	ggtgctggta	caagagccaa	ctgtggaaga	tacgatcagt	120
attttacgtg	gcttgaagga	acggtttgaa	atttttcaca	aagtgcgcat	tcatgattcg	180
gcgttggtgg	ctgccgcgac	attatccaat	cgctatatca	cggatcgggt	tttaccggat	240
aaggcgattg	atttagtcga	tgaagcctgt	gccacgatta	atggtgaaat	gaactcgcgc	300
ccaactgaac	tggacgtggc	cgagcgtaag	cagatgcagc	ttgaaatcga	gcagcaggcg	360

ttaaagaatg	aaagtgatcc	cgcaagtaag	aaacgcctgg	aaaatgcaaa	cgccgaattg	420
gcaaatttaa	aagaaaaaac	caataaactc	aaagcacagt	gggaagctga	aaagaaggac	480
attcgccagc	ttaacgagaa	gaagtcagcg	atcgacaaag	ctaaacacga	actggaagat	540
gcccagagcc	gttacgattt	ggaaacggct	gctcgtctgc	aacacggaac	gattccacaa	600
cttgaaaaag	aattgcaggc	aatggagcac	agtgatcggc	cgcagtcttg	gctgggtccaa	660
gaaagtgtca	cggtaatga	gattgctgct	gttatttcac	gagaaaccgg	tattcccgtg	720
gcaaaactgg	ttgaaggcga	tcgtcaaaaa	ttgctgcac	ttgccggtaa	tctgcatcag	780
cgtgtcattg	gtcaggatga	agccgtcacg	gcagtttcag	atgcgggtatt	gcgttcgcgc	840
gccggactgc	aagacccaag	ccggccatta	gggagttttc	ttttccttgg	tccgaccggg	900
gtggggaaga	ccgaactcgc	aaaagcgtcg	gccgaggatc	tgtttgattc	tgaaaaacac	960
atggttcgaa	ttgatattgc	cgaatatatg	gagaaggcga	gtgtttcacg	gttgggtcgt	1020
gcggctccgg	gttatgtcgg	ttatgaacaa	ggcgggtcaat	taaccgaagc	agttcgcgcg	1080
aatccgtata	cgattgtcct	attagacgaa	atcgaaaaag	ccaatccgga	tgtcttcaac	1140
attcttttgc	aagtgttaga	cgatgggagg	ttaacggacg	ggcaaggacg	caccgttgac	1200
tttaagaaca	cgatcatcat	tatgacctct	aacctcggct	ctgaatatatt	gctgggatgg	1260
gtgcaaaaag	acggaactgt	cagtcagcaa	gctaaggatc	aggttcgtca	gttgatcggg	1320
aaagctttta	aaccggaatt	tctcaatcgc	attgacgata	tcacatggtt	ccatccactt	1380
tcactagatg	atgttaagaa	gattgcccgt	aaggatctgc	atgagctggg	aacacgcttg	1440
gcagaccagc	aaattagttt	ggacatcacg	ccagaagctc	agacctgggt	ggcgggataag	1500
ggctatgacc	cggcatttgg	tgcgcgtccg	ttgcagcgtc	taattaccag	tgccgttgaa	1560
acgcggttag	ccaaagagct	cattcgcgga	acgattcagc	ccggtcagga	agtgggtcata	1620
accgttgccg	atgatcagct	gcaattcaaa	gcaaaaacag	tagtagcgaa	ggca	1674

<210> 16

<211> 876

<212> DNA

<213> Lactobacillus rhamnosus

<400> 16

atttcggcga	tcacgtgat	tgtagaggag	aataatgtgg	cagcaagaga	attaatttta	60
gcattcgaaa	gcagctgcga	tgaaaccagc	gtggccgttg	tcgaaaatgg	gacccaaatc	120
ctatcgaaac	tcacgtccac	gcaaatcaag	agtcacagc	ggtttgccgg	cgttgtaccg	180
gaagttgcca	gtcgtcacca	tgtggaacag	attacgttgg	tgaccgatgc	ggcattaaaa	240
gaggcaggtg	tgacttatac	tgacctgacc	gcagttgccc	tgacgtatgg	accgggactg	300
gtaggtgcct	tgttgatcgg	ggtacgggct	gcccacccca	ttgcgtatgc	ccatcactta	360
ccacttatte	cggccaatca	tatggcaggc	catatttatg	cagctagatt	tgtaagcca	420
ttgggtctatc	cattgttggc	attagcgggt	tccggcgggc	acacgggaact	ggtctatatg	480
cgcgctgccc	gtgaatttga	aatcatcggg	gatacccggt	acgatgcggc	cgggtgaagcg	540
tatgacaaa	tcggccggat	attgggtatc	ccttaccag	ccggaaaaga	agtcgataga	600
ttggcgcac	ttggatcatga	tacctttcat	tttcgcgag	ccatggataa	agaagacaat	660
ctcgatttta	gtttcagcgg	tttgaagtca	gctgtcatta	atacgggtaca	tcattgccgat	720
caaattgggg	aatcactcag	cgtgaagat	ctgtctgcga	gttctcaagc	gtcagtggtg	780
cacgtgatgg	ttctcaaatc	ccaatcagcg	atagccgaat	atccgggttat	acaggtggtg	840
atcgccgggg	gcgttgccga	taatcaaggg	ctgaaa			876

<210> 17

<211> 732

<212> DNA

<213> Lactobacillus rhamnosus

<400> 17

atgattttcc	gcaaaccaca	accattcgaa	tatgaaggta	ccgatactgg	cgtgggtattg	60
ttacatgcat	acacgggtag	ccccaatgat	atgaatttta	tgccgcgggc	cttgacgcga	120
tccggttatg	gggtttatgt	tccgcttttt	tccgggcatg	ggacagtggg	gccgttagat	180
attttgacaa	aaggcaaccc	ggatatttgg	tgggcagaaa	gtagtgcgcg	ggttgccgat	240
atgaccgcaa	aatacgccaa	ggtgtttgtt	tttggtttat	cactgggagg	tatttttgcg	300
atgaaggcgc	tagaaacctt	gccagggtat	acagcaggcg	gtgttttttc	atccccgatt	360

ttgccgggca	aacatcactt	agtaccgggt	tttttaaagt	atgccgagta	tatgaatcgg	420
ttagcaggca	aatcagatga	aagcacacag	attctggcat	atttgccggg	acagttggcc	480
gcaatcgatc	agtttgccac	gacggttgct	gctgatttaa	atttagtcaa	acagccgact	540
tttattggac	aagccggtca	ggatgaatta	gttgatggtc	gattagcgta	tcaattacgc	600
gatgccttaa	tcaatgctgc	acgcgttgat	tttcattggt	atgatgatgc	caagcatgtc	660
attaccgtta	actcggccca	tcacgcatta	gaagaagacg	taatcgcat	tatgcaacaa	720
gaaaacgagg	ga					732

<210> 18

<211> 1299

<212> DNA

<213> Lactobacillus rhamnosus

<400> 18

ctgggtatat	ttttctttaa	acgcttcagg	aagttgcact	tgttcgatcc	tttaaattat	60
ccggaagaga	cttttcaaag	tttcgacagc	gcttttaaca	acggagctga	ttacgttgag	120
cttgacgtac	atgaaagtgc	agatgggtgtg	atttgatttc	aacatgacac	cacgattcag	180
cgaacgactg	gtgccaaact	ggcgatcgcg	aaaacaaact	tcgcacaact	tcagcaatat	240
cataccaaaa	atggcgaaac	gattcacagc	ctagaggaaac	tcttcgcccc	tgagcaacaa	300
acaaagcata	aattcctgat	tgaaactaaa	attgtaaaag	gtgaaccgca	tccgcatcta	360
gaagacaaaag	ttgcgccctt	gatcaagcaa	tatcacatgg	aaaatcgcg	gatgtttcat	420
tcattctcag	cagctagcct	caaacgcttg	caagcagctc	tgccaaatat	tccgcgaatt	480
ttgatcggtg	gctcgcttaa	gcggatcaac	tttgacgtct	tgacgtacgt	ggacggtatt	540
aatctaagtt	ccgatttagt	gacgcgcgca	cttgctaccc	aactgcatga	tctaggtaag	600
aaagtttatg	tttgggatga	aatgaacgag	gatcgggcga	aatggacttg	gctcgtcaat	660
ctcaacattg	atggcgctcg	cactaattac	accagcctcg	gccacgaatt	tcaaacgctt	720
aaggcagctg	ctgtcaccac	cagcatcaat	gatcttggcg	caaactcaag	ccttgctgca	780
ctgccagttt	atgaaaatcc	ttatcagcca	ttgttgcgct	ctgaacggct	ggcaccgcaa	840
accocgcatc	tgatttccag	catgggtttc	ctcgtggcca	gcacgtacta	ccaaattggc	900
gataatgcat	ttgtccctgc	cgaaaaccatt	aaccttggcc	ctgaagccgg	ttgggcaagt	960
ctttttctcc	atcagcgcac	cgtcatcacc	agccggcact	ttaagggtacc	cgtgcacgct	1020
gatcccttac	atcagcaagc	cattaccggc	catgttggca	atcacaaatg	ctaccgggta	1080
ttagcagccc	gttatcaaa	cggccagctg	tatttaaaaa	caaaaatcgg	ttgggttaaac	1140
gccaaagatt	tacaggtgct	gccaaaccgc	gagaatatgc	gcattctggc	cacgctctat	1200
cgcagcatcc	ccgaaaacca	aaaaccgctc	cttcactggg	cacttggcga	cacggccctc	1260
gatacaccgc	ttctcaatgc	cagtgtcctg	aacatcggt			1299

<210> 19

<211> 1344

<212> DNA

<213> Lactobacillus rhamnosus

<400> 19

atggaattag	cgaaactcgc	tgttgacgaa	accggccgtg	gtgtttggga	agataaagcc	60
attaaaaata	tgtttgccac	tgaagaaatc	tggcattcga	ttaagaacaa	caagaccgtt	120
ggcgttatca	atgaagataa	acaacgcggc	ttggttacca	tcgcggaacc	aatcgggggt	180
attgccgggg	taacgcgggt	gaccaaccgc	acatcaacca	cgatctttaa	atccgaaatt	240
tccatcaaga	cccgtaatcc	gattatcttt	gctttccacc	cgggtgcaca	aaagtcttca	300
gcgcgtgcgt	tggaggtcat	tcgggaggaa	gctgaaaagg	ccggattgcc	aaaagggggc	360
ttgcagtata	ttccggttcc	aagcatggaa	gcaactaaga	cactgatgga	tcattccggc	420
attgccacga	ctttggcaac	cgggtggcct	ggcatgggta	agtcagctta	ttcatccggc	480
aaaccggcct	tgggtgttgg	cgcagggaat	gcaccggcat	acatcgaagc	aagtgcgaat	540
attaagcaag	ccgttaatga	tttgggtctg	tccaagagtt	ttgataacgg	tatgatctgt	600
gcttccgaac	aaggggccat	cgttgattcc	agcatttacg	atgccgcgaa	gaaagaattt	660
gaagcccaag	gtgcctatct	tgtcaaacct	aaggacatga	agaagttcga	gagcacggtt	720
attaaccttg	agaagcaaa	tgtaaatcct	cgaattgttg	gccaaagtcc	taagcaaat	780
gctgaatggg	cagggattcg	aattcctgat	gacacgacca	tcctgattgc	cgaactaaaa	840

gacgttggca	agaaatatcc	gctttctcgg	gaaaaactga	gcccggtttt	ggcgatgggt	900
aaagccgatg	gtcatgaaga	tgcccttcaag	aaatgtgaaa	ccatgttgga	tatcggcggc	960
ttgggacaca	ccgcggtgat	tcacacagct	gacgacgaat	tggcattgaa	atttgctgat	1020
accatgcagg	cttgcggaat	cctgatcaat	acaccttctt	ctgttggcgg	tatcggggat	1080
ctctacaacg	aaatgattcc	tagtttgacg	ctgggctgcg	gctcctatgg	cggaactcg	1140
atttcgcaca	atgtggggac	ggttgacttg	ttgaatatca	agaccatggc	aaaacggcgc	1200
aacaacatgc	aatggatgaa	attgccgcca	aagatttatt	tcgaaaaaaa	ctcggttcgc	1260
tatctggaac	acatggaaag	catcaagcgc	gccttcacg	ttgctgatcg	ttcaatggaa	1320
aaagctgggt	ttcgtcaaga	tcac				1344

<210> 20

<211> 474

<212> DNA

<213> *Lactobacillus rhamnosus*

<400> 20

gtgttggcca	ataatgccgg	cattaccgac	gatatgttgg	cgatgcgcat	gaaacccgct	60
tcttttgcca	aggtcggttca	ggttaacttg	gatggcacct	tttatgttac	ccaaccggcc	120
ttcaagaaaa	tgctaaaggc	ccgcgctggc	gtcatcatca	atctggccag	tgtggtcggt	180
ttgaccggtg	atatcggccca	agccaattat	gcggcgaagta	aagcaggcat	catcgggctg	240
actaagacgc	tagctcgtga	aggggctatg	cgtggcgtgc	gcgttaatgc	cattgccccca	300
gggatgatcg	ccaccgatat	gaccgctgcc	ttgagccaat	ccagtcagga	ccagattctg	360
gcggaaaattc	cgttgaagcg	gttcgggtcaa	cctgaagaaa	ttgcccacac	ggcccgtttt	420
ctggtcgaaa	atgcctacat	aaccgggtcag	acagtgactg	tcgccggcgg	atta	474

<210> 21

<211> 1239

<212> DNA

<213> *Lactobacillus rhamnosus*

<400> 21

gccgttgcac	taccgttact	tggcggttttg	gctatcgccg	caacgcacgc	tgaagggtgtt	60
tatgatattg	gccgtccact	tggccgcttc	ttcgcccttag	cgttcatggt	gtcattccat	120
gccacgatcg	ggccaatggt	cggcacgccg	cggactgccca	ccgtttcctt	caccaccggc	180
gtcttaccga	tgttaccaaa	agcctggcaa	caaggcggct	tgcttgtctt	ttcggcttta	240
ttctttgggg	ctgctttttt	cctgtcatac	aaggaaacgca	aaattaccac	agctgttggt	300
aaagtcttaa	atcccgctct	cttgcatttg	ttattcttcg	tcttcttcat	tggtttctta	360
cacccaatgg	ggaatccggc	tgctcaaaaca	gtaacggctg	cgtacaaaaa	tggcggcagc	420
ttcatgagcg	gcttcctgca	aggttacaat	accatggacg	cgcttgcctg	cttagccttt	480
ggtgtgactg	tcgtaacggc	ggttcgcggg	ttaggcttga	aaaacgatga	tcattgtcgcc	540
aaagcaacgg	ctaaagctgg	ggcatggctg	acgagttgga	tcgcgttaat	ctacgttgcc	600
ttgatcgctc	taggaagtat	gtccctggcc	cactttaagc	ttagtgcctg	aggggggaact	660
gcttttaatc	aagtgggtac	gttctacttt	ggtactgttg	gccaccctgc	ttggcaacct	720
tgcttaaccc	tgacctgttt	gaacaccccg	ggtggttttg	tcagggcatt	cccgcacgac	780
ttccaccggc	atttccttaa	agtcagctat	caggctctggc	ttggattgac	aagttttctg	840
tcattcttaa	ccgccaactt	cgacttgaa	caaatcattg	catggtccgt	tccaatgctg	900
atgttctctat	atcctttctc	aatggttctc	atcttactat	cggctctttg	caaagcgttc	960
catcacgac	cactagttta	ccgaatcggt	gtagcattca	ccatcggtcc	ggctgtgctc	1020
gacatgtttg	cagctttccc	cgccgtttgt	agtcaaagtt	cgtaggctt	ggcattgcat	1080
agcttccagc	ttcattttct	accattttcc	gcaatgggtc	tcggctggct	cgtgccggct	1140
ggtgtgggtc	tcgtccttgg	cctcgtcgca	catgccgtca	aagttcgcaa	agcagtcgca	1200
gcaactcatc	tcgaagctga	acaaactcag	ctagtacac			1239

<210> 22

<211> 1881

<212> DNA

<213> *Lactobacillus rhamnosus*

<400> 22

atggcagaca	atcacaaaagc	ccaaaacgacc	aagcagccat	ctggcccacg	gatgggtcct	60
ggccgtggtg	gtctcgttga	aaagccgaag	aacttctggg	gcacaacagc	gcggttattt	120
ggttacatgc	gcaaccgtct	gattggtatt	attgcgggtg	tagtcttggc	cattgcttcg	180
accgtctttc	aaattcgac	gccaaaaatc	ctaggggaag	ctacaaccga	gattttttaa	240
ggggttatga	aaggccaagc	ggagcaaaag	gccgggtatc	ctggttgcaa	ctatccaatt	300
gattttgata	agatcaaaca	gattatttta	atcgtcttgg	tgctgtattt	gggtagcgca	360
ctgttttagt	tcttgcagca	gttcatcatg	actcggatct	cgcagaatac	ggtttaccag	420
ttgcgtaaag	atctcaagca	caagatgaag	actgtgccga	tcaagtatta	tgacacgcac	480
agtaatggcg	atattatgtc	acgggcgatt	aacgatatgg	ataacatcgc	ctcgacactg	540
caacaaagtc	tgacgcagat	ggtgaccagt	gcggttatgt	tcgtgggaac	catttggtatg	600
atgcttacga	tttcttgga	gttaacgctg	attgcgctgg	taacgattcc	gctgggctta	660
attgttgtcg	ggattgtcgc	gccaaaatcg	caacggttct	ttgccgccca	gcaaaaagct	720
ttaggctctc	tgaataatca	agttgaagaa	acttatggcg	gtcagggtgat	catcaagagc	780
tttaatcgtg	aagatgatga	agttgaggca	tttgaaggcc	agaaccaggc	attttatgat	840
gcagcgtgga	aagcgcagtt	tgtttccggg	atcatcatgc	cgcttatgat	tttctaaac	900
aacattgggt	acgtgtttgt	tgcgattatg	ggtggcattg	aagtttccaa	tggcacgac	960
acccttgga	atgttcaggc	gttctccag	tatatgcagc	aattttccca	gccgatttcc	1020
cagcttgcta	acctagccaa	tacgattcaa	tccactattg	ccagtgccga	gcggtatctt	1080
gcggtgttgg	acgaagaaga	tatgcaggat	gagccgtctg	gtgtgccggc	agtggccaat	1140
gacctaaca	aactggtcat	ggatcatgtt	cagtttggtt	ataccgccga	tgcttgttg	1200
ctcaaggact	ataacctgca	agtcaaaccg	ggtgagatgg	tcgcgattgt	cgggccgacc	1260
ggtgcagggg	aaacaacgat	catcaacctg	ctagagcggt	tttatgatat	tagcggcgga	1320
tcgattcgct	tgaatggtac	cgataccgcg	gatatgaagc	gagaagatgt	tcgcgcgcac	1380
tttgcgatgg	tgcttcagga	tacttggtcg	tttaccggca	cgatttgga	taacttgaaa	1440
tatggccgcg	aagacgcaac	tgacgacgaa	gtattggccg	cagccaaagc	agcccatggt	1500
gacaactttg	tgccgagctt	gccggatggc	tacaacacga	ttctgaacga	agaagcctcg	1560
aatatttcgc	aaggtcagcg	acagttgttg	acgatcgctc	gggccttcgt	ggcagatccg	1620
gaaattctta	ttctggacga	ggccaccagc	tcggttgata	cgccgacgga	aattcatatt	1680
caacacgcca	tgaaccgttt	gctgaccgat	cgtacgagct	tcgtagtcgc	ccaccggctg	1740
tcaacgattc	gtgatgccga	caagattatc	gtgatgaatc	acggctccat	tgttgaaacc	1800
gggaatcatg	acgaactaat	ggctaaaaac	ggcttttatg	ctgatctgta	caacagtcag	1860
ttcagtggca	atgtcgcgat	t				1881

<210> 23

<211> 606

<212> DNA

<213> *Lactobacillus rhamnosus*

<400> 23

accaccaggc	tgtcaagttt	gatcaccgaa	tacttagaca	gccaaactagc	tgaacgtcgc	60
agcatgcatg	gcgtcttgg	tgatatttac	ggtctggg	tgctcattac	tgccgattcc	120
ggggtgggaa	aatccgaaac	tgcccttgga	ttggttcagc	gtgggtcatc	gcttattgct	180
gatgatcg	tggtgttga	tcagcaagat	gaacaaacg	ttgtcggagc	tgaccgcgcg	240
attttatccc	acttgttga	tgttcgcgga	ttgggtatca	ttgatgtcat	gaatctcttt	300
ggtgccgggg	cggttcgtga	agacaccacc	atttcgctga	ttgtgcactt	ggagaattgg	360
acaccagaca	aaaccttcga	tcgcttgggc	tctggcgaac	agacgcaaat	gatctttgac	420
gtgccgggtc	ccaaaattac	gattccggtc	aaggctcggtc	gtaacttagc	cattatcatc	480
gaagtggcgc	cgatgaattt	ccgcgccaaa	tcgatgggct	atgatgccac	taaaacattt	540
gaaaagaatt	taaatcatct	gatcgaacat	aacgaagcga	acgaccagaa	gagttcggag	600
gaaaaa						606

<210> 24

<211> 1023

<212> DNA

<213> *Lactobacillus rhamnosus*

<220>

<221> misc_feature

<222> (1)...(1023)

<223> n = A,T,C or G

<400> 24

atgtctatct	ccacgcgtgc	aaataaactc	gacggcgctcg	agcaggcatn	tgtggcgatg	60
gcgaccgaaa	tgaataaagg	cgtgctgaag	aatttaggac	tgctgacgcc	ggagctggag	120
caggcgaaaa	acggcgacct	gatgattgtc	atcaatggta	aatcgggtgc	ggacaacgag	180
cagttactgg	tggagattga	agaactgttc	aacaccaaag	cgcaaagcgg	ctcgcacgag	240
gcgcgttacg	ccactattgg	cagcgccaaa	aagcatatcc	cggaaagtaa	cctggcggtg	300
atttcggtca	acggtctggt	tgccgctcgc	gaagcgctgc	aggcgctgca	aaacgatctc	360
aacgtgatgc	tgttttccga	taacgtctca	gttgaagatg	aactggcgct	caagcaactg	420
gcccacgaaa	aagggtgct	gatgatgggg	ccagactgtg	gcacggcgat	tatcaacggc	480
gcggcgctct	gttttggtaa	cgccgtgcgt	cgcggaaca	tcggtattgt	tggcgcatcc	540
ggcaccggca	gtcaggagtt	gagcgctcgc	attcatgaat	ttggcgcgcg	cgttttcgcaa	600
ctgattggca	ccggcgggcg	cgacctgagc	gagaaaatcg	gcggcctgat	gatgctcgac	660
gccatcggga	tgctggaaaa	cgatccgcaa	actgaaatca	ttgcgcttat	ctccaaaccg	720
cctgcgcctg	cggtggcccc	caaagtgcgt	gaacgtgcgc	gcgctgcgcg	caagccgggtg	780
gtcgtctgct	tcttcgatcg	tgcgaaacg	ccagtggtatg	agcaggggct	acagtttgcc	840
cgcggcacca	aagaggcagc	gctaaaagcg	gtgatgctct	ccggcggtgaa	acaggaaaat	900
ctcgacctgc	atacgtttaa	ccagccgttg	attgcggatg	tgcgtgcgcg	tctgcaaccg	960
cagcagaaat	acattcgtgg	cctttctgcg	gcggcacgct	gtgcgacgaa	accatgttcg	1020
cgg						1023

<210> 25

<211> 1227

<212> DNA

<213> Lactobacillus rhamnosus

<400> 25

cagatcctga	ataacccatt	tttaataaaa	gggactgctt	ttacgcagga	ggaacggaac	60
caatatggct	tgaatggttt	gctgccacca	gctgtacaaa	cacttgatca	gcagggttaag	120
caagcttatg	cccagttgca	gaccaagcca	actgatttgg	ctaagcgtca	atttttgatg	180
accttggtca	atgagaatca	tgttttgttc	tataagcttt	tctccgagca	tatcaacgaa	240
ttcatgccaa	ttgtttacga	tccgactatt	gccgacacga	ttgaaaacta	cagtgcgctt	300
tttgttaatc	cacaaaatgc	cacgtatctt	tcaatcgatg	atccggacca	tatcgaaagc	360
gcaactgaagc	atagcgcaga	tggccgcgat	attcggttgc	tggttgtaag	cgatgctgaa	420
ggcattcttg	gcattggcga	ttggggcaca	caaggtgttg	acatctcagt	cggtaaatta	480
atggtttata	cggctgctgc	cggcattgat	ccgagccagg	tcttgccagt	ggtcttggat	540
gtcgggacta	acaatgaagg	tttggtgaac	gacgaccttt	atttaggcaa	tcgtcacaaag	600
cgcgatatcg	gtgaaaagta	tcaccacttt	gtcgataaat	ttgtcgccgc	agcagaaaag	660
ctgttcccca	acctgtattt	gcattttgaa	gactttggac	gcagtaatgc	tgcagatatt	720
ttgaatcaat	ataaaagacaa	gatcactact	ttcaatgatg	acattcaagg	caccgggatc	780
attgtcttgg	ctgggctatt	aggcgccatg	aatattttcca	agcaaaaatt	gaccgaccaa	840
gtttatttga	gctttgggtgc	cggaaactgcc	ggtgctggca	ttgcttcgcg	agtttacgag	900
gcctttgttg	aagaaggatt	gagcccggaa	gaagccaaga	agcattttcta	cttggtggac	960
aaacaaggct	tgctctttga	tgacatgacg	gatttgacgc	cagaacaaaa	gccgtttgcc	1020
cgtttctcgca	gcgagtttgc	taatgcagac	gagctgacaa	cgcttgaaag	tgctgttaag	1080
gcagttcatc	caacagtctt	ggttgggacg	tcaaccgttc	cggttacggt	tacagagagt	1140
atcgtcaagg	aaatggctgc	ccacaccgat	cgaccgatta	tcttcccatt	gtccaatccg	1200
acgaagctgg	ctgaagctaa	agcagat				1227

<210> 26

<211> 1158

<212> DNA

<213> *Lactobacillus rhamnosus*

<220>

<221> misc_feature

<222> (1)...(1158)

<223> n = A,T,C or G

<400> 26

atgatcaaac	ccgaaaagac	aatcaatgga	accaaagga	ttgaaacgat	tcaaatcaat	60
gccgaagaac	gggcaaccct	cgaagatcag	tatggcgteg	atgaagatat	tattgagtag	120
gtcactgata	atgatgaaag	tactaattat	gtttatgata	tcaatgagga	cgaccaatta	180
ttcatctttc	tgggcgccgta	tgccctcgac	aaagatgcgc	tgagatacat	taccagacca	240
tttggcatgt	tgctccataa	gggcgtttta	ttcacgttta	atcaaagcca	catacctgaa	300
gtcaacacgg	cactttactc	ggcattggat	aatcccgagg	ttaagagcgt	cgatgcattt	360
attctggaaa	cactgtttac	agttgttgac	agctttatcc	caatttctcg	cggcattacc	420
aagaaacgca	actatttggg	taaaatgttg	aaccggaaga	cgaagaacag	tgacttggtt	480
tcactttcat	atcttcaaca	gacgttgacc	ttttgtcca	gcgcggtcca	aaccaatctc	540
agtgaactcg	atctcaacgg	cagtgcgcgc	cttcagcaga	ttatcgaatt	gctcaatcag	600
catccctcgc	actntgcgcc	agatgaaaaa	gggtgcctatt	ccaatagtaa	ctactatctc	660
ctaggacaca	ttattacgca	ggttgcgaa	atgccgctga	gtgattttct	caaccaacac	720
ttctttgaac	cattggcaat	gacgaaaact	caactgggta	cgcaacatgc	tgatgccaat	780
agttacgatg	atttggactt	tactaacggc	aaaccagtcg	cccttgcccg	cggccactac	840
caaggtggag	atggcgcggt	ggtgagttca	ctcgcaact	tgcccatctg	ggcgcgagcc	900
gttttacagc	gccgcatttt	gccggaatcc	gcgtgggatg	aggcactgac	gctgaccac	960
gacttttacg	gcatgggttg	gatgaaatcc	cgaacacagc	actgggtaag	tcacaatggg	1020
catattttcg	gttactgggc	gttttttgat	gtttcatttg	aaaagcaatt	agcacagatt	1080
acgctgacca	acatgtcgcc	tggtgttgag	acactcaaaa	aatggcaaga	ggagatggct	1140
aactggcgcg	catcggtta					1158

<210> 27

<211> 1071

<212> DNA

<213> *Lactobacillus rhamnosus*

<400> 27

ttggacaatc	aagatgccga	ttttaagccc	acaatccaaa	ttctggatga	agttggcaaa	60
gtcgtcaatc	ctgatattat	gcccgatttg	agtgatgata	agctgggtcg	tttgatgtca	120
aaaatggttt	ggcaacgcgt	gctggatcaa	agggcgacag	cgttgaatcg	gcagggacga	180
ttaggttttt	atgccccaag	tgaggcgaa	gaggccagca	tgatcggtag	tcacgtgct	240
atgaagtcac	cagattggct	gcttccagct	taccgtgatt	taccgcaatt	gattcaaac	300
gggttaccgc	ttgacaaagc	ttttctctgg	tcgcgcggtc	acgttgccgg	caatgagtag	360
ccggaagatt	ttcacgcatt	accgcccga	atcattattg	gtgcgcagta	tgttcaaaact	420
gcgggtgttg	cgctcggttt	gaagaaaaat	ggcagtgatg	aggtggcctt	cacctatacg	480
ggtgatggcg	gtacttcaca	aggtgacttt	tatgaaggcg	ttaactttgc	tgggcatttc	540
aaagcgccgg	cactgtttat	tggtcaggac	aacggctttg	ctatttccgt	gccgcggggc	600
agtcacaaac	cagccaaaac	gcttgcgcaa	aaggcggttg	cagccgggtg	tcccggcgtg	660
caggttgacg	ggatggacgc	tttggcagtc	tatgaagtca	ccaaggaagc	gcgtgcatgg	720
gcggctgctg	gcaatggacc	ggttttaatc	gagacgttga	catatcggtg	tggcccacac	780
acgctatcag	gtgatgaccc	aactcggtat	cgctccaaag	agaccgatga	gttatggcaa	840
aaacgagatc	cgttaatctg	aatgcgcaac	tatttgaccg	ataaaggctt	gtggagcaaa	900
gacaaagaag	atgccttgat	tgaagaggtc	aaagatgaaa	ttaaagatgc	tatcaataag	960
gccgataaag	gcgcgcagca	cacgggtatg	cgcttcttga	aagacacctg	tgaagttggc	1020
ccgcaaaatg	ttgctgaaca	attggcgaga	tttcaaggaa	aggagtcgaa	g	1071

<210> 28

<211> 1310

<212> DNA

<213> *Lactobacillus rhamnosus*

<400> 28

tctgtactga	acatcaatgg	cggaatttg	accctgactg	atgatggcgt	atctgccggt	60
actctgactg	gaggtggctt	cctgaatatc	agcggcggcg	tcctcgatat	tacaggaggc	120
aaccacactt	ttgtgtcag	caccataata	gcaaaagatg	caactgtccg	aatgaacgat	180
gtttccggac	tgggtactgg	taacatcagt	aacgctggga	cattatctct	tactcatgcc	240
tcaggcttgc	taagtaataa	tctgagtgg	tctggtagac	tatctttgat	caatagtgat	300
accagattt	caggaaataa	cagtaactac	tcagggtcgt	ttgtagtaga	taccagctct	360
cagttgactg	ccactggagc	gcagaatctt	gggattgctt	ccgtgagtaa	ccgtggaatc	420
ttgcagctga	acaacacaac	agactggcaa	cttataaata	atgttactgg	aaccggtaat	480
gtccgtaaaa	ccggttccgg	ttcactgact	gtccgaagca	atgctgcctg	gagcggacag	540
acagatattg	atgcaggctc	tctgattctt	gggcaatctg	atgcacctgt	catgctcgcc	600
agtagcctgg	tcaatattgc	aaagaacggt	aaacttaccg	gatttggtgg	cgtagtaggg	660
aacgtaacca	atagtgggaag	ccttgacctg	cgatcggcgg	ctccgggaaa	tattctgacg	720
attggaggta	actacaccgg	taataatggc	acgctgctca	ttaacacagt	gctggatgat	780
agctcttctg	caaccgacaa	actggtaatt	aaaggcgatg	cgtccggtaa	gacccgagtg	840
gctgttacga	atgttgggtg	ttcaggcgct	aatacgtctg	atagtattga	agttattcat	900
gttgatggta	atgcagctaa	cgctgaattt	attcaggccg	gacgtatagc	ggccggcgct	960
tatgactaca	ctcttggacg	tgggcccggg	agcaactatg	gaaactggta	tctgagcagt	1020
agtaaaaaa	ctccagaacc	aaggcctgat	cctgaaccca	ctccgggaag	gcatgataac	1080
aacctgcgcc	cggaagccag	ctcctatacc	gcgaatatag	ctgcggcaaa	caccatgttt	1140
gtgaccgcc	ttcatgaacg	tctggggcag	acgcaatacg	tcgatgcaat	taccggagaa	1200
ccgaaagcaa	ccagtatgtg	gatgcgccat	gaaggaggac	ataaccgctg	gcgcgacggt	1260
tctggtcaac	tgaaaactca	aagtaatcgt	tatgtgattc	aactgggtgg		1310

<210> 29

<211> 645

<212> DNA

<213> *Lactobacillus rhamnosus*

<400> 29

atgaagattt	tgattaccgg	cgcacaaggc	caactaggca	ccgaactacg	ccacttattg	60
gatgcacgcg	gcattactta	tcgggcaact	gatgccaaag	acttagatat	taccgatgaa	120
gccgccgtta	atcagtactt	tgccgactat	cagccagacg	tgggtgatca	ctgtgctgcc	180
tatacagccg	ttgataaagc	cgaagacgaa	gcaaaagcgc	tcaatcaatt	ggtgaacggt	240
gacggtagcg	gtaacttggc	taaagcagcg	gccaaagtgt	atgcaacctt	ggtttacatc	300
agcaccgatt	acgtgtttga	tggcgatagt	aaggagattt	acaccgttga	cgatcagccg	360
gcgccacgca	atgaatatgg	gcgggctaaa	tacgaaggcg	aacagcaggt	gcaaaagtac	420
cttaagaagt	actacatcat	tcggacttct	tgggtctttg	gtgaatatgg	tcacaacttt	480
gtctacacga	tgttgaacct	cgccaaaacg	cataaggaa	tgaccgtggt	ggacgatcat	540
caagaatctt	tttccgtctc	atcatcacgg	acatttgtga	aatatcaaca	cgaacacctg	600
atttattccc	gacctgtgcc	atatcgcccc	caccttctgt	gcata		645

<210> 30

<211> 1920

<212> DNA

<213> *Lactobacillus rhamnosus*

<220>

<221> misc_feature

<222> (1) ... (1920)

<223> n = A,T,C or G

<400> 30

atgcttggag	gaaaacagat	gcctgaagta	aagaaatttg	aagccggcac	ttatgatgtc	60
atcgttgtcg	gtgtgggtca	cgctggnttt	gtgaagccgg	ccttggctgc	agcacgcatg	120

ggcgaaaaga	cattattact	gacgatcagc	ctggaaatgt	tggcatttat	gccatgtaat	180
cccagcttag	gcggtccggc	caaaggaatt	gtgggtccgtg	aaattgatgc	cctcggcggt	240
gaaatgggga	agaatattga	tcggacctac	atccagatgc	gcatgctcaa	cacgggtaaa	300
ggtccggcag	tgcgcgcat	acgtgcccaa	gcagataaag	cggcctatca	ccgcagtatg	360
aaacacgtca	ttgaagatac	gccgcatttg	gacttacggc	agggactcgc	taccgaagtg	420
ctgggtcgaag	atggttaaggc	agtcggcatc	gtgggtgcta	ccggggccat	ttatcgcgcc	480
aagagtattg	tgctaacagc	tggcaccagt	tcccgcggta	aaattattat	cggcgaactc	540
atgtatagtt	ccggccctaa	caatagtctg	ccaagcatta	agctctctga	aaatctggag	600
cagctgggct	ttaagctgcg	ccgcttcaaa	accggaactc	cgccgcgtgt	taatggcaat	660
acgattgact	tttccaaaac	cgaagaacaa	ccaggcgata	aaacaccgaa	tcattttagt	720
tttacaacgc	cggattccgtt	ttatctcaaa	gacagtttga	gttggtggat	gacgtacacc	780
aacgcgacga	ctcatcagat	tattcgggag	aatctggatc	gcgcgcgat	gttttcggc	840
gtgattaagg	gagtcggggc	gcgttactgt	ccatccattg	aagataaaat	tgttcgcttt	900
gctgataagc	cgcgccatca	attattcttg	gaacctgaag	gccgcgacac	ctcggaatat	960
tatgtggggg	acttttcaac	gtccatgcct	gaggaaatcc	agttgaaaat	gctgcacagt	1020
gtcgcgggat	tggaacatgc	cgaactcatg	cgcgcgggtt	atgccatcga	gtatgacgtc	1080
atcgcgcat	ggcagttgaa	agcaacgttg	gaaactaagg	ttgtggagaa	tttgtatacc	1140
gccggacaaa	tgaacggtac	cagtggttat	gaagaagctg	ccggtcaggg	aattgtggcc	1200
gggattaatg	ctgcccgcg	cgctcaaggc	aaaggaccct	tcacgttgaa	gcgttcagat	1260
gcttatattg	gcgtgatgat	agatgatctc	gtgacaaaag	gaacgaatga	accgtatcgt	1320
ttgttaacca	gccgcgcga	gtatcggttg	ttactgcgtc	atgacaatgc	ggatctgcgc	1380
ttaacgccaa	tgggacatga	acttggcctg	attagtgate	aacgctatgc	tgtctttttg	1440
gctaagcgtc	aagccattac	cgatgaatta	gcgcgccttg	agcacaccgc	cctgaagccc	1500
aaggatgtca	accctgggct	tgaagctcat	cattttgcct	cccttaaaga	tggggtctta	1560
gccagtgact	tcttgaagcg	tccggaaatc	aattatcaga	cgctagaaca	gttcttaccg	1620
gaaaacccaa	ccttggatca	tccgggtgatt	gaacagggtt	agatccaaat	caaatacgcc	1680
ggctacattg	ccaagaaga	agnccagtg	gccaagttga	agcggcttga	aggcaaaaag	1740
attccggcac	gtatcaacta	cgaagcaatc	aatggcttag	caaccgaggc	acggcaaaaag	1800
ctgggttaaga	ttcaaccgga	aaccattgcc	caagcaagcc	gaatcagtg	cggttaatccg	1860
gctgatgtcg	ctattttgtc	cgtgtatatt	gaacagggac	gaattagtaa	ggtggcacag	1920

<210> 31

<211> 762

<212> DNA

<213> Lactobacillus rhamnosus

<400> 31

ccctgtcaa	ccatgatgtt	ggctgggatt	cgcgatatct	tggtcatttc	aacgccgaga	60
gatattgac	gttttcagga	tctgttaaaa	gacggtaaac	aactgggact	caatattagt	120
tacaaaatac	aggaaaagcc	aaatggcctg	gcggaagctt	tcattgtcgg	ggctgacttc	180
attggcgatg	attctgtgtg	cttgattctc	ggcgacaata	tcttttatgg	cagcggcttg	240
tccaagctgg	tgacgcgctc	ggcggctaaa	acaaccgggg	caacgggtgt	cggctatcaa	300
gtcaatgacc	ctgagcgctt	tggcgtagta	gcctttgacg	agcagcatca	tgtgcaatcg	360
attgtcgaaa	agccagagca	tccggagagt	aactttgcgg	ttaccggcat	gtatttctat	420
gacaaccaag	tggtggacat	tgctaagaac	cttaaaccgt	caccacgagg	cgaactagag	480
attacggatg	tgaacaaagc	gtatctcgaa	cgtggccaac	ttgatgttga	gctgttgggt	540
cgaggatttg	cttgggttaga	tactggcacc	catgaatcct	tacatgaggc	ggctagtttt	600
attgagaccg	ttcagaagcg	gcagaatctt	aaaattgcct	gtcttgaaga	agtagcctac	660
cggatggggt	acattgatcg	cgatcaatta	cgcaaacctg	cgcagccgct	taagaagaat	720
gattacggtc	agtacatttt	gcgcttagca	gacgaagaag	ac		762

<210> 32

<211> 936

<212> DNA

<213> Lactobacillus rhamnosus

<400> 32

atggcaatta	acctagtgtg	gattaatgac	gogaatttaa	cgtaattga	agaaggcctg	60
aacgtccgga	tttcgccgtt	tggggacgaa	ttacgcatca	gcggcgaaac	cgaagcggtc	120
agcttgacac	tacagctgct	tgaggcggca	actaagttaa	tagcacaagg	catcaaactg	180
tcacctcagg	atattgctag	tgcggttgca	atggcaaaac	ggggtacact	cgaatatttt	240
gcggatatgt	atagttagac	cttggttacgc	gacgccaaag	ggcaaccgat	tcggattaag	300
aattttggcc	agcgtcaata	tgttgatgcc	atcaaacaca	acgatattac	ttttggcatt	360
ggcccagccg	gtaccgggaa	aacttttctc	gccgtggtga	tggcagttgc	agccatgaag	420
gccggccaag	tcgagcggat	tattttgacg	cgtccggccg	tggaaacagg	cgaagtctt	480
ggctttctcc	ctggtgatct	caaggaaaag	gttgatcctt	atttgcgtcc	ggtttatgac	540
gctttatatg	ccgttttggg	gaagaacac	accgatcgcc	taatggatcg	cggcgatcac	600
gaaattgcgc	cattagcgta	tatgcgtggt	cgtacgttgg	acaatgcgtt	tgcgattttg	660
gatgaagccc	agaatacgac	tcaggcccag	atgaaaaatg	ttctgacgcg	cctgggcttt	720
ggctcgaaaa	tgattgtcaa	tggatgatgt	acgcaaattg	acttgccgca	taatgccaaa	780
agtggcttat	tgcaagcggg	acagttatta	aaagggatta	gtcatattgc	cttcacgcaa	840
ttttccgcac	aggatgttgt	gcgccaccca	gttgctcgca	agattatcga	agcttatggc	900
aaacatgatt	tacagctgca	aaagcaaacg	aaggag			936

<210> 33

<211> 840

<212> DNA

<213> Lactobacillus rhamnosus

<400> 33

atgaagaagt	tcgacaagat	gatggactgg	ttagcagatg	tctatgtcaa	tgccctgaat	60
gttatttact	acatgcacga	caagtactac	tatgaagctg	cgcagttggc	attgaaggat	120
acacgtctga	atcggacgtt	tgctaccggg	atttccggtt	tgtcacatgc	ggttgattcc	180
atcagtgcga	tcaagtatgg	ccacgtgaag	gcaattcggg	atgaaaatgg	cgttgcaatc	240
gactttgttg	ctgacaatga	tgactatccg	cggttatggta	acaatgatga	ccgggcagac	300
aacattgcta	agtggttggt	taagaccttc	tacaacaaga	tgaatacaca	tcattctgat	360
gcgggtgcta	agctcagtag	cagtgttctg	accattacat	caaattgtgg	ttatggtaag	420
aataccggga	caacacccaa	cgccgctcag	aagggcgaa	cattctcacc	tggagccaac	480
ccagcgtatg	gcgctgaaaa	gaacggtgct	ttagcttcct	tgatgtcaac	cgccaagatc	540
ccatatcact	atgcaacaga	cgggatcagc	aatacctttg	gggtaacacc	gaacacctta	600
ggccatgacg	atgaaactcg	taaggacacc	ttggttcaca	tgggtgacgg	ctacatggaa	660
aatagcgcca	tgacacctaa	catcaacgtc	ttcaataaag	aaacggttgat	tgatgccag	720
aagcacccag	aagaatatcc	aactttgact	gttcgagttt	ccggttactg	cgtctacttt	780
gcagacctga	ccaaagaaca	gcaagacgat	gttatcgctc	ggaccttctt	cgacgaaatg	840

<210> 34

<211> 1341

<212> DNA

<213> Lactobacillus rhamnosus

<400> 34

atggcatttt	caaaagaaac	ccgcacccag	acgattgatc	aattgaagca	gaccgaactc	60
gacttactca	ttggtggcgg	tggtattacc	gggtccggcg	tagcaattca	ggcagcagca	120
agcggtttaa	aaaccggctt	gattgaaatg	caggatttcg	cggaaaggaa	cagttcccgc	180
tcgaccaa	atgggttcattg	cggcattcgt	tacctcaaga	cgtttgatgt	cggcgttgte	240
gccgataccg	ttaaagaacg	tgccgtagtt	caaggaaattg	cgcctcacat	tccgcgacca	300
ttcccgatgt	tggtgccgat	ttatcaggaa	gccggcagta	cttttgacat	gttcagtatc	360
aaaatcgcca	tgatctctta	tgatcgtctg	gcaaacgttg	aaggttccca	atacgcaca	420
tacaccgtca	ccaaagatga	aattctgcaa	cgtgaaccgc	atttagcctc	tgatggcctc	480
caaggcgggc	gcgtgtacct	cgtttttgtc	aacaacgatg	cccggcttgt	tattgaaaac	540
atcaaagaag	cagcagaatt	aggcggactg	atggctagtc	gggttcaagc	cattggcggt	600
ttgcatgatg	atgcaggtca	ggtaaatggc	ttacaggtta	aggatctttt	ggatggcagc	660
gtttttgaca	ttcatgccaa	actcgtgatc	aatacgaccg	gaccttggtc	tgacaagttc	720
aaggcggttg	atcaagccga	agatcaaacg	ccaacattgc	ggccaacgaa	aggggttcac	780

ttgggtgtcg	atgggttctcg	actgccggta	ccacagccaa	cgtatatgga	tactggcttg	840
aacgacggcc	ggatgttctt	cgtgggtgcca	cggaagga	agacttactt	cggcaccacc	900
gataccgatt	accatggcga	tttcaacct	cgcgaagtcg	aacaagccga	tgctcgattat	960
ctcttgaaag	tcatacaaa	gcgctatccg	caaagccata	tcacgcttga	cgatatcgaa	1020
gcgagctggg	caggattgcy	accgctgatt	gccaacaacg	gcagctccga	ttacaacggc	1080
ggcgggtgca	acaccggtaa	agtttcggat	gattcctttg	aagcgtaaat	ccgtgtcgtt	1140
gatgattacg	aagacaacca	ggctacccgc	gctgacgttg	aacatgcgat	ctccaaacta	1200
gaaacagccc	acgccgaagc	tgctttgagc	ccatcacagg	tttcccgcgg	cagctcactt	1260
cgccaagccg	atgatggcat	gatcaacctg	tccggcggga	aaatcacgga	ttatcgga	1320
atggcagcgg	gcgcgcttgc	t				1341

<210> 35

<211> 726

<212> DNA

<213> *Lactobacillus rhamnosus*

<400> 35

gatctcttct	gccagatat	cacggcagat	attctgactc	gtaaagacga	tcttggtagt	60
gacaagccga	tcgttgatgt	gattttggac	cgcgctggca	acaaagggac	cggcaaatgg	120
tcttcacaat	ctgctcttga	gctaggtgtt	cgcgaagtg	tgattaccga	atccgtctat	180
gcgcgttaca	ttagtgcgat	gaagcaggag	cgggttgcgg	caagtaaagt	tctgccaag	240
ccggtcggaa	atgtcacgat	tgacaaaaaa	gaagctatcg	agatgattcg	taaggcgta	300
tacttcagca	agctgatgtc	ctatgctcaa	ggctttgaac	aaatgcgcgt	tgcatcgat	360
aactacgact	ggaacctgca	gtacggtgaa	ttggccaaga	tttggcgtgc	aggttgcatc	420
attcgcgcac	gtttcttgca	aaatatcacc	gatgcctacg	ataagaagcc	agattttacag	480
aacttggtgt	tagacgatta	cttcctgaat	attgctaaga	actatcagga	aagtgttcgt	540
gacttggtcg	gcttggcagt	taaagccgg	gttccgggtgc	cgggcttctc	agcggcgatc	600
agttactacg	actcttatcg	cgccctgtt	ctgccggcca	acctgactca	ggctcaacgc	660
gactactttg	gtgcccacac	atatgaacgt	actgatcgtg	atggcatttt	ccattacacc	720
tggtac						726

<210> 36

<211> 972

<212> DNA

<213> *Lactobacillus rhamnosus*

<400> 36

gaagatttct	ttatacagat	aagcgctacc	cagcatcact	gaatccccga	ctgctgtgat	60
cagattccga	ccgttgactt	ttcattcttc	gataacactt	tggacgttgc	aaatctttta	120
aacattgtac	ccaagcgcta	ccaagacctg	aacttatcac	cgttgacac	ctactttgcc	180
caagcgcgtg	gctatcaagg	agaggccggc	gatgttaaag	ctctggcgat	gaaaaagtgg	240
ttcaacacca	actatcatta	cttggtacct	gaattcgatc	gcgataccaa	gatccaagta	300
acggattggc	agcttttcgt	gcaatttgaa	gaagctaaag	cgctaggcat	taacggacgt	360
ccgactttga	ttggaccgta	tacgttactg	aaattgtctc	gcttcattga	tggtgtgcct	420
gatgactttg	tagccgacct	gatttctgcy	tacacgacca	tcattgatcg	cttgcatgac	480
gccggagcag	actgggtaca	acttgacgaa	ccggcgctgg	tttatgatca	aaccgatgcc	540
gacctcgctt	tattcgagcg	gctttatacc	ccgattttga	ccccaaaaaa	agctgccaaa	600
atcctgggtc	agacttattt	tggtgattta	accgatctgt	ttgaccgtat	tcaaaagtgtg	660
ccatttgacg	gcttcgggct	ggattttgtc	gaaggatatg	ccaatcttga	tctgtcaaa	720
caacacggct	tcccagcgca	cgctacctta	tttgcgggaa	tcgtgaatgg	taagaacatt	780
tgccgggacac	attatgcgga	tgccttggca	acgatcaaac	aactggcaac	cattacggac	840
aagctgggtat	taagcacctc	gacctcactc	ttgcatgtcc	catatacact	tcgcaatgaa	900
acccatctga	aacctgaaga	aaagcaatat	ttggcctttg	ccgaagaaaa	actcaacgaa	960
ttgcatgagt	ta					972

<210> 37

<211> 888

<212> DNA

<213> *Lactobacillus rhamnosus*

<400> 37

gggcccggcga	ttttcggcgtt	tattccgatg	caggatggct	cgcccgcgc	ggggctgagt	60
aatatcacgg	cagaaggctg	gttcccgcac	ggtggcttac	cgattttgat	gactatggtg	120
gcagtgaact	ttgctttttc	gggtaccgag	cttatcggca	ttgccgcgg	tgaaacggaa	180
aaccgcgcga	aagttatccc	ggtagcgatt	cgtactacca	tcgcgcgact	gattattttc	240
tttatcggca	ccgtgtttgt	gctggcagcg	ctgatcccga	tcgagcagg	gggcgtggag	300
aaaagcccgt	ttgtgctggt	atttgagaaa	gtagggatcc	cgtacgccgc	tgatattttt	360
aacttcgtga	tcctgacggc	tattctttgt	gcagcgaact	ccgggttata	tgccctccgg	420
cgcattgctg	ggtcgtttgt	gaatgaacgt	acgtaccgg	cctgttttgc	gcgagtaacg	480
aaaaacggcg	tgccactgac	ggcgctgtcg	gtcagtatgc	tcgggtggtg	gctggcgctg	540
ttttccagcg	tggtggcccc	gaacacggta	ttgtttgcgc	tgctggcaat	ctccgggttt	600
gcggtggtag	cggtgtggct	gagtatctgc	gcctcgcaat	ttgtttttcg	tcgccgtcat	660
ctgcaacaag	gtaaggcatt	gagtgaatta	cattatcgcg	cgccgtggta	tccgctgggtg	720
ccagtattag	gtttttgtgt	gtgcctgggtg	ggctggcatt	cgatccagcg		780
cagagaattg	cgttgtgggtg	cggtttaccg	ttgtttgcgt	tggtgctatgg	tgcttatttc	840
cttactcaac	cccgaacgc	aaaacaggag	ccagaacatg	tcgcagaa		888

<210> 38

<211> 1422

<212> DNA

<213> *Lactobacillus rhamnosus*

<400> 38

atcgctaaac	aattacccaa	ggactttgta	atcgggtggcg	caactgctgc	ttaccaagtt	60
gaagggggcaa	ccaaagaaga	cggaaaaggt	cgagttcttt	gggatgattt	tctggaaaaa	120
caagggcggt	ttagtccctga	ccccgcgct	gattttttatc	atcgctatga	tgaggatttg	180
gcgttagcag	aagcatatgg	tcatacaagta	atacggcctt	caattgcctg	gtcgcgaatt	240
ttttcggatg	gtgccggggc	ggtggaatct	cgtggcggtg	ctttctatca	tcggctcttt	300
gctgcctgtg	ccaagcatca	tcttatcccg	tttgtaacgt	tgcatcattt	tgatacacca	360
gaacgggttac	acgagattgg	tgactggctg	agtcaagaaa	tgctggaaga	ttttgtcgag	420
tacgcgcggt	tttgcttcga	agaatttccg	gaaatcaaac	actggattac	gatcaatgaa	480
ccaaacgtcca	tggcagtgca	acaatatacg	agcgggtactt	ttccaccagc	ggaaaccggt	540
catttttgata	aaacatttca	agccgaacat	aatcaaactcg	ttgcccatgc	gcgtattggt	600
aattttgtaca	agtcaatggg	gctagacggg	gaaatcggta	tcgtgcatgc	cttgacagaca	660
ccttatccat	atagtgtatc	gtcgggaagat	cagcatgccg	ctgatttaca	ggatgcgttg	720
gaaaatcggc	tgtattttaga	tgccacactg	gcaggagatt	atgcccctaa	gaccttggt	780
ttgatcaaag	aaattctggc	agccaatcaa	caaccgatgt	ttaagtacac	tgatgaagag	840
atggcggcta	ttaagaaggg	ggcgaccag	cttgattttg	ttggcggtta	taattacttc	900
agcaaatggc	tgccgcgtta	tcacggcaag	tcggaaacga	ttcataatgg	tgatggctca	960
aagggatcgt	cagttgcccg	ccttcacggg	atcggcgagg	agaagaagcc	agccgggatt	1020
gagacaacgg	attgggactg	gtccatctat	ccgcgtggta	tgtatgacat	gttgatgcgg	1080
attcaccaag	attatccgtt	agtaccagcc	atctatgtca	ccgaaaaacg	tattggattg	1140
aaagaatcct	taccagcaga	agtgcgcga	aatacgggtca	tcgcggatcc	caaacgcatt	1200
gattatttga	aaaaatattt	aagtgccatt	gccgatgcga	ttcaggctgg	cgcgaaatgta	1260
aaaggctact	ttgtctggtc	actgcaggat	cagtttttcc	ggacaaatgg	ttatagcaaa	1320
cggtagcgat	tgtttttctg	cgactttccg	acgcaaaaac	gttatgtcaa	gcaaagtgcc	1380
gaatgggttaa	aacagggttag	ccaaacgcac	gtgattcccc	aa		1422

<210> 39

<211> 774

<212> DNA

<213> *Lactobacillus rhamnosus*

<400> 39

atgacgacct	tgaaatcatt	ccgggtgata	aataagggtg	acttgccatg	tgcccagcct	60
gatgttggtt	aagaagagat	tgaagagatg	atcggtcttag	acgtttctga	cgccattttg	120
gccagtggtt	aaaccggctt	gggagttcct	gaaattcttg	agcgcatcgt	ctcagacatt	180
ccggctcctt	ctggcgatgt	taacgcgcgc	ttgcgaagcgt	tgatctttga	ttccgtttat	240
gatgattatc	gcggtgttgt	ccttgatgtt	cggtttaaag	aaggacaagt	taaggtcggc	300
gatacgatcc	agctgatgag	caatggcaag	cagtttcagg	ttactgaagt	cggcgtgatg	360
tcacctaaag	cagtgaacg	cgattttcta	atggtcgggg	atgtcgggta	tatcacggcc	420
tcaattaaga	cgattcagga	tacgcgcgtg	ggggacacgg	tgacgctggc	agaccgccc	480
gcagcagccc	cgctgaaagg	gtatcgtaaa	atcacgcaa	tggtctattc	aggcctgttt	540
ccagtagata	acgcgaaatt	caatgacttg	cgcgaggcat	tggaaaagtt	gcaactcaac	600
gatgctgcgc	ttgaatttga	gccggaaacg	tcccagggac	tcgggtttgg	gttccgttgt	660
gggttcttgg	gcctcttgca	tatggatgtg	gttcaggaac	ggctggaacg	cgattacggt	720
ctcgatttga	tcattgaccgc	accgagcgtg	gactatcagg	tagcgttaac	agat	774

<210> 40

<211> 1254

<212> DNA

<213> Lactobacillus rhamnosus

<400> 40

atggatgtca	ccacgattga	tctggaacaa	atgggcccag	cagcaaaggc	cgccggcgact	60
gtcttgagcc	agttgacgac	cgcacagaaa	aatgccgggt	tggtggccat	ggttacggct	120
cttgaacgc	atactgaaac	aattttggga	gctaatacatg	aagatctaaa	agccggcagca	180
agcttgccgg	ctaagttcac	ggatcgattg	gtactgacag	ccgagcggat	tgctgacatg	240
gcagcagggg	ttcgccaagt	tgccgcctta	cctgatccaa	ccgcccagac	ggataaggcc	300
tgggtgaatc	acgcaggact	gaatattgcg	caaaaacggg	taccttttagg	ggtggtcggg	360
atgatttatg	aggcccggcc	aaatgtaacc	gttgatgctg	ctgcgttaac	ttttaaagtt	420
ggcaatgcgg	tcatttctccg	tggcggtaaa	gaggcgctgc	acagcaattt	ggccttggcg	480
accgttttac	aggctgcatt	gaccgcacaa	ggattgcca	aagacgcgat	tcaattaatc	540
acggaccgca	agcgagaagt	cgcgaatcag	atgatgcacc	tgaatggcta	cattgatgtg	600
ctgattccgc	gtggtggccg	agggttgatt	aaagcagtcg	ttgaacaggc	taccgtaccg	660
gtcattgaaa	ccggggcggg	caattgtcac	atztatgttg	atgcgtatgc	gcaagcccag	720
atggcaatcg	acattgtttg	caacgcgcaa	gttcagcgcc	cgtctgtttg	caatgcggcc	780
gagaaacttt	taatccacgc	tgatgttgca	aacgcgcagc	tgcccttaat	tgctgcggca	840
ctgcaagcgc	atggtgtcga	attgcgcggt	gatgaacggg	cgccgggcaat	tgtgccgaac	900
atgcagatcg	ccacggaaga	agactgggat	accgaatata	atgacttaat	tatggcggtc	960
aagggtggtg	attccgagga	agaagcgatt	gcgcataatca	acgcacacaa	cacgaagcac	1020
agcgaggcca	tcattacgga	taactaccaa	aatagtcagc	aattcctcca	acaggtagat	1080
gcgctgtgtg	tctatgtgaa	tgccctcaact	cggttttacag	acggcttcga	gttcggtttc	1140
ggcgagagag	tcggtattag	tacgcaaaaa	ttacacgcac	gcggaccgat	ggggtttagc	1200
gcgttgacga	cgattaagta	tcaggtgctg	ggtaacggac	aggtacgcga	aggt	1254

<210> 41

<211> 489

<212> DNA

<213> Lactobacillus rhamnosus

<400> 41

atgaccgcat	ttttatgggc	acaggatcgc	gatggcttaa	ttggcaaaga	tggtcatttg	60
ccatggcatt	taccggatga	tttacattat	ttccggggcg	agacagttgg	taagatcatg	120
gtcgttggcc	ggcgacaccta	tgaaggtttt	cctaaacgct	ctttacctga	gcgaaccaat	180
gttgttttga	cccatcagga	agactatcaa	gcgccagggt	ccgtggtcgt	gcatgatgtt	240
gcggcggttt	ttgcttatgc	taagcagcat	cccgatcagg	aactggtcat	tgctggcggt	300
gcgcaggtct	ttacagcggt	taaagatgat	gtcgatacgt	tattggtgac	acggttggtc	360
ggcagttttg	aaggcgacac	gaaaaatgatt	ccattaaact	gggatgattt	taccaaagtc	420
tccagccgca	ccgttgaaga	taccaatccg	gcgctgacgc	acacttatga	ggtttggcaa	480
aagaaggct						489

<210> 42
 <211> 285
 <212> DNA
 <213> Lactobacillus rhamnosus

<400> 42
 caaggggtgca accttttacgg tatcgcaact gctttggcac ggatttccaa agcaattctt 60
 aacgatgaaa atgcggtact cccattgtcc gtttacatgg acggccaata tggcttgaac 120
 gacatctaca ttggtacacc tgctgtgatc aaccgcaatg gtattcagaa cattctggaa 180
 atcccattga ccgaccacga agaagaatcc atgcagaagt cggcttcaca attgaagaaa 240
 gttctgacgg atgcgtttgc taagaacgac atcgaaacac gtcag 285

<210> 43
 <211> 969
 <212> DNA
 <213> Lactobacillus rhamnosus

<400> 43
 atgttgacga aacggcaatt gctcgtctta aaagaaatca tccgcctgtt tactgaaagt 60
 gggcagccgg tcggttccaa gacgttaatg caggaactgc cggttcatgt cagttccgcc 120
 acgatccgca atgatatggc atcgttgga gacgccggtt tgatcaccaa gactcatagc 180
 agttccggtc gagtaccctc gactcaaggc tatcgtact atcttgatca tctggtcgag 240
 ccagtgcgtg tttccacccg tgaactagcc acgatcaagc aagcattcgg tcaacgctac 300
 aataagatgg atgaaattgt ggcgcaaagt gcgcagattt tatccaatct gaccagttac 360
 acggcgatca gcttagggcc agaagtgaat aacattaaat tgaccggatt tcgcccttga 420
 ccgttgggca atcaccaggt tatggcgatt ttagtgacga acaacggcaa tgttgaaaat 480
 caggttttca ccgttctcga aagcatctca tctgacgagc tggaaaaggc gattcgcat 540
 gtcaatgac agctggctcg tttgccgctt attcaagttg ctacgcggct aaagactgat 600
 gtcccgctga tgctgatgca gtatctgacc agtctgaag gcttccctga tatcttcggt 660
 aatgtcttaa agtccgccgc ttcagagcgt ttctatgtgg gtggccgctt aaattttaat 720
 gactatctcg gcgactcgga tattcacgag ttgaaaaaga ttatgtcctt gattgatgct 780
 gatcatggtg atcttactga actgcttggc ggaccgggtc gccaaacgcc ggttacgggt 840
 cgtctaggcc cggagttaa gccaatgat ctggccaatc tcaagctgat taccgccagt 900
 tatgatgtcg gtgaccacgg cacgggaatg attgcctat tagggccaac ccaaatgccg 960
 ttttccaag 969

<210> 44
 <211> 1336
 <212> DNA
 <213> Lactobacillus rhamnosus

<400> 44
 ctaattcacc gtatacagcg gcgaataaac tgaagatgac ggtggctaag acgctggaca 60
 agtttcagct ggatgtgacc acaggcaacg ggcttaaggc gattaacatt ttcattgaatg 120
 acagcacgaa ggaaaatggt gaacaatatg aatattggat taacaatttc attgaacgcy 180
 gcgtgcttga gccaaaataa gtctctttga aaatcacggt aactctcctt tcgaacaagc 240
 ggagattacc gtgctttttt gttgtatgaa tcacggatta aagcgttacg actggtaaag 300
 catgagctac atcacggatg cgtggtttaa gtgaggcaaa tgcgtgacc gccaaatcga 360
 gcggccaaaa gtggttaagct ggaacattg aaattttgat atgaaggagg gcttgtatgt 420
 ttgaacatgg gtttattgag gtacacgatg ccaaccagaa caacttgcaa catgtgaatg 480
 tgaagatacc taaggatgcc attacgggtt ttgtgggtcg gtctgggtca ggcaaatcat 540
 cgttagtgtt cgatacgatt gctgcggagt cacggcggga gttgaacgaa acttttccga 600
 gctttaccca gcaatattta ccaaagtatg gccagcctga tgcgggtcgt attgatcact 660
 tgccgggttg cattgtggtg gagcaaaaac gtatcgggaa aaacgctcgc tcaactttag 720
 caacttacac gggcatttac tcaactgttac ggctgttgtt ttcgctgccc ggcaagccat 780
 tcacgcgcta ttcggacaca ttttcgttta atttacctca agggatgtgc cccacctgcc 840

aaggcttagg	ttacgtagat	gatattgacg	tcagtaagtt	gattgatccc	aataaatcgc	900
ttaaccaaga	ggcgatcacc	tttgtcagtt	ttggaccgga	tacttggcgt	tggcggcgtt	960
atgcttacag	cgggttgttt	gataatgaca	aacccttacg	tgactatacg	cccgaagaaa	1020
tgaactgtt	actttatgca	ccgcaacaga	cactgaagca	tgcaccggct	aaatggccaa	1080
gaacagcgct	atatgaagg	gtcgtgcctc	gcattaaacg	atccattatt	ggtaaaaaag	1140
aagcagaaca	tcataaggcc	gcaactggcg	aaatcgtaac	gcgcaagcct	tgtccggatt	1200
gccaagggac	acgcctacgt	ccggaagtgt	taacctgttt	gattaatcaa	accaatattg	1260
ccaagtgtc	gcaaattggac	ttggtaaacg	tacggcattt	tctaaaaaac	attcaagtgc	1320
cgctggttca	ggatgt					1336

<210> 45

<211> 760

<212> DNA

<213> Lactobacillus rhamnosus

<400> 45

aatgacacaa	tcggccgac	cccacgcgc	gccattgctt	gcaaagtggc	ggcaatggga	60
tactgaccgc	cataagtc	cgccatttga	acatcccaat	ccggaagtgc	ctggcgcaag	120
cgatcggtta	ttaactgaag	agattgcggg	cattttcatt	ttaggaacaa	atggcgagtc	180
ttacgtctta	gcggaagatg	aaaagttggc	attttagtaa	catgttatcg	actatgtcca	240
tggctgaacc	aaagtactgg	taggaacagg	tttgaacgga	acagcggaaa	ccattcgctt	300
cagtcaaaa	gtagcgtctt	taaaaccaga	cgcaattacc	ttagttgctc	cttcatttgt	360
tgctccctcg	caacaggaac	ttgttgatca	cgttgctgcc	ataattcacg	cggacgatat	420
acctgttcta	ctgtacaata	tgccagcaaa	aacgggcatt	aacattgagc	cagcttcatt	480
aaaacagttg	tcaaaatatg	agaactta	cgggtataaaa	gatagctcgg	gaaagtggga	540
gaattttgac	ggttatctag	ccaatcgccc	cgaacgacca	ttctcagtta	ttatgggctc	600
tgacggctgc	attcttgaaa	gctttcagca	cgggtggaat	gcggctattg	caagtacagc	660
caatctctcg	acggctaaca	atgtagcgtt	gtatcaagca	tttgtaaatg	acaatattga	720
aaaagcccag	aaatttcagg	atcggattca	gccccctaga			760

<210> 46

<211> 1056

<212> DNA

<213> Lactobacillus rhamnosus

<400> 46

aagacagttg	ccaaaacccc	aatcacgaga	ctgacaagaa	cggttaatac	agcagccagc	60
gtaccgtag	ttggccaata	aggcgcaatc	cccgtttcaa	tcagaatgac	caccgcccgcg	120
gcgacaatgc	cacaaaccgc	gtaataaacc	tcaacctcaa	aatgttttag	taaataaccc	180
attagtttgg	caatggcaat	gagcccgcac	aacgcaccta	ccataaaagg	taccagtaag	240
gcyacagatc	aagggtgtcg	ctggagccgg	taccaaggag	ataacgggtg	ctttgggttac	300
tccactgaca	agttcggcat	ctctcaaate	ggtggctata	gcggctacgg	cacgtacgag	360
caaacacagt	ataagacaca	ggttgcatcg	ttgattgccg	ctggcaagcg	agcacacacc	420
tatatctggt	ggcagaatat	cgacaacacc	aattttgcca	agcaagtact	agatcatttc	480
ttggcagaga	ttcaaaccac	aaaagggctc	attggtgcgc	ttgattacga	ggccgggttca	540
acaaatacgg	caactttgct	gtgggcactc	gactatatcc	gtgatgctgg	ttacacgcca	600
atgctgtacg	gctataagag	cttcttgatg	agtcacattg	acttgtcaca	gattgccagt	660
cgctaccagc	tatggcttgc	ggaatatcct	gattacaatg	tcactactgt	tccgaattat	720
ggctacttcc	cgagttttga	taatgtaggt	atcttccagt	tcacttccac	ctatcgcgct	780
ggcggccttg	atggcaacgt	tgateggctc	ccgcgaacgc	tcacaaaacc	tcgctgttgt	840
caatgaagct	tccgagaaca	cagtttcccg	tccagcttac	gtaacctttg	acgacaataa	900
gaaggaaggt	tcccttggtc	gcttaccaga	acgtggcgaa	ctcgaaccag	aagttgacga	960
atcactgggt	gttgaatact	ataaccagaa	actttaatac	ttcacagcta	cagccaactc	1020
tttgcggagt	tggtgttttt	tatttggaat	cagatc			1056

<210> 47

<211> 1310

<212> DNA

<213> *Lactobacillus rhamnosus*

<400> 47

cgccggtgaa	cgcgtttcag	accagagcgt	gaacaggagc	gcttagaaat	cggagtgtaa	60
gtggcctcag	acgtgatgac	ccgggctttg	gccattgcgt	tccaggtcct	tacacgcaga	120
cccatgcgcc	ggtgaacgcg	ttttagaacg	tgaaccggcg	cgcacacgta	accccccta	180
aaaaaccacc	accccaaacc	taacgctcct	tagattcaaa	cctccaaaca	cctcacttgg	240
cactcccat	ttacagcatt	agaatccgcc	ctgtttttaa	ggtatactaa	ggcgtagtag	300
acccaaattt	aaggtgggac	aagcacttga	aaaagtccgt	caatcgggtc	aagacgcttg	360
ggactcgatt	ttgtcgctgg	ttcacgcaat	tcgtgacccg	gcatcccgat	tccaaatcag	420
ataccaatca	acaactaacg	ggtaaagctg	ccgttgtcta	ttatggcaac	gtcacacttc	480
aaagcatcaa	aacaactgtg	ttactattta	ttaggcgttt	taggcattgc	tgtcgtgttt	540
ggccttggt	tgtttggcgg	ctattttgtg	tcgattattg	acgcaacgcc	aattccaact	600
gaaaccgcta	tgaagcaac	gttgtccaat	accagccgca	cttccagcat	gtattttgcc	660
cacaacgtca	agcttagcga	tgttaaaagc	gacctgtact	caaccaaagt	caacctcaat	720
gagatgtcgc	catggctcac	caaggcgatt	atcgccactg	aagatgaaga	cttctatcgc	780
cacaacggca	tcgttcctaa	ggcggttatc	cgtgcgttct	tctccgactt	aaccggtatg	840
gggagtcaga	cgggggggtc	aactttaacg	cagcaagtgg	tcaaatgat	gtttttaaat	900
tcggagacaa	cctttaaacg	taaggctgct	gaaattatgc	tggcccgcg	cttgaacaat	960
cacttcagta	aaaacaccat	tctggcaact	tatctcaatg	ttgctacgct	tggctcgtat	1020
aacaaaggcc	aaaatattgc	cggagttgaa	gcagcggctc	aaggactgtt	tgggggttcg	1080
gctaaggaag	ttaacctgcc	ggaagcggct	ttcatcgctg	gectgccgca	aagtcatttt	1140
gtctataccc	cttacacggc	cgatggtaaa	ttgaaaacca	gtctcaaagc	cggtatcaat	1200
cgccaacaaa	ccgtcctgtt	ccgcatgtat	cgggctggcg	ttatcagcca	tcgtcaatat	1260
gttgctgcca	aatcatttga	tccactagtg	tcgacctgca	ggcgcgcgag		1310

<210> 48

<211> 1859

<212> DNA

<213> *Lactobacillus rhamnosus*

<400> 48

ccttcgagcg	atccggttat	ggggtttatg	ttccgctttt	ttccgggcat	gggacagtgg	60
agccggttaga	tattttgaca	aaaggcaacc	cggatatttg	gtgggcagaa	agtagtgccg	120
cggttgcgca	tatgaccgca	aaatacgcca	agggttttgt	ttttggctta	tactggggag	180
gtattttttgc	gatgaaggcg	ctagaaacct	tgccagggat	tacagcaggc	ggtgtttttt	240
catcccgat	tttgccgggc	aaacatcact	tagtaccggg	ttttttaaag	tatgccgagt	300
atatgaatcg	gttagcaggc	aaatcagatg	aaagcacaca	gattctggca	tatttgccgg	360
gacagttggc	cgcaatcgat	cagtttgcca	cgacggttgc	tgctgattta	aatttagtca	420
aacagccgac	ttttatttga	caagccggtc	aggatgaatt	agttgatggg	cgattagcgt	480
atcaattacg	cgatgcctta	atcaatgctg	cacgcgttga	ttttcatttg	tatgatgatg	540
ccaagcatgt	cattaccgtt	aactcggccc	atcacgcatt	agaagaagac	gtaatcgcat	600
ttatgcaaca	agaaaacgag	ggatagcatg	accacagttg	gccatattcg	taatgaacta	660
ttagcaacat	ttcgtaagaa	tccgaacatt	gattattcgg	ttcaaact	cagtcgcgca	720
cttaagttaa	gtgaaggcgg	cgattttaaa	tactcgtcc	aggcgttaaa	cggatatggaa	780
aatgataacc	tgattcacgc	caatcacgaa	ggacgttatg	cattggggcg	cgcgctaaa	840
gtcttgaccg	gacttttccg	cggcaacgaa	aaaggctttg	gcttcgtggc	agttgagggc	900
ttggacaatg	atgtttatgt	accggcgatg	aacaccgatt	ttgcgcttga	tggcgatacc	960
gttgaaagtgc	ggatcgttcg	tgaagccgct	cccaatgata	gtcggggacc	tgaaggcgaa	1020
atactaaga	ttgtgcagcg	cagtttaacc	acctggttg	gtgaattcaa	accattttcc	1080
gataaagatc	gggctaagtc	tggatttatc	ggaatgggtg	ttagtcatga	aaagaaactg	1140
agaatttttc	cggtttatgt	taaagatacc	ggtaatatcc	cgcaactcgg	cgatatgacc	1200
gtgacggaga	ttactgaatt	tccaaccgaa	tatcatccca	agttgatgta	tgggatcggt	1260
gtcgagacgt	taggcaacaa	gaatgatcct	ggcgttgata	ttatgtcgct	ggtcatgcaa	1320
aaccatatca	aaacggaatt	tccggatgaa	gtgatggatc	agaccaatgc	cattcccgat	1380
cacgttacgc	cagaagaacg	agttggtcgc	aaagatatta	ccgatcaggc	tgttgtcacg	1440

attgacgggg	atgacagtaa	agactttgac	gatgccgtgg	tggtttggaa	attaccaa	1500
ggaacttcc	atcttgggt	tcacattgcc	gatgtttcgc	attatgtgac	ggaaggctct	1560
gcgttgatc	aagaagcatt	tgatcgtggt	accagtagct	acttgggtga	tcgcgtcatt	1620
caatgctgcc	atctcgacta	tccaatggca	tttgttcggt	aaatccaggt	gtagatcgat	1680
tggcaatgtc	atgtgatatg	gaaatcgatc	atgatggtca	tgctgtaaac	cacgagattt	1740
atcaaagtgt	gatcaagagt	catgcccgga	tgacctacaa	caatgtgaat	aaaatcgtga	1800
ccgatcacga	cccgaagtc	atggccgaat	atcaagaact	ggtaccatg	tttgaagac	1859

<210> 49

<211> 887

<212> DNA

<213> *Lactobacillus rhamnosus*

<400> 49

cttatgaaaa	tgaaattatc	atcacgattc	gagctggacg	caagaaccat	cccttgttgc	60
tctcagctaa	tccacagtat	gcgcgggtgc	aaattaccca	cattccattt	acaaatccag	120
acgttcctgc	aaccttcacg	atgacgttgc	ggaagtattt	taacgcggct	acgttaacag	180
agattcacca	agtgcacaa	gatcgggtac	tacactttga	attctccacg	cgggatgaat	240
tgggggatga	actggggctg	cgcttgatca	ttgaaatgat	gggtcggcac	agtaacatct	300
ttttagtcag	caagcgcacc	ggcaaaatta	ttgatctcat	tcgccacgtt	tctgcggatc	360
aaaatcgcta	tcgtccgttg	atgcccggtg	ccccgtatgt	cgagccgcct	aagcaagata	420
aagtggatcc	gtttcatgat	tcggagcgga	tttatcacga	acttgaacgt	caggtaacac	480
cttcattgag	tcgcgcgcgc	ttgctccagc	aacattacca	aggacttgcc	aaggattctg	540
cagctgaatt	ggccctgcga	ctcaatcaag	gcgatgccgg	ctgggatagc	ttttttgcag	600
cgctggcaac	ccctgaaccg	actattacaa	ccaaggggaa	aaaagccgtt	tttaccgcga	660
tcccgatca	gtctctgacc	ggcgagcagc	aacattttcc	aaccttaagc	gcgatgctgg	720
atgcctatta	tgcgcaaaaa	gcggaacatg	atcggttttt	gcaacaaggc	gggaacctga	780
ttcatgtgat	caaaaatgtg	attgataaag	atcgcaaaaa	gcagcgcaaa	ttaaagcgaa	840
cgctggaaga	aaccgaaaaa	gccgatgatt	atcgaattcg	attcaag		887

<210> 50

<211> 999

<212> DNA

<213> *Lactobacillus rhamnosus*

<400> 50

gcctatattg	gattgacaga	aaaacaaacc	ggcagcctgt	atcacctgag	cgaaggccag	60
aaaaaatgg	tgcagctgat	cgcaatgtta	agtctggagc	gaactttttt	gctgttggat	120
gaaccgttta	gcggcttaga	tgaacgtgcc	tgtgcattct	ttgccgcgtg	gatcaaggaa	180
aaagcagcta	agcaggcggt	tttgattgtg	acgcaccgac	tggtccgct	agctggcatc	240
agtcaccagc	atgtggcact	tgccgatcac	cggttacaca	ttctacagga	gtgacatgat	300
gccagtaaaa	aagaccaatg	cagtgaatct	gagtttattt	attctactgc	tgacacttga	360
aatatctttc	agccatgcgg	tgagtcttaa	tgtagcgttg	atcgactgg	caagcgggtt	420
tttaatatgg	cggcgggcgt	ttaaaagtct	cgctgttttg	gccttgttac	cgttgatccc	480
ggctgccagc	acgtactggg	caattaccct	gcattggtacg	gatacgactt	acgctttgct	540
gctgtgggtt	gcacactatg	ctttcaaccg	gttgggattg	gtgtttctta	tcggagttag	600
cttagagacc	ttgctgttat	ggctggagca	gcataaatta	tcccctaatt	ttgtttacgg	660
attactgggt	gtgatccatg	ccttgccgca	aatcatgcat	gaagtggctg	ctattcgtga	720
agcgagtctg	ttacgtggcc	aaaagtgtga	cgcggtgctg	ccgatgattt	atgtgaagg	780
gatttttgtt	gccatgtcgt	ggcaggacca	gtacgtcaaa	gctatgtatg	cccatgggta	840
taccgaagga	gcagcgcgaa	cggttcacca	aacctccgt	agttcatggc	gcggcttgat	900
cgccatgggt	gggggatttg	tccttttaaa	tctaattgac	cgttagtttg	aggatcaaaa	960
agaggtggtc	gcgcgggtgt	taagcgattg	tgcagggac			999

<210> 51

<211> 846

<212> DNA

<213> *Lactobacillus rhamnosus*

<400> 51

tttgcctttac	aaaaaccagc	atagcgatca	ttccttaatt	accagcataa	tcaatcctta	60
attaatccta	aattgtgaaa	agggtgcatta	atagcttaca	ctatcattgg	aggaaaggag	120
tgacgatgat	ggcgaagata	ttaattgttg	aagatcatag	gatatccagg	cacttattga	180
aagatgtact	aaccccgact	tatacgggtca	ctcagggtta	tgacggcatt	caggctttaa	240
cggcctttca	tcgagaacaa	cgggacttga	tcattctcga	tttaatgctg	cccaacgtga	300
ctggtgaaag	tgttttaaca	accattcgta	aaacatccca	agttcccgtg	ctggtgttaa	360
cggcgattca	ggaaaaagcc	aaaaccgttg	ccctgctgca	gcaaggcgca	aacgattatt	420
tgaccaaaacc	gtttgacatt	gacgaattac	tagcacgcat	tcaagtccaa	ctgcgccaag	480
tcagcggcca	accaataacg	acgaacgac	aactaaaagt	cggcgaaatt	caattagacc	540
ctaagcgtca	tgtggtgacc	gttaatcagc	aaaccctaac	gctgcctaaa	aaagaatatg	600
acatgttggc	gttaatgatg	cgtgatcccc	atcaagtctt	tgataaaagc	caactttatg	660
aacatgtatg	gggggagccg	tttttaaatg	cgataatac	cctaaacgtt	cacatcagca	720
acttacggac	aaaaatcaat	gaacttggcc	atgatcccaa	atacatcatt	tcaatctggg	780
gcacgggtgt	acgtttgatt	tagcaaggag	aaatcattat	gcttggcttc	cttattttac	840
ttatcg						846

<210> 52

<211> 780

<212> DNA

<213> *Lactobacillus rhamnosus*

<400> 52

tacgatttgc	ttcagttcct	caagatccgg	ataacttggc	aggaattgat	tccaaccgca	60
ttgccaaagta	tcaagaagcg	ttcgcaaaag	cctacaaacg	actcatggaa	gcaatcagtt	120
ccatgagcat	tagctggacg	attatcgggtg	ctgcaagtcc	gcgctgggct	caaaaagttt	180
tccttgatgc	cgccaccctt	gaagaagcaa	ctgagctact	ctgggaggca	attttcaaaa	240
ctacccgaa	cgatcaaccc	gatccggaag	ctgcctggaa	agccacgat	caaaagctgc	300
gggaaaaagc	ggcctgggta	aacaacgaac	aatttgatca	gctgcattac	atggctccgg	360
gaacggattt	ggtagtcggt	ttaccaaaaga	accacatttg	ggaaggcgcc	ggcgctttta	420
accgcgctgg	tgaggaattt	atggctaaca	tgccaaccga	ggaagtcttc	accgcccctg	480
attttcggcg	catcgacggg	accgttgctt	ccaccaaacc	gcttagttat	ggcggaaca	540
tcctcgaaga	tatgcacttt	actttcaaaag	acgggcaaat	cgtggaagcc	cacgccaac	600
aaggcgatga	cgtcttataa	aacctgctaa	aaacgccggg	tgctcgttca	ttaggcgaag	660
tgctggttgt	tcgggacctt	tcttccatct	cacaatcggg	ccttattttc	ttcaatcgc	720
tggttgacga	aaatgcttcc	gatcatatgg	cactcgggtca	agcctatccg	ttctcagtca	780

<210> 53

<211> 1569

<212> DNA

<213> *Lactobacillus rhamnosus*

<400> 53

ttgcaccccg	ctctgctgcc	tagttttccc	ggacggcagg	gcattaaaga	tgcgtttgat	60
tatggcggtca	aagtgaccgg	cgtgacgggt	cattacgtag	atgccggaat	cgacaccggc	120
gaaatcatcg	cacaggatcc	ggtccgcgta	agcccgggga	tgacgctggc	acaattagaa	180
gcagccattc	accatcagga	acatcaaact	tttcccgcaa	ctgtcaagca	actcattgaa	240
gaaggagcga	tttaagtga	gcgtgcatta	tttaagtgtct	ctgataaaac	tggttttgta	300
cctttttgcaa	aaggtctggt	tgaacgcggt	tttgaactga	tttcgaccgg	tggtaccat	360
cgcgcactgg	ctgaagctgg	ggttgcggtg	accggcgtag	aagcagtaac	cggttttcca	420
gaaatgctcg	atgggtcgagt	taagacactg	catcctaaga	tccatgccgg	catcttggcg	480
cggcggggatg	atcctgccca	tatgcaggca	ttggcagatc	atgatattca	gccaattgat	540
gtggtttgtg	tcaatcttta	tccgtttgce	gcgaccattc	agcgtgcggg	tgtgacgctg	600
gccgaggcga	ttgaacaaat	tgatattggt	ggcccgtctg	cgttacgtgc	ggcagctaaa	660
aatagtgaca	gcgtctgggc	cgtggttgat	ccggcgagatt	atgcggatgt	tttagccgga	720

ctcgatcaaa	atgatgctga	tttacggcaa	cggttggcag	ccaaagtett	ttccgccact	780
gccgcttacg	atgctcaaat	cgccattac	ttagatccag	agcctttccc	agagcagttc	840
acgccaaact	atcacaaacg	gcaggacttg	cgttacgggg	aaaacagcca	ccaacaagct	900
gcctttttatg	ttgagccgaa	tctgatcca	accagtcctg	ccgctgctaa	gcaattacac	960
ggtaaagagc	tttcttataa	caatatcaag	gatgcggatg	cagcattggc	aatgttgccg	1020
gaattcaaac	aaccggcagc	cgtggccggt	aaacatatga	acccatgcgg	tattggcttg	1080
ggcgatacgc	ttgaagccgc	ttgggacaag	gcatacgccg	ccgatccgat	gtccattttt	1140
ggcgccatca	ttgctttgaa	tcggcggtt	gatcttgcca	ctgccgagaa	aatgcataaa	1200
cttttccttg	agatcatcat	ggcaccggca	tttgatgatg	atgcttatga	gattctggcg	1260
aagaagaaaa	atgtgcgctt	attgacgatt	aataccgccg	atagccagaa	agaattggga	1320
acagaaacaa	cttcaattta	tggtgggttg	ttgattcaaa	cacgtgacga	caaagctgag	1380
acaccagccg	atatgacggg	ggtgacggag	gtcaagccga	ctgaagctca	actcaaggca	1440
ttggcatttg	ctcagacggg	ggtcaaacat	gttaagagta	atgcgattgt	cgtggctcag	1500
gctgatcaga	cgttagggat	tgccgcgggt	caaatagaatc	ggattggctc	ggttgaattg	1560
gcgttaacc						1569

<210> 54

<211> 1112

<212> DNA

<213> *Lactobacillus rhamnosus*

<400> 54

gatcggtgca	gtggcttttag	tgccaggttg	tggtggcctg	catcgattcg	ttgctgaact	60
tggtcttccg	ataacccttg	atcaggtgaa	atcttttgct	ctgccatcgc	atgccctcca	120
gtacttttca	tccattttac	caatccagac	aacaagatgc	ccgaatatca	cacttgtttt	180
tacaaaactt	tgaagtgtt	ggcgtgggtg	ggttatggtt	agggagtcac	gaaaccgtca	240
taatgagatg	aaagtatatg	aaagaagtgc	tctcatggta	aaacgaaacc	caaattggaac	300
ccgatttate	acattaccta	atggttacca	cttgtggacc	cagacattag	cagcggccga	360
ttcattactg	acgttgcacg	gcggaccagg	cggcacgaat	gaagtgtttg	aaaatttcgc	420
tactgaactg	gcactctttg	gtgtccgtgt	ctcacggtac	gaccaactgg	gttcattttt	480
ctctgatcaa	ccggactttt	ccgatccggc	taatcaaaag	cgttttctca	atatcgccca	540
ttatgttgac	gaagtggaaa	atgttcggca	acagctgggc	cttgatcatt	tttacctatt	600
aggtcagtc	tggggcgggtg	tggtggcgat	tgaatatggc	ttgaaatatt	cgcagcatct	660
taagggaact	attttgagct	cgatgattga	taatttggat	gagtatttgg	ttaacattaa	720
caagattcgg	gagaccatgt	ttctagtga	tgacgtggca	tacatgcaac	ggattgaagc	780
ccagcacgcg	tttacggatg	ccaaatacca	gcaattgggtg	cgtgagttag	gggagcaata	840
tcttcatcat	gccaaagatc	cccagccgcg	ccatttaatt	agcacgttgg	cgacccccgt	900
gtatcatcat	tttcaagggtg	ataatgaatt	tgtgatggta	ggcgcaacta	gggactggga	960
tcgacgggct	gatatacacc	gtctgacaat	gccgacttat	ctgacattcg	gtggacatga	1020
aaccatgcgc	ttatcagctg	ccaagcgaat	ggctcggaca	ataccaaatg	ccactttgca	1080
tgteacacct	aatgccgggtc	atggtcagat	gt			1112

<210> 55

<211> 1570

<212> DNA

<213> *Lactobacillus rhamnosus*

<400> 55

ataggggatg	agtaggcgat	atagggcagtt	tgatgctaac	cgcgccgggt	cgcgctcacg	60
aggaggatta	aatttgattt	cactaggaat	ttacgaaaaa	gcactgcccc	ggaccgaatc	120
ttgggttgaa	cggttgaaaa	tggttcggga	tttgggtttc	aacttttttg	agttatcggt	180
tgatgaaagt	gacgaacggg	tgcccggtt	ggattggacg	gcagcgaaac	gggcgaagg	240
gcgtgatgct	tggttgcaaa	caggggtgcg	gatccatata	ttgatgttaa	gcggccatcg	300
tcggttttcca	ttaggctcgg	cagaccgggc	gatccgtgaa	aaaagtctga	cgatgttatg	360
taaggcgatt	gatttggcta	gtgatctggg	cggttcgcaat	gttcaactag	ccggttatga	420
cgtttactat	gagccgaaaa	ccttagcttc	acgagaatat	ttcatcgaga	atttgaagcg	480
cggtgtggcc	tatgctgcgg	ctaaagaagt	gatgctggca	attgagacga	tggaacgatcc	540

gtttttgaat	tcactttcca	agatcaagac	gattaaagat	gagattccga	gtccgtgggt	600
gcaagcatat	ccgcatctgg	gcaacttgct	agcctggccg	gaaaacaatg	tcggtcgcga	660
gcttgaactg	ggaattgcaa	acatcgctct	ggttcatttg	aaggataccc	aagcgggtgac	720
ggtaaaaagc	aaagggcaat	tccgcgatgt	cccgtttggc	gctggcgtgg	tggacttttc	780
cggctgcctg	cgtacgctca	aacgccttga	ctacagcggg	gcctttacga	tcgagatgtg	840
gacggaaaag	gccgctgata	caatccaaga	agtgaagcag	gccaaggact	ttttcgatcc	900
gctgtttgtg	caggccgggt	ttgttcagga	gccagtggca	aaaaccaatg	tcccatcatg	960
aagcgcctgc	tgacctgcac	acgaaaaaag	tcgccaattg	cttgccggct	ttagacgatt	1020
catttaacta	taggcgaatg	gcagtggggc	tgatctggaa	gtaatcgatt	aaatagttag	1080
caaccccgct	atcatcatct	gagcccacgg	taatgtccgc	aatttgtttg	atttcaggaa	1140
tcgcgtttacc	catggccacc	ccgatgccgg	catactccag	catgtctttg	tcattttcct	1200
catcgccaaa	tgccggccagt	tggtccggcg	ggatgcccga	aaagtgtagt	gcggctttta	1260
aaccgttcat	cttattgaca	tttggcggca	ggatttcaag	cagtgtgcgc	cgggatcgcg	1320
tgacgggtcag	ctgcttgagt	gactgggcag	cgtctgatgc	ggcatcgatc	taagtgcac	1380
gcgattggca	aatcagtatg	atttgccgca	tcaataactt	gtgccacaaa	actgtcgcg	1440
agaaattcta	attctgtggg	atgaatcgcc	ataataaatg	gtgcctgcag	ttcttccgcc	1500
ttttccaacg	tggcagtga	gagttgtcct	gagcctgcgt	tgaaagcagg	aatggcaaaa	1560
tggtgttctc						1570

<210> 56

<211> 948

<212> DNA

<213> Lactobacillus rhamnosus

<400> 56

aactagtga	tcaaactga	cagatcccat	tgcgtttttg	caaaaactaa	tccaaattga	60
ctctgcaaat	ggaaacgaac	ttgcagtagc	ccgcgttttg	caagctgaac	tcgaagcggc	120
cgatattcca	accaaattga	tcccatataa	agatgatcgg	gtcaatttag	tcgcccagct	180
caatcacggt	gaccgcgtat	taggcttcac	cggccatgaa	gacgtggtga	gtcccggcga	240
tgagaacgcc	tggacctatc	cgcctttttc	cggaaagatc	gtgaacaaca	ccatgtacgg	300
tcgcggcacc	gatgatatga	aaagtgggct	agcagccatg	accttggcac	tgatccacct	360
taagcaaaagc	ggctttgccc	atccgctgcg	tttcatggcc	acggtcgggtg	aagagtgttg	420
tgcaatggga	gcgcgccaac	tcaccgaaca	aggttatgac	gatgacttaa	ccggactcgt	480
ggtaggcgaa	ccaacgaaca	aattgctaaa	atacgcacac	ggcggaaacgg	ttactacga	540
aattgacagc	gaaggcggtt	ccgtccacag	ctcccggccg	gaaaaaggcg	ttaacgcaat	600
tgaagggttg	gtggcatttt	ctactcccga	accgcacgcc	tttgatcagg	cccctgatga	660
tcctgacctt	ggctccattcc	gccactccat	taccgtgatc	aaaggcggcg	atcaagtcaa	720
caccattcct	gcccatgcat	acttacggcg	caacttgccg	ccgactcctg	cagcaaatat	780
cgaattagtc	gtcgggttat	tggaaaaaatt	agtcgatcag	gcaaataaag	ccaccgcgcg	840
taacttgacg	ttgaacgttt	tacatcggtt	tttgccggta	cactctgaca	aaaacgggca	900
tctcgtgaca	accgctaacg	aagccattgc	cgctgtgact	ggtaagcc		948

<210> 57

<211> 1188

<212> DNA

<213> Lactobacillus rhamnosus

<400> 57

ggttagaagg	aattggcgag	tttgcgcagt	gaatgctttt	gtattccaat	atcatcgcca	60
aagcctgatt	aataaatcga	ttttgtatct	tataataata	atatgtacac	gttttcatga	120
atatgagaac	gtgtttttta	tttaaaaaag	ataaagcgct	tgcataagag	ataaatggct	180
tttatattta	acttgttcac	agaggtaccc	tgtgatacac	ggttgtttct	tgatgttcgt	240
aaactaatag	aaagatggcg	ggaaaatgaa	aattgatatt	gacaaaacgt	ctatgattcc	300
agtttacgaa	caaattgcaa	atagtttgcg	agacatgatg	tatggcgga	gtctacagga	360
tggagaccgt	ttagactctg	agcagaagat	gtgtcgcaac	cttaatgtca	gccgtggaac	420
tgttagaaaa	gctattgata	ttctactgaa	ggagggtatg	gtcaaaaaga	ttcatgggaa	480
aggaaccttt	gtcagtaacc	caaacgttga	gtactcggtg	aatgatcagt	taatgtcatt	540

```

cgctgagtcg ctcgataatc aacacttaag ttacacaaca caagttattc agcaggaact 600
acgacccgcg acccgcaaaa ttgctgatat gctcaagatc cctattgata gtcagtactt 660
gtatttagaa cgattgcat cagttgccga tgataagtta atgttaatcg aaaatcgcat 720
taatattacg ctctgtccgg gaattgagaa ggtcaatttt aacaacatta gcctttttta 780
tgagattgaa gaactagcaa aaagaaagat tagctttgcc cgcagtacct atgaagcact 840
tacgattggc acggaacgtg ggaactttt agagcttctt tcttccacgc cggcttttaa 900
aatgcaacag acagtgtatc tttctgaaaa agaaccagtc gaatacgggt ccgtctgggt 960
aaaaggaaat aagtactttc tcacaacaac tttgcaaga cgataggagg aattgaacca 1020
atgccattag taaatggatt cgatttgatc aaaattatta aggatcggca cgttgctgca 1080
ggagctttca acacaactaa tctggagaca accatgggta tacttcgagc ggttgaaaaa 1140
agcggcatac catctttcat tcaaattgcc ccgacaaaca tccccgtt 1188

```

<210> 58

<211> 1637

<212> DNA

<213> *Lactobacillus rhamnosus*

<400> 58

```

ctagtggatc ccttcttatt tacaccgcaa ctgaccatcg aagaagtcaa aaaagccggc 60
tgggcctacc cggtattcgg ttatcttgat caccgaggacc cgtttgcaaa actggcgagt 120
catattaaaa ccgtcaaccc taatccgaca aaatgggcaa tcgaaaaaga taatctcgcc 180
gttttcaaat ttgaagcgat tatgaagcaa ttcccggacg ctaccttccc gattgatgct 240
tctcgtttta ttgaaaaaca gcgcctgacg aaaaccgctt cagagatcaa acagatggaa 300
gccgctgggt ctcaagccga tcgggcattt caggcaggat tcaatgccat taaagccgga 360
gcaaccgaac aagaagtcgc cgctgaaatc gattatgcca tgatgaaaga aggcgtcatg 420
cacatgagct tcggcaccat tgtccaagct ggtgtcgatg ctgccaaccc gcatggcgaa 480
ccgatgggaa caaaactcgc acctaacgaa ttggttttgt tcgatctggg caccgacaat 540
catgggtata tgtccgatgc gaccgcgaca gttgcttttg gtcaagtcac tggtaagcca 600
cgggaaattt ttgacatctg tcttgaggct aatttaaccg cgatggacgc tgtaagcca 660
ggacttaaag catccgaact ggacaaaatt gcgcgtgata tcattactaa agcgggctat 720
ggcagtgact tcaatcatcg gctcggccac ggcacggta tgcgacgca cgaattccc 780
tccatcatgg aaggcaatga tatgatctg ggcgaagatt ttgggatgcg tgcagtgtc 840
cttgccagca gcagctctg taacgcaacc tatattgaaa cgctgggtca caaggtgtta 900
gtggatgccg gtttatcagg caagaaaatt gaagcgctga tgaagagcat cggcagagat 960
ctaaccgatg ttgacagtgt ttttatcag catgaacata gcgatcatgt gcgtggtgta 1020
ggcgtgttg cgcgacgtta tccgcagctc aacgtttatg cgaatgccaa gacgtttgca 1080
gctttaccaaa aaagtgtggg caaaattcct gaagcacagc tgcggttgtt tgatatggg 1140
acaactttga cgttagggtga tttagatgtg gaaagttttg gcgtttcgca tgatgctgcc 1200
gcgcctcagt tttaccaatt tcatcatgac ggcaaggcct tcactatcct aaccgacacg 1260
ggctacgttt cagatcgggt tgccgggacg attcgcgatg ccgatgcgta tgtgatggaa 1320
tgcaatcacg acctgaaat gttgcgga ggtccgtatc cgtggccgtt gaagcaacgg 1380
attttaagcg atcaagggca cctgtccaat gaggatgggt cggtatgctt gatggatgtc 1440
atcggtttgc ggacgaagcg gatttatttg gggcatttat caccgcataa caacaataaa 1500
gccactggcg catttaacg tggcgctcgt gttggcaca caaggtctgg cgggtgatca 1560
tgactttcat atttatgaca ctgaccggc agttgcccac ccattgtttg ttgtgtgaag 1620
cggtttgaaa gcagttt 1637

```

<210> 59

<211> 2132

<212> DNA

<213> *Lactobacillus rhamnosus*

<220>

<221> misc_feature

<222> (1) ... (2132)

<223> n = A,T,C or G

<400> 59

```

gttattttagg cccgaaagtt ttataaaaaa cgcgcggnngc ttaaccttaa gtcccathtt 60
gcgggtttgc ccttcattcc aaaaatattg ttctctaccc gtgtttggtg aacgaacttt 120
attgggccct ccccathtt acacaggccg aataaattaa gggtgtttga tcccaaaaaa 180
ttgtgtaatg gtgaagcggt aaaccccggg cggttttatt gtcccaaaat ttccttctta 240
aattccgggc atgttcacgg tgggcgggtg accagccttt ggccttaggc ggcctaaaaa 300
ccggtaaaat gattgggaca attgaaaagc gagcggatca atatgtcttt tgacggaatt 360
ttttcaccat gccaatggcc caggagctta ataccacgtt aagcggcggg cggtttgcta 420
aaattcaaca accttatgaa aatgaaatta tcatcacgat tcgagctgga cgcaagaacc 480
atcccttggt gctctcagct aatccacagt atgcgcgggt gcaaattacc cacattccat 540
ttacaaatcc agacgttccct gcaaccttca cgatgacgtt gcggaagtat tttaacgcgg 600
ctacgttaac agagattcac caagtgcaaa acgatcgggt actaactttt gaattctcca 660
cgcgggatga attgggggat gaactggggc tgcgcttgat cattgaaatg atgggtcggc 720
acagtaacat ctttttagtc agcaagcgca ccggcaaaat tattgatctc attcgccacg 780
tttctgcgga tcaaaatcgc tatcgctcgt tgatgccggg tgccccgtat gtcgagccgc 840
ctaagcaaga taaagtggat ccgtttcatg attcggagcg gatttatcac gaacttgaac 900
gtcaggtaac accttcattg agtcgcgcgg ccttgctcca gcaacattac caaggacttg 960
ccaaggatgc tgcagtgtaa ttggccctgc gactcaatca aggcgatgcc ggctgggata 1020
gcttttttgc agcgtgggca accctgaac cgactattac aaccgaaggg aaaaagccg 1080
tttttaccgc gatcccgat cagtctctga ccggcgagca gcaacatttt ccaaccttaa 1140
gcgcgatgct ggatgcctat tatgcgcaaa aagcgggaaca tgatcgggtt ttgcaacaag 1200
gcgggaacct gattcatgtg atcaaaaatg tgattgataa agatcgcaaa aagcagcgca 1260
aattaaagcg aacgctggaa gaaaccgaaa aagccgatga ttatcgaatt cgcggcgaga 1320
ttctgacgac ttatctgagt caagtcaaac gcggcatgac gagtattgaa ctgcctaatt 1380
tctatgctga taatgagcca attaatgaca ccttggtcca tcaactgacg ccatcacgca 1440
acgcccagaa atattttgcc aagtatacga aattacgcaa tgcagtggcg catgttcacc 1500
agcaaatgca ggaaaaccaa gaagaactcg actaccttga aggcacatg gcgcagattg 1560
atgtagctag tccgaaagat ttagtogata ttcgattgga attacagcaa caaggctatc 1620
tacgtaaaca gaaatccgga aaaaaggcca ataaacgcca aaaagtctcc aaaccagatc 1680
aattctatgc tagtgacggc actaaaatct gggtcggaaa aaacaactta caaatgatc 1740
agttgacctt acacaccgcg aaaaaaacgg acatttggtc gcacgtcaaa gatatcccg 1800
gatcacacgt gattatcgat agcagtgatc ccagtggaga aaccttgctg gaagcagcca 1860
agctggcagc gtatttttcc aaagcgcgcg acagtgcaa tgttccgggt gactggattg 1920
agggttaaaaa gattcgtaaa cctaattggg ccaaacccgg ctttgtcatt tacgaaggcc 1980
aaaaaacagt gagtgtcacg cctgacgctg atttagtcgc caagctgcgt aaccgcgcca 2040
caaaatagga gatgtctttt catgtcagaa tcatccgccc aaatcagccg cccacttcag 2100
gaacatatca ttgccaacaa agtcaaacat gg 2132

```

<210> 60

<211> 38

<212> DNA

<213> Artificial sequence

<220>

<223> Made in the lab

<400> 60

```

ccgcccgcgc tcgagaacgt tcggaagta ttttaacg 38

```

<210> 61

<211> 39

<212> DNA

<213> Artificial Sequence

<220>

<223> Made in the lab

<400> 61

ccgccgccga agctttttatt gcttaggcgg ctcgacata

39

<210> 62

<211> 224

<212> PRT

<213> Lactobacillus rhamnosus

<400> 62

```

Leu Arg Gly Leu Cys Ile Gly Ile Val Ala Cys Glu Phe Phe Glu Ile
 1           5           10           15
Pro Leu Thr Pro Ser Glu Ser Ala Asp Asn Gly Ile Gln Lys Arg Asn
 20           25           30
Asp Val His Gln Trp Leu Val Ile Phe Arg Arg Asp Leu Leu Ala Asp
 35           40           45
Leu Lys His Phe Asp Asn Gly Asp Arg Gly Ser Lys Gly Cys Val Phe
 50           55           60
Asp Gln Ala Asp Glu Thr Ile Gln Trp Arg Asp Gly Arg Ser Cys Leu
 65           70           75           80
Arg Asn Asn Asp Phe Ala Gln His Gln Ser Pro Arg Gln Ser Asn Cys
 85           90           95
Ile Ser Arg Phe Pro Leu Pro Gly Ile Asn Arg Gln Gln Arg Gly Ala
 100          105          110
Gly Arg Phe Gly Thr Ile Arg Pro Arg Val Lys Glu Cys Tyr Asn Ser
 115          120          125
Arg Gly Arg Gly Ile Leu Asp Ala Met Arg Glu Asn Thr Arg Asp Asp
 130          135          140
Glu Ala Gly Ala Glu Glu Asn Asp Glu Leu His Gln Gln Arg Arg Ala
 145          150          155          160
Lys Glu Pro Asn Val Lys Asn Gly Asp Ser Phe Cys Asp Ser Asp Gln
 165          170          175
Asn Thr Phe Thr Asn Arg Tyr Ala Arg Gln Cys Gly Tyr Lys Cys Asp
 180          185          190
Asp Gln Ala Asp Arg Lys His Glu Cys Asn Trp Asn Gly Val Phe Asn
 195          200          205
Ala Gly Cys Tyr His Leu Arg Asn Cys Ile Gly Asn Asn Phe Pro His
 210          215          220

```

<210> 63

<211> 475

<212> PRT

<213> Lactobacillus rhamnosus

<400> 63

```

Leu Ile Cys Lys Gly Arg Ser Leu Lys Pro Phe Gly His Phe Ile Asp
 1           5           10           15
Ala Ile Thr Val Asn Arg Glu His Val Leu Thr Thr Ala Ala Glu Ala
 20           25           30
Leu Ile Ala Ser Ala Gly Asp Ala Leu Asn Ala Ser His Ala Thr Phe
 35           40           45
Asn Val Leu Asn Asn Ser Asp Leu Gln Phe Gly Phe Val Glu Asn Glu
 50           55           60
Asp Gly Glu Thr Val Gln Leu Ser Asn Gly Leu Tyr Gly Gln Leu Ile
 65           70           75           80
Arg Ser Thr Asn Arg Lys Leu Arg Lys Glu Ala Phe Glu Ala Leu Leu
 85           90           95
Arg Ala Tyr Glu Ser Leu Lys Asn Thr Phe Ala Gln Thr Leu Ser Gly

```

Pro Phe Gly Thr Ser Val Lys Val Gln Gln Ala Val Thr Asn Trp Asn

```
<210> 65
<211> 297
<212> PRT
<213> Lactobacillus rhamnosus
```

<400> 65															
Val	Ala	Arg	Leu	Met	Leu	Asp	Pro	Gly	Asp	Gly	Leu	Val	Val	Glu	Ala
1				5					10					15	
Pro	Thr	Tyr	Leu	Gly	Ala	Leu	Ala	Ala	Phe	Asn	Ala	Tyr	Gln	Pro	Thr
			20					25					30		
Tyr	Tyr	Glu	Ile	Pro	Met	Gln	Asp	Asp	Gly	Met	Asp	Ile	Asn	Ala	Leu
		35				40						45			
Gln	Arg	Val	Leu	Met	Ser	His	Lys	Val	Lys	Phe	Ile	Tyr	Thr	Val	Pro
	50					55					60				
Asp	Phe	Gln	Asn	Pro	Thr	Gly	Val	Val	Met	Ser	Val	Ala	Lys	Arg	Gln

```

65          70          75          80
Ala Leu Ile Arg Leu Ala Asn Gln Tyr Asp Val Met Ile Leu Glu Asp
      85          90          95
Asn Pro Tyr Arg Asp Leu Arg Tyr Asp Gly Lys Pro Leu Pro Thr Ile
      100         105         110
Lys Ser Phe Asp Thr Gln Gly Arg Val Val Tyr Leu Gly Ser Phe Ser
      115         120         125
Lys Ile Leu Ser Pro Ser Leu Arg Met Gly Trp Leu Val Ala Ala Pro
      130         135         140
Asp Leu Leu Gln Glu Leu Leu Ala Leu Lys Gly Gly Ser Asp Leu Glu
145         150         155         160
Ser Ser Asn Leu Thr Met His Gly Ile Asp Ala Tyr Met Ala Glu Asn
      165         170         175
Asp Leu Asp Ala His Ile Thr Glu Ile Gln Asn Cys Cys Arg Glu Lys
      180         185         190
Lys Asn Ala Met Val Ala Ala Met Asn Arg Tyr Leu Pro Asp Glu Ala
      195         200         205
His Phe Thr Asn Pro Asp Gly Gly Phe Phe Leu Trp Leu Thr Met Pro
      210         215         220
Ala Gly Phe Asp Met Gly Ala Phe Met Lys Gln His Leu Leu Pro Glu
225         230         235         240
Ser Asn Ile Ser Tyr Val Pro Ser Ala Asn Leu Tyr Ala Thr Ser Ala
      245         250         255
Gln Val Asn Gly Ala Arg Leu Asn Phe Thr Gly Pro Thr Leu Glu Gln
      260         265         270
Ile Asp Thr Gly Ile Lys Ala Leu Gly Asp Ala Leu Lys Thr Ala Leu
      275         280         285
Gln His His Leu Val Ala Glu Gln Ala
290         295

```

<210> 66

<211> 386

<212> PRT

<213> Lactobacillus rhamnosus

<220>

<221> VARIANT

<222> (1)...(386)

<223> Xaa = Any Amino Acid

<400> 66

```

Met Ile Tyr Phe Asp Asn Ser Ala Thr Thr Lys Ile Ser Pro Asp Ala
1          5          10          15
Leu Ala Thr Tyr Asn Lys Val Ser Thr Asp Phe Phe Gly Asn Pro Ser
      20          25          30
Ser Leu His Ala Leu Gly Thr Lys Ala Asn Glu Val Leu Gln Ser Ser
      35          40          45
Arg Ala Gln Ile Ala Lys Leu Ile Gly Ala Lys Pro Asp Glu Ile Tyr
      50          55          60
Phe Thr Ser Gly Gly Thr Glu Arg Asp Asn Trp Val Xaa Leu Lys Gly
65          70          75          80
Thr Ala Trp Leu Asn Ala Asn Leu Ala Arg Ile Leu Ile Thr Thr Ser
      85          90          95
Ile Glu Pro Pro Ala Val Ile Asn Thr Met Lys Gln Leu Glu Lys Leu
      100         105         110
Gly Phe Glu Val Thr Tyr Leu Pro Val Asp Arg Arg Gly Phe Ile His
      115         120         125

```



```

Ile Asp Asp Leu Lys Ala Ala Ile Arg Lys Asp Thr Ile Leu Val Ser
130          135          140
Ile Met Ala Val Asn Asn Glu Ile Gly Ser Met Gln Pro Ile Val Gln
145          150          155          160
Ala Ala Arg Val Leu Asp Asn Tyr Pro Asn Ile His Phe His Val Asp
165          170          175
Ala Val Gln Ala Val Gly Lys Gly Leu Asp Ala Ala Leu Gln Asp Pro
180          185          190
Arg Ile Asp Phe Leu Ser Phe Ser Gly His Lys Phe His Ala Pro Arg
195          200          205
Gly Thr Gly Phe Ile Tyr Ala Lys Glu Gly Arg Met Leu Asp Pro Leu
210          215          220
Leu Thr Gly Gly Gly Gln Glu His Asp Trp Arg Ser Gly Thr Glu Asn
225          230          235          240
Val Pro Ala Ile Ala Ala Met Ala Lys Ser Leu Arg Leu Leu Leu Ala
245          250          255
Asn Glu Asp Ala Asn Val Ala Arg Gln Gln Ala Val Arg Lys Arg Ile
260          265          270
Phe Glu His Val Ser Gln Lys Pro Lys Val Thr Met Phe Ser Gln Leu
275          280          285
Thr Pro Asp Phe Ala Pro His Val Leu Cys Phe Ala Ile Ala Gly Val
290          295          300
Arg Gly Glu Thr Ile Val His Ala Phe Glu Asp His Gln Ile Tyr Ile
305          310          315          320
Ser Thr Thr Ser Ala Cys Ser Ser Lys Lys Gly Thr Glu Ser Ser Thr
325          330          335
Leu Ala Ala Met His Thr Asp Pro Lys Ile Ala Thr Ser Ala Ile Arg
340          345          350
Val Ser Leu Asp Glu Ala Asn Thr Leu Asp Glu Ala Asp Ala Phe Asn
355          360          365
Ala Ala Phe Asp Thr Ile Tyr Ala Lys Phe Ala Lys Leu Asp Lys Ala
370          375          380
Thr Val
385

```

<210> 67

<211> 262

<212> PRT

<213> Lactobacillus rhamnosus

<400> 67

```

Met Pro Thr Lys Ile Gly Leu His Tyr Asn Lys Ile Gly Val Gly Lys
1          5          10          15
Thr Ile Tyr Phe Leu His Gly Met Gly Leu Asp Gly His Ser Met Ala
20          25          30
Ala Phe Tyr Glu Pro Arg Phe Thr Ser Glu Glu Arg His Phe Ala Arg
35          40          45
Leu Tyr Pro Asp Leu Pro Gly Met Gly Asn Ser Pro Ala Thr Ser Ala
50          55          60
Leu Gln Ser Ala Asp Asp Val Leu Ala Gln Val His Ala Phe Ile Gln
65          70          75          80
Ala Thr Ser Glu Gly Pro Cys Tyr Leu Val Gly His Ser Tyr Gly Gly
85          90          95
Tyr Leu Ala Leu Gly Leu Leu Ala Arg Phe Pro Asp Glu Phe Ser Gly
100          105          110
Ala Phe Leu Thr Ala Pro Val Val Leu Ala Glu Lys Thr Ala Arg Thr
115          120          125

```

Val Ala Thr Leu Lys His Leu Ile Ser Ala Pro Val Thr Ser Gln Ser
 130 135 140
 Pro Glu Phe Thr Asp Tyr Gln His Met Asn Val Val Ile Asn Pro Ser
 145 150 155 160
 Thr Trp Arg Gln Tyr Gln Glu Leu Ile Leu Pro Gly Leu Lys Thr Phe
 165 170 175
 Asn Arg Asp Phe Trp Val Ala Met Lys Asn Arg His Ala Tyr Arg Leu
 180 185 190
 Ser Ile Glu Ser Arg Leu Thr Ser Leu Ile Lys Ser Pro Val Thr Leu
 195 200 205
 Val Leu Gly Glu Asn Asp Asn Glu Val Gly Tyr Gln Asp Gln Val Val
 210 215 220
 Phe Ala His Lys Gly Ala His Met Thr Thr Thr Val Ile Pro Asn Ala
 225 230 235 240
 Gly His Asn Leu Met Ile Asp Ala Pro Glu Ala Val Met Thr Ala Phe
 245 250 255
 His Gln Phe Leu His Lys
 260

<210> 68

<211> 309

<212> PRT

<213> Lactobacillus rhamnosus

<400> 68

Met Val Thr Ala Ala Asp Asn Ile Thr Gly Leu Ile Gly Asn Thr Pro
 1 5 10 15
 Leu Leu Lys Leu Asn Arg Val Val Pro Glu Gly Ala Ala Asp Val Tyr
 20 25 30
 Val Lys Leu Glu Phe Phe Asn Pro Gly Gly Ser Val Lys Asp Arg Ile
 35 40 45
 Ala Leu Ala Met Ile Glu Asp Ala Glu Tyr Lys Gly Val Leu Lys Pro
 50 55 60
 Gly Gly Thr Ile Val Glu Pro Thr Ser Gly Asn Thr Gly Ile Gly Leu
 65 70 75 80
 Ala Leu Val Ala Ala Lys Gly Tyr His Leu Ile Ile Thr Met Pro
 85 90 95
 Glu Thr Met Ser Val Glu Arg Arg Ala Leu Met Arg Gly Tyr Gly Ala
 100 105 110
 Glu Leu Ile Leu Thr Pro Gly Ala Asp Gly Met Pro Gly Ala Ile Lys
 115 120 125
 Lys Ala Glu Ala Leu Ser Lys Glu Asn Gly Tyr Phe Leu Pro Met Gln
 130 135 140
 Phe Gln Asn Pro Ala Asn Pro Asp Val His Glu Arg Thr Thr Gly Gln
 145 150 155 160
 Glu Ile Ile Arg Ser Phe Asp Gly Gly Thr Pro Asp Ala Phe Val Ala
 165 170 175
 Gly Val Gly Thr Gly Gly Thr Leu Thr Gly Val Gly Arg Ala Leu Arg
 180 185 190
 Lys Ile Asn Pro Asp Val Gln Ile Tyr Ala Leu Glu Ala Ala Glu Ser
 195 200 205
 Pro Met Leu Lys Glu Gly His Gly Gly Lys His Lys Ile Gln Gly Ile
 210 215 220
 Ser Ala Gly Phe Ile Pro Asp Val Leu Asp Thr Asn Leu Tyr Gln Asp
 225 230 235 240
 Ile Ile Glu Val Thr Ser Asp Gln Ala Ile Asp Met Ala Arg His Val
 245 250 255

Ser His Glu Glu Gly Phe Leu Pro Gly Ile Ser Ala Gly Ala Asn Ile
 260 265 270
 Phe Gly Ala Ile Glu Ile Ala Lys Lys Leu Gly Lys Gly Lys Ser Val
 275 280 285
 Ala Thr Val Ala Pro Asp Asn Gly Glu Arg Tyr Leu Ser Thr Asp Leu
 290 295 300
 Phe Lys Phe Asp Asp
 305

<210> 69

<211> 270

<212> PRT

<213> Lactobacillus rhamnosus

<400> 69

Met Leu Lys Lys Lys Leu Trp Phe Leu Leu Pro Leu Val Ala Leu Val
 1 5 10 15
 Thr Phe Thr Leu Thr Ala Cys Thr Ser Ala Ser Ser Asp Thr Ser Lys
 20 25 30
 Asn Ser Asp Val Thr Ala Glu Leu Ile Asn Lys Asn Glu Leu Thr Ile
 35 40 45
 Gly Leu Glu Gly Thr Tyr Ala Pro Phe Ser Tyr Arg Lys Asp Gly Lys
 50 55 60
 Leu Glu Gly Phe Glu Val Glu Leu Gly Lys Ala Leu Ala Lys Lys Ile
 65 70 75 80
 Gly Val Lys Ala Lys Phe Val Pro Thr Gln Trp Asp Ser Leu Ile Ala
 85 90 95
 Gly Leu Gly Ser Gln Lys Phe Asp Leu Val Leu Asn Asp Ile Ser Glu
 100 105 110
 Thr Pro Ala Arg Lys Lys Val Tyr Asn Phe Thr Thr Pro Tyr Met Tyr
 115 120 125
 Ser Arg Tyr Ala Leu Ile Thr Arg Ser Asp Asn Thr Thr Ile Lys Ser
 130 135 140
 Leu Ala Asp Ile Lys Gly Lys Thr Phe Val Glu Gly Thr Gly Thr Pro
 145 150 155 160
 Asn Ala Ala Leu Ala Lys Lys Tyr Gly Ala Lys Ile Thr Pro Ser Gly
 165 170 175
 Asp Phe Thr Val Ser Leu Ser Leu Val Lys Glu Lys Arg Ala Asp Gly
 180 185 190
 Thr Ile Asn Ala Ser Ala Ala Trp Tyr Ala Phe Ala Lys Asn Asn Ser
 195 200 205
 Thr Ala Gly Leu Lys Ser Gln Thr Leu Lys Asp Ser Val Val Lys Pro
 210 215 220
 Asp Glu Val Ala Gly Met Val Ser Lys Lys Ser Pro Lys Leu Gln Ala
 225 230 235 240
 Ala Leu Ser Lys Gly Ile Gln Glu Leu Arg Lys Asp Gly Thr Leu Lys
 245 250 255
 Lys Leu Ser Gln Lys Tyr Phe Gly Thr Asp Leu Thr Thr Lys
 260 265 270

<210> 70

<211> 474

<212> PRT

<213> Lactobacillus rhamnosus

<400> 70

Ile Cys Lys Gly Arg Ser Leu Lys Pro Phe Gly His Phe Ile Asp Ala

1	5	10	15
Ile Thr Val Asn Arg Glu His Val Leu Thr Thr Ala Ala Glu Ala Leu			
20	25	30	
Ile Ala Ser Ala Gly Asp Ala Leu Asn Ala Ser His Ala Thr Phe Asn			
35	40	45	
Val Leu Asn Asn Ser Asp Leu Gln Phe Gly Phe Val Glu Asn Glu Asp			
50	55	60	
Gly Glu Thr Val Gln Leu Ser Asn Gly Leu Tyr Gly Gln Leu Ile Arg			
65	70	75	80
Ser Thr Asn Arg Lys Leu Arg Lys Glu Ala Phe Glu Ala Leu Leu Arg			
85	90	95	
Ala Tyr Glu Ser Leu Lys Asn Thr Phe Ala Gln Thr Leu Ser Gly Gln			
100	105	110	
Val Lys Ala His Asn Phe Asn Ala Thr Ala His His Tyr Lys Asn Ala			
115	120	125	
Arg Ala Ala Ala Met Ala Ser Asn His Ile Pro Glu Ser Val Tyr Thr			
130	135	140	
Thr Leu Ile Asp Gln Val Asn Thr His Leu Pro Leu Leu His Arg Tyr			
145	150	155	160
Val Ala Leu Arg Lys Lys Val Leu Ala Val Asp Gln Leu His Met Tyr			
165	170	175	
Asp Ile Tyr Thr Pro Leu Thr Gly Gln Pro Pro Leu Thr Tyr Thr Leu			
180	185	190	
Glu Gln Ala Lys Ala Glu Ala Leu Lys Ala Leu Ala Pro Leu Gly Asp			
195	200	205	
Asp Tyr Leu Glu His Val Arg Glu Ile Phe Asp Asn Arg Tyr Ile Asp			
210	215	220	
Val Val Glu Asn Lys Gly Lys Arg Ser Gly Ala Tyr Ser Gly Gly Ala			
225	230	235	240
Tyr Asp Thr Asn Pro Phe Ile Leu Leu Asn Trp His Asp Ala Val Asp			
245	250	255	
Glu Leu Tyr Thr Leu Val His Glu Thr Gly His Ser Val His Ser Trp			
260	265	270	
Tyr Thr Arg His Asn Gln Pro Tyr Val Tyr Gly Asp Tyr Pro Ile Phe			
275	280	285	
Val Ala Glu Ile Ala Ser Thr Thr Asn Glu Asn Leu Leu Thr Asp Tyr			
290	295	300	
Phe Leu Thr His Ser Asp Pro Lys Val Arg Ala Tyr Ile Leu Asn			
305	310	315	320
Tyr Tyr Leu Asp Gly Phe Lys Gly Thr Val Phe Arg Gln Thr Gln Phe			
325	330	335	
Ala Glu Phe Glu His Trp Ile His Gln Gln Asp Gln Gln Gly Glu Pro			
340	345	350	
Leu Thr Ala Thr Ser Met Ser Gln Tyr Tyr Ala Asp Leu Asn Ala Arg			
355	360	365	
Tyr Tyr Gly Pro Glu Val Ala Arg Asp Pro Glu Ile Ala Phe Glu Trp			
370	375	380	
Ala Arg Ile Pro His Phe Tyr Tyr Asn Tyr Tyr Val Tyr Gln Tyr Ala			
385	390	395	400
Thr Gly Phe Ala Ala Ala Ser Thr Leu Ala Ala Gly Ile Ser Ser Gly			
405	410	415	
Glu Pro Asp Ala Ala Ala His Tyr Leu Asp Tyr Leu Lys Ser Gly Ser			
420	425	430	
Ser Lys Tyr Ala Ile Asp Thr Met Lys Thr Ala Gly Val Asp Met Thr			
435	440	445	
Lys Pro Asp Tyr Leu Glu Ala Ala Phe Ser Val Phe Glu Gln Arg Leu			
450	455	460	

Thr Glu Leu Glu Lys Ile Leu Gln Lys Gly
465 470

<210> 71

<211> 256

<212> PRT

<213> Lactobacillus rhamnosus

<400> 71

Ser Tyr Ala Pro Thr Ile Thr Leu Glu Gln Ala Lys Glu Asp Ile Lys
1 5 10 15
Asn Ala Thr Ala Leu Met Gly Gln Asp Tyr Gln Ala Gln Met Met Gln
20 25 30
Ala Phe Ser Glu Arg Trp Ile Asp Phe Pro Ala Asn Gln Gly Lys Asp
35 40 45
Ser Gly Ala Tyr Thr Ala Gly Pro Tyr Gly Val His Pro Tyr Val Glu
50 55 60
Met Thr Trp Ser Asn Thr Leu Pro Ala Val Tyr Thr Leu Ile His Glu
65 70 75 80
Leu Gly His Thr Ala Gln Met Val Arg Ser Gln Glu Ala His Asn Val
85 90 95
Leu Asp Ala Asp Phe Asn Ala Tyr Leu Val Glu Ser Pro Ser Thr Phe
100 105 110
Asn Glu Leu Leu Leu Thr His Tyr Leu Glu Glu Asn Ala Lys Asp Pro
115 120 125
Arg Met Lys Arg Phe Ala Leu Ser Arg Leu Leu Asn Asp Thr Tyr Phe
130 135 140
His Asn Phe Val Thr His Leu Leu Glu Ala Ala Phe Gln Arg Glu Val
145 150 155 160
Tyr Asn Leu Ile Asp Asn Gly Glu Thr Phe Asp Ala Ala Arg Leu Asn
165 170 175
Ala Ile Thr Arg Lys Val Leu Thr Asp Phe Trp Gly Ser Ala Val Glu
180 185 190
Leu Glu Pro Gly Ala Glu Leu Thr Trp Met Arg Gln Ser His Tyr Tyr
195 200 205
Met Gly Leu Tyr Ser Tyr Ser Tyr Ser Ala Gly Leu Thr Val Ala Thr
210 215 220
Gln Ala Phe Gln Ala Ile Glu Gln Gln Gly Gln Pro Ala Val Asp Arg
225 230 235 240
Trp Leu Arg Tyr Leu Ser Leu Gly Asp Ser Leu Asp Pro Val Glu Ala
245 250 255

<210> 72

<211> 641

<212> PRT

<213> Lactobacillus rhamnosus

<400> 72

Leu Leu Gly Gln Phe Gly Val Asp Leu Thr Glu Gln Ala Arg Lys Gly
1 5 10 15
Gln Ile Asp Pro Val Ile Gly Arg Asp Lys Glu Ile Ser Arg Val Ile
20 25 30
Glu Ile Leu Asn Arg Arg Thr Lys Asn Asn Pro Val Leu Ile Gly Glu
35 40 45
Ala Gly Val Gly Lys Thr Ala Val Val Glu Gly Leu Ala Leu Lys Ile
50 55 60
Ala Asn Gly Asp Val Pro Ala Lys Leu Gln Asp Arg His Val Ile Arg

65		70		75		80
Leu Asp Val Val	Ser Leu Val Gln Gly Thr Gly Ile Arg Gly Gln Phe					
	85		90		95	
Glu Gln Arg Met	Gln Gln Leu Ile Asp Glu Leu Lys Gln Asn Lys Asn					
	100		105		110	
Ile Ile Leu Phe	Ile Asp Glu Ile His Glu Ile Val Gly Ala Gly Asn					
	115		120		125	
Ala Glu Gly Gly	Met Asp Ala Gly Asn Val Leu Lys Pro Ala Leu Ala					
	130		135		140	
Arg Gly Glu Leu	Gln Leu Val Gly Ala Thr Thr Ser Asn Glu Tyr Arg					
	145		150		155	
Gln Ile Glu Lys	Asp Ser Ala Leu Ala Arg Arg Leu Gln Pro Val Met					
	165		170		175	
Val Glu Glu Pro	Ser Val Asp Glu Thr Ile Lys Ile Leu Lys Gly Leu					
	180		185		190	
Gln Pro Arg Tyr	Gln Asp Phe His His Val Lys Tyr Thr Glu Gly Ala					
	195		200		205	
Ile Glu Ala Ala	Ala Thr Leu Ser Asn Arg Tyr Ile Gln Asp Arg Phe					
	210		215		220	
Leu Pro Asp Lys	Ala Ile Asp Leu Leu Asp Glu Ala Gly Ser Arg Lys					
	225		230		235	
Asn Leu Thr Ile	Ala Thr Val Asp Pro Glu Thr Ile Lys Ala Lys Ile					
	245		250		255	
Ala Asp Ala Glu	Lys Gln Lys Gln Ala Ala Leu Lys Gln Glu Asp Tyr					
	260		265		270	
Glu Lys Ala Ala	Phe Tyr Arg Asp Gln Val Thr Lys Leu Glu Asp Met					
	275		280		285	
Ala Lys Lys Gln	Ser Asn Leu Pro Asp Asn Glu Ile Pro Thr Val Thr					
	290		295		300	
Glu Lys Asp Met	Glu Lys Ile Val Glu Glu Lys Thr Asn Ile Pro Val					
	305		310		315	
Gly Glu Leu Lys	Ala Gln Glu Gln Ala Gln Leu Lys Asn Leu Ala Ser					
	325		330		335	
Asp Leu Glu Gln	His Val Ile Gly Gln Asn Glu Ala Val Asp Lys Val					
	340		345		350	
Ala Arg Ala Ile	Arg Arg Asn Arg Ile Gly Phe Asn Lys Thr Gly Arg					
	355		360		365	
Pro Ile Gly Ser	Phe Leu Phe Val Gly Pro Thr Gly Val Gly Lys Thr					
	370		375		380	
Glu Leu Ala Lys	Gln Leu Ala Lys Glu Leu Phe Gly Ser Glu Asp Ala					
	385		390		395	
Met Ile Arg Phe	Asp Met Ser Glu Tyr Met Glu Lys Phe Ser Val Ser					
	405		410		415	
Lys Leu Ile Gly	Ser Pro Pro Gly Tyr Val Gly Tyr Glu Glu Ala Gly					
	420		425		430	
Gln Leu Thr Glu	Lys Val Arg Arg Asn Pro Tyr Ser Leu Ile Leu Leu					
	435		440		445	
Asp Glu Ile Glu	Lys Ala His Pro Asp Val Met Asn Met Phe Leu Gln					
	450		455		460	
Ile Leu Asp Asp	Gly Arg Leu Thr Asp Ser Gln Gly Arg Thr Val Ser					
	465		470		475	
Phe Lys Asp Thr	Ile Ile Ile Met Thr Ser Asn Ala Gly Ser Thr Asp					
	485		490		495	
Ala Glu Ala Asn	Val Gly Phe Gly Ala Thr Leu Ser Gly Lys Thr His					
	500		505		510	
Ser Val Leu Asp	Gln Leu Gly Asn Tyr Phe Lys Pro Glu Phe Leu Asn					
	515		520		525	

```

Arg Phe Asp Asp Ile Val Glu Phe Lys Pro Leu Ser Lys Asp Asp Leu
 530          535          540
Leu Lys Ile Val Ser Leu Met Ile Asn Asp Thr Asn Asn Asn Leu Lys
545          550          555          560
Ser Gln Gly Leu Thr Ile His Val Thr Asp Pro Val Lys Glu Lys Leu
          565          570          575
Val Thr Leu Gly Tyr Asn Pro Ser Met Gly Ala Arg Pro Leu Arg Arg
          580          585          590
Val Ile Gln Glu Gln Ile Glu Asp Arg Val Ala Asp Phe Tyr Leu Asp
          595          600          605
His Pro Asn Ala Lys Glu Leu Glu Ala Arg Ile Ser Asn Gly Glu Ile
        610          615          620
Thr Val Gly Glu Pro Ala Lys Ala Glu Ala Ser Ser Lys Thr Ala Lys
625          630          635          640
Lys

```

<210> 73

<211> 481

<212> PRT

<213> Lactobacillus rhamnosus

<400> 73

```

Thr Lys Ser Val Val Gly Val Ala Pro Glu Ser Gln Leu Leu Ala Met
 1          5          10          15
Lys Val Phe Thr Asn Ser Asp Thr Ser Ala Thr Thr Gly Ser Ser Thr
          20          25          30
Leu Val Ser Ala Ile Glu Asp Ser Ala Lys Leu Gly Ala Asp Val Leu
          35          40          45
Asn Met Ser Leu Gly Ser Val Ser Gly Asn Gln Thr Leu Glu Asp Pro
          50          55          60
Glu Ile Ala Ala Val Gln Asn Ala Asn Glu Ser Gly Thr Ala Ala Val
65          70          75          80
Ile Ser Ala Gly Asn Ser Gly Thr Ser Gly Ser Gly Thr Glu Gly Val
          85          90          95
Asn Lys Asp Tyr Tyr Gly Leu Gln Asp Asn Glu Thr Val Gly Thr Pro
          100          105          110
Gly Thr Ser Arg Gly Ala Thr Thr Val Ala Ser Ala Glu Asn Thr Asp
          115          120          125
Val Ile Asn Gln Ala Val Thr Ile Thr Asp Gly Ser Gly Leu Lys Leu
          130          135          140
Gly Pro Glu Thr Val Gln Leu Ser Ser Asn Asp Phe Val Asp Ser Phe
145          150          155          160
Asp Gln Lys Lys Phe Tyr Val Val Lys Asp Ala Ser Gly Lys Leu Ser
          165          170          175
Thr Gly Asp Ala Gly Asp Tyr Thr Ala Asp Ala Lys Gly Lys Ile Ala
          180          185          190
Ile Val Lys Arg Gly Ser Leu Thr Phe Thr Asp Lys Gln Lys Tyr Ala
          195          200          205
Glu Ala Ala Gly Ala Ala Gly Leu Ile Ile Val Asn Asn Asp Gly Thr
210          215          220
Ser Thr Pro Leu Thr Ser Ile Ser Leu Thr Ala Thr Phe Pro Thr Phe
225          230          235          240
Gly Leu Ser Asn Thr Thr Gly Gln Lys Leu Val Asp Trp Val Thr Ala
          245          250          255
His Pro Asn Asp Ser Leu Gly Val Lys Ile Ala Leu Ala Leu Leu Pro
          260          265          270

```

```

Asn Gln Asn Tyr Lys Ala Asp Arg Met Ser Ser Phe Thr Ser Tyr Gly
    275                280                285
Pro Val Ser Asp Leu Ser Phe Lys Pro Asp Ile Thr Ala Pro Gly Gly
    290                295                300
Asn Ile Trp Ser Thr Gln Asn Asn Asn Gly Tyr Thr Asn Met Ser Gly
    305                310                315                320
Thr Ser Met Ala Ser Pro Phe Ile Ala Gly Ser Gln Ala Leu Leu Lys
    325                330                335
Gln Ala Leu Asn Asn Lys Asp Asn Glu Phe Tyr Ala Asp Tyr Lys Gln
    340                345                350
Leu Lys Gly Thr Ala Leu Thr Asp Phe Leu Lys Thr Val Glu Met Asn
    355                360                365
Thr Ala Lys Pro Ile Asn Asp Ile Asn Tyr Asp Asn Val Ile Val Ser
    370                375                380
Pro Arg Arg Gln Gly Ala Gly Leu Val Asp Val Lys Ala Ala Ile Asp
    385                390                395                400
Ala Leu Glu Lys Asn Pro Ser Thr Val Val Ser Glu Asn Gly Tyr Pro
    405                410                415
Ala Val Glu Leu Lys Asp Phe Thr Ser Thr Thr Lys Thr Phe Lys Leu
    420                425                430
Thr Phe Thr Asn Arg Thr Lys His Gln Leu Thr Tyr Gln Met Thr Ser
    435                440                445
Asn Glu Asp Thr Asn Ala Val Tyr Thr Ser Ala Thr Asp Leu Glu Ser
    450                455                460
Phe Ile Gln Ser Ser Lys Met Ala Lys Leu Ile His Glu Arg Gly Ala
    465                470                475                480
Ala

```

<210> 74

<211> 331

<212> PRT

<213> Lactobacillus rhamnosus

<400> 74

```

Met Thr Ile Asn Trp Gln Gln Glu Val Glu Lys Leu Glu Pro Gln Leu
  1          5          10          15
Leu Ser Asp Leu Thr Thr Leu Leu Lys Ile Asn Ser Glu Arg Asp Thr
  20          25          30
Asp His Gln Thr Asp Glu Tyr Pro Leu Gly Pro Gly Pro Ala Lys Ala
  35          40          45
Leu Glu Ala Phe Leu Ala Ile Ala Gln Arg Asp Gly Phe Lys Thr Leu
  50          55          60
Asn Val Asp His Val Ala Gly Arg Ile Glu Leu Gly Asp Gly Asp Glu
  65          70          75          80
Ile Phe Gly Leu Phe Gly His Val Asp Val Val Pro Ala Gly Pro Gly
  85          90          95
Trp Gln Thr Asp Pro Phe Asp Pro Val Ile Arg Asp Gly Lys Ile Tyr
  100         105         110
Gly Arg Gly Thr Ser Asp Asp Lys Gly Pro Ser Ile Ala Ala Tyr Tyr
  115         120         125
Ala Leu Lys Leu Ile Arg Asp Leu Lys Leu Pro Ile Asn Lys Lys Ile
  130         135         140
His Phe Ile Leu Gly Thr Asp Glu Glu Ser Asp Trp Val Gly Ile His
  145         150         155         160
Arg Tyr Leu Glu Thr Glu Pro Ala Pro Asp Phe Gly Phe Ser Pro Asp
  165         170         175

```


Ala Glu Phe Pro Ile Ile Asn Gly Glu Lys Gly Ile Ala Ser Phe Glu
 180 185 190
 Ile Val Gln Lys Pro Ile Ala Ala Ala Thr Ala Asp Leu Thr Leu Asn
 195 200 205
 His Phe Ser Ala Gly Ile Arg Pro Asn Met Val Pro Gln Glu Ala Lys
 210 215 220
 Ala Val Leu Ser Gly Pro Leu Pro Glu Ala Phe Val Thr Gln Ala Glu
 225 230 235 240
 Lys Trp Ala Ala Glu Gln Glu Val Thr Leu Thr Leu Thr Leu Gly Asn
 245 250 255
 Pro Thr Thr Ile Glu Leu Ile Gly Lys Gly Ala His Ala Gln Glu Pro
 260 265 270
 Lys Asp Gly Lys Asn Ala Ala Thr Tyr Leu Ala Thr Leu Leu Ala Asp
 275 280 285
 Leu Pro Phe Asp Pro Ala Gly Lys Ala Tyr Leu Thr Met Ile Ala Asn
 290 295 300
 His Leu His Leu Asp Ser Arg Gly His His Leu Gly Ile Asn Tyr Thr
 305 310 315 320
 Asp Lys Leu Met Gly Asp Leu Thr Ala Ser Pro
 325 330

<210> 75

<211> 344

<212> PRT

<213> Lactobacillus rhamnosus

<220>

<221> VARIANT

<222> (1) ... (344)

<223> Xaa = Any Amino Acid

<400> 75

Gly Lys Met Ser Leu Tyr Ala Gly Gly Pro Asp Glu Arg Leu Thr Pro
 1 5 10 15
 Leu Ile Asp Gly Arg Arg His Val Thr Asp Phe Ala Leu Thr Pro Asp
 20 25 30
 His Arg Gly Val Val Phe Thr Glu Ser Thr Met Thr Ile Pro Ser Arg
 35 40 45
 Leu Val Tyr Phe Asp Leu Ala Ser Glu Glu Glu Val Leu Tyr Asp
 50 55 60
 Pro Asn Arg Gln Val Thr Arg His Leu Gly Leu Val Thr Pro Gln Thr
 65 70 75 80
 Phe Asn Phe Gln Arg Asp Gly Phe Glu Ile Glu Gly Trp Tyr Phe Pro
 85 90 95
 Pro Gln Gln Ala Ser Ser Ser His Pro Ala Ile Leu Tyr Val His Gly
 100 105 110
 Gly Pro Ala Val Gly Tyr Gly Tyr Thr Phe Phe His Glu Met Gln Tyr
 115 120 125
 Leu Ala Ala Lys Gly Tyr Gly Val Ile Cys Arg Asn Pro Arg Gly Gly
 130 135 140
 Leu Gly Tyr Arg Glu Ala Phe Thr Gly Ala Val Ile Lys His Xaa Pro
 145 150 155 160
 Ala Gly Asp Tyr Glu Asp Cys Leu Ala Ser Gly Glu Glu Ala Leu Lys
 165 170 175
 Leu Asp Thr Thr Ile Asp Pro Gln Arg Leu Phe Val Thr Gly Gly Ser
 180 185 190
 Tyr Gly Gly Phe Met Thr Asn Trp Ile Val Thr His Thr His Arg Phe

```

      195              200              205
Lys Ala Ala Val Thr Gln Arg Ser Ile Ser Asn Trp Leu Ser Met Tyr
  210              215              220
Gly Thr Ser Asp Ile Gly Tyr Tyr Phe Thr Pro Trp Glu Leu Glu Gly
  225              230              235              240
Lys Trp Thr Gly Asp Leu Ser Asp Val Gln Gly Leu Trp Asp Phe Ser
      245              250              255
Pro Leu Ala His Ile Asp His Ala Arg Thr Pro Thr Leu Val Met His
  260              265              270
Ser Glu Asn Asp Glu Arg Cys Pro Ile Gly Pro Ser Arg Lys Val Asp
  275              280              285
His Arg Ser Gln Thr Ala Trp Cys Xaa Asn Gln Val His Ala Phe Pro
  290              295              300
Lys Val Lys Ser Xaa Phe Val Pro Ala Ala Gly Leu Pro Asn Leu Arg
  305              310              315              320
Val Ala Arg Leu Gln Ala Ile Val Asp Trp Phe Asp Ala His Gln Ala
      325              330              335
Gln Pro Gln Met Ala Lys Gly Glu
      340

```

<210> 76

<211> 558

<212> PRT

<213> Lactobacillus rhamnosus

<400> 76

```

His Leu Ile Gly Ala Thr Thr Leu Asp Glu Tyr Arg Glu Asn Ile Glu
  1              5              10              15
Lys Asp Lys Ala Leu Glu Arg Arg Phe Gln Arg Val Leu Val Gln Glu
      20              25              30
Pro Thr Val Glu Asp Thr Ile Ser Ile Leu Arg Gly Leu Lys Glu Arg
  35              40              45
Phe Glu Ile Phe His Lys Val Arg Ile His Asp Ser Ala Leu Val Ala
  50              55              60
Ala Ala Thr Leu Ser Asn Arg Tyr Ile Thr Asp Arg Phe Leu Pro Asp
  65              70              75              80
Lys Ala Ile Asp Leu Val Asp Glu Ala Cys Ala Thr Ile Asn Val Glu
      85              90              95
Met Asn Ser Arg Pro Thr Glu Leu Asp Val Ala Glu Arg Lys Gln Met
      100              105              110
Gln Leu Glu Ile Glu Gln Gln Ala Leu Lys Asn Glu Ser Asp Pro Ala
  115              120              125
Ser Lys Lys Arg Leu Glu Asn Ala Asn Ala Glu Leu Ala Asn Leu Lys
  130              135              140
Glu Lys Thr Asn Lys Leu Lys Ala Gln Trp Glu Ala Glu Lys Lys Asp
  145              150              155              160
Ile Arg Gln Leu Asn Glu Lys Lys Ser Ala Ile Asp Lys Ala Lys His
      165              170              175
Glu Leu Glu Asp Ala Gln Ser Arg Tyr Asp Leu Glu Thr Ala Ala Arg
      180              185              190
Leu Gln His Gly Thr Ile Pro Gln Leu Glu Lys Glu Leu Gln Ala Met
      195              200              205
Glu His Ser Asp Arg Pro Gln Ser Trp Leu Val Gln Glu Ser Val Thr
  210              215              220
Ala Asn Glu Ile Ala Ala Val Ile Ser Arg Glu Thr Gly Ile Pro Val
  225              230              235              240
Ala Lys Leu Val Glu Gly Asp Arg Gln Lys Leu Leu His Leu Ala Gly

```

```

      245      250      255
Asn Leu His Gln Arg Val Ile Gly Gln Asp Glu Ala Val Thr Ala Val
      260      265      270
Ser Asp Ala Val Leu Arg Ser Arg Ala Gly Leu Gln Asp Pro Ser Arg
      275      280      285
Pro Leu Gly Ser Phe Leu Phe Leu Gly Pro Thr Gly Val Gly Lys Thr
      290      295      300
Glu Leu Ala Lys Ala Leu Ala Glu Asp Leu Phe Asp Ser Glu Lys His
      305      310      315
Met Val Arg Ile Asp Met Ser Glu Tyr Met Glu Lys Ala Ser Val Ser
      325      330      335
Arg Leu Val Gly Ala Ala Pro Gly Tyr Val Gly Tyr Glu Gln Gly Gly
      340      345      350
Gln Leu Thr Glu Ala Val Arg Arg Asn Pro Tyr Thr Ile Val Leu Leu
      355      360      365
Asp Glu Ile Glu Lys Ala Asn Pro Asp Val Phe Asn Ile Leu Leu Gln
      370      375      380
Val Leu Asp Asp Gly Arg Leu Thr Asp Gly Gln Gly Arg Thr Val Asp
      385      390      395
Phe Lys Asn Thr Ile Ile Ile Met Thr Ser Asn Leu Gly Ser Glu Tyr
      405      410      415
Leu Leu Asp Gly Val Gln Lys Asp Gly Thr Val Ser Gln Gln Ala Lys
      420      425      430
Asp Gln Val Arg Gln Leu Ile Gly Lys Ala Phe Lys Pro Glu Phe Leu
      435      440      445
Asn Arg Ile Asp Asp Ile Ile Met Phe His Pro Leu Ser Leu Asp Asp
      450      455      460
Val Lys Lys Ile Ala Val Lys Asp Leu His Glu Leu Gly Thr Arg Leu
      465      470      475
Ala Asp Gln Gln Ile Ser Leu Asp Ile Thr Pro Glu Ala Gln Thr Trp
      485      490      495
Leu Ala Asp Lys Gly Tyr Asp Pro Ala Phe Gly Ala Arg Pro Leu Gln
      500      505      510
Arg Leu Ile Thr Ser Ala Val Glu Thr Pro Leu Ala Lys Glu Leu Ile
      515      520      525
Arg Gly Thr Ile Gln Pro Gly Gln Glu Val Val Ile Thr Val Ala Asp
      530      535      540
Asp Gln Leu Gln Phe Lys Ala Lys Gln Val Val Ala Lys Ala
      545      550      555

```

<210> 77

<211> 292

<212> PRT

<213> Lactobacillus rhamnosus

<400> 77

```

Ile Ser Ala Ile Ile Val Ile Val Glu Glu Asn Asn Val Ala Ala Arg
  1           5           10           15
Glu Leu Ile Leu Ala Phe Glu Ser Ser Cys Asp Glu Thr Ser Val Ala
      20           25           30
Val Val Glu Asn Gly Thr Lys Ile Leu Ser Asn Ile Ile Ala Thr Gln
      35           40           45
Ile Lys Ser His Gln Arg Phe Gly Gly Val Val Pro Glu Val Ala Ser
      50           55           60
Arg His His Val Glu Gln Ile Thr Leu Val Thr Asp Ala Ala Leu Lys
      65           70           75           80
Glu Ala Gly Val Thr Tyr Thr Asp Leu Thr Ala Val Ala Val Thr Tyr

```

```

      85      90      95
Gly Pro Gly Leu Val Gly Ala Leu Leu Ile Gly Val Arg Ala Ala Lys
      100      105      110
Pro Ile Ala Tyr Ala His His Leu Pro Leu Ile Pro Val Asn His Met
      115      120      125
Ala Gly His Ile Tyr Ala Ala Arg Phe Val Lys Pro Leu Val Tyr Pro
      130      135      140
Leu Leu Ala Leu Ala Val Ser Gly Gly His Thr Glu Leu Val Tyr Met
145      150      155      160
Arg Ala Ala Gly Glu Phe Glu Ile Ile Gly Asp Thr Arg Asp Asp Ala
      165      170      175
Ala Gly Glu Ala Tyr Asp Lys Val Gly Arg Ile Leu Gly Ile Pro Tyr
      180      185      190
Pro Ala Gly Lys Glu Val Asp Arg Leu Ala His Leu Gly His Asp Thr
      195      200      205
Phe His Phe Pro Arg Ala Met Asp Lys Glu Asp Asn Leu Asp Phe Ser
      210      215      220
Phe Ser Gly Leu Lys Ser Ala Val Ile Asn Thr Val His His Ala Asp
225      230      235      240
Gln Ile Gly Glu Ser Leu Ser Arg Glu Asp Leu Ser Ala Ser Ser Gln
      245      250      255
Ala Ser Val Val His Val Met Val Leu Lys Ser Gln Ser Ala Ile Ala
      260      265      270
Glu Tyr Pro Val Ile Gln Val Val Ile Ala Gly Gly Val Ala Asp Asn
      275      280      285
Gln Gly Leu Lys
      290

```

<210> 78

<211> 244

<212> PRT

<213> Lactobacillus rhamnosus

<400> 78

```

Met Ile Phe Arg Lys Pro Gln Pro Phe Glu Tyr Glu Gly Thr Asp Thr
  1      5      10      15
Gly Val Val Leu Leu His Ala Tyr Thr Gly Ser Pro Asn Asp Met Asn
      20      25      30
Phe Met Ala Arg Ala Leu Gln Arg Ser Gly Tyr Gly Val Tyr Val Pro
      35      40      45
Leu Phe Ser Gly His Gly Thr Val Glu Pro Leu Asp Ile Leu Thr Lys
      50      55      60
Gly Asn Pro Asp Ile Trp Trp Ala Glu Ser Ser Ala Ala Val Ala His
65      70      75      80
Met Thr Ala Lys Tyr Ala Lys Val Phe Val Phe Gly Leu Ser Leu Gly
      85      90      95
Gly Ile Phe Ala Met Lys Ala Leu Glu Thr Leu Pro Gly Ile Thr Ala
      100      105      110
Gly Gly Val Phe Ser Ser Pro Ile Leu Pro Gly Lys His His Leu Val
      115      120      125
Pro Gly Phe Leu Lys Tyr Ala Glu Tyr Met Asn Arg Leu Ala Gly Lys
      130      135      140
Ser Asp Glu Ser Thr Gln Ile Leu Ala Tyr Leu Pro Gly Gln Leu Ala
145      150      155      160
Ala Ile Asp Gln Phe Ala Thr Thr Val Ala Ala Asp Leu Asn Leu Val
      165      170      175
Lys Gln Pro Thr Phe Ile Gly Gln Ala Gly Gln Asp Glu Leu Val Asp

```

180						185						190					
Gly	Arg	Leu	Ala	Tyr	Gln	Leu	Arg	Asp	Ala	Leu	Ile	Asn	Ala	Ala	Arg		
195						200						205					
Val	Asp	Phe	His	Trp	Tyr	Asp	Asp	Ala	Lys	His	Val	Ile	Thr	Val	Asn		
210						215						220					
Ser	Ala	His	His	Ala	Leu	Glu	Glu	Asp	Val	Ile	Ala	Phe	Met	Gln	Gln		
225						230						235					
240						245						250					
255						260						265					
270						275						280					
285						290						295					
300						305						310					
315						320						325					
330						335						340					
345						350						355					
360						365						370					
375						380						385					
390						395						400					
405						410						415					
420						425						430					
435						440						445					
450						455						460					
465						470						475					
480						485						490					
495						500						505					
510						515						520					
525						530						535					
540						545						550					
555						560						565					
570						575						580					
585						590						595					
600						605						610					
615						620						625					
630						635						640					
645						650						655					
660						665						670					
675						680						685					
690						695						700					
705						710						715					
720						725						730					
735						740						745					
750						755						760					
765						770						775					
780						785						790					
795						800						805					
810						815						820					
825						830						835					
840						845						850					
855						860						865					
870						875						880					
885						890						895					
900						905						910					
915						920						925					
930						935						940					
945						950						955					
960						965						970					
975						980						985					
990						995						1000					

<210> 79
<211> 433
<212> PRT
<213> Lactobacillus rhamnosus

<400>	79															
Leu	Gly	Ile	Phe	Phe	Phe	Lys	Arg	Phe	Arg	Lys	Leu	His	Leu	Phe	Asp	
1				5					10					15		
Pro	Leu	Asn	Tyr	Pro	Glu	Glu	Thr	Phe	Gln	Ser	Phe	Asp	Ser	Ala	Phe	
		20						25					30			
Asn	Asn	Gly	Ala	Asp	Tyr	Val	Glu	Leu	Asp	Val	His	Glu	Ser	Ala	Asp	
		35					40					45				
Gly	Val	Ile	Val	Ile	Gln	His	Asp	Thr	Thr	Ile	Gln	Arg	Thr	Thr	Gly	
	50					55					60					
Ala	Asn	Leu	Ala	Ile	Ala	Lys	Thr	Asn	Phe	Ala	Gln	Leu	Gln	Gln	Tyr	
65					70					75					80	
His	Thr	Lys	Asn	Gly	Glu	Pro	Ile	His	Ser	Leu	Glu	Glu	Leu	Phe	Ala	
				85					90					95		
His	Glu	Gln	Gln	Thr	Lys	His	Lys	Phe	Leu	Ile	Glu	Thr	Lys	Ile	Val	
			100					105					110			
Lys	Gly	Glu	Pro	His	Pro	His	Leu	Glu	Asp	Lys	Val	Ala	Ala	Leu	Ile	
		115					120					125				
Lys	Gln	Tyr	His	Met	Glu	Asn	Arg	Val	Met	Phe	His	Ser	Phe	Ser	Ala	
	130					135					140					
Ala	Ser	Leu	Lys	Arg	Leu	Gln	Ala	Ala	Leu	Pro	Asn	Ile	Pro	Arg	Ile	
145					150					155					160	
Leu	Ile	Val	Gly	Ser	Leu	Lys	Arg	Ile	Asn	Phe	Asp	Val	Leu	Thr	Tyr	
				165					170						175	
Val	Asp	Gly	Ile	Asn	Leu	Ser	Ser	Asp	Leu	Val	Thr	Pro	Gln	Leu	Val	
		180						185					190			
Thr	Gln	Leu	His	Asp	Leu	Gly	Lys	Lys	Val	Tyr	Val	Trp	Asp	Glu	Met	
		195					200					205				
Asn	Glu	Asp	Arg	Ala	Lys	Trp	Thr	Trp	Leu	Val	Asn	Leu	Asn	Ile	Asp	
	210					215					220					
Gly	Val	Val	Thr	Asn	Tyr	Thr	Ser	Leu	Gly	His	Glu	Phe	Gln	Thr	Leu	
225					230					235					240	
Lys	Ala	Ala	Ala	Val	Thr	Thr	Ser	Ile	Asn	Asp	Leu	Gly	Ala	Asn	Ser	
				245					250					255		
Ser	Leu	Ala	Ala	Leu	Pro	Val	Tyr	Glu	Asn	Pro	Tyr	Gln	Pro	Leu	Leu	
			260					265					270			
Arg	Ser	Glu	Arg	Leu	Ala	Pro	Gln	Thr	Pro	Ile	Met	Ile	Ser	Ser	Met	
		275					280					285				
Val	Ser	Leu	Ala	Gly	Ser	Thr	Tyr	Tyr	Gln	Ile	Gly	Asp	Asn	Ala	Phe	
	290					295					300					
Val	Pro	Ala	Glu	Thr	Ile	Asn	Leu	Ala	Pro	Glu	Ala	Gly	Trp	Ala	Ser	
305					310					315					320	
Leu	Phe	Leu	His	Gln	Arg	Ile	Val	Ile	Thr	Ser	Arg	His	Phe	Lys	Val	

```

          325          330          335
Pro Val His Ala Asp Pro Leu His Gln Gln Ala Ile Thr Gly His Val
          340          345          350
Gly Asn His Lys Cys Tyr Arg Val Leu Ala Ala Arg Tyr Gln Ser Gly
          355          360          365
Gln Leu Tyr Leu Lys Thr Lys Ile Gly Trp Leu Asn Ala Lys Asp Leu
          370          375          380
Gln Val Leu Pro Thr Ala Glu Asn Met Arg Ile Trp Leu Thr Leu Tyr
385          390          395          400
Arg Ser Ile Pro Glu Asn Gln Lys Pro Leu Leu His Trp Ala Leu Gly
          405          410          415
Asp Thr Ala Phe Asp Thr Pro Leu Leu Asn Ala Ser Val Leu Asn Ile
          420          425          430
Gly

```

<210> 80

<211> 448

<212> PRT

<213> Lactobacillus rhamnosus

<400> 80

```

Met Glu Leu Ala Lys Leu Ala Val Asp Glu Thr Gly Arg Gly Val Trp
1          5          10          15
Glu Asp Lys Ala Ile Lys Asn Met Phe Ala Thr Glu Glu Ile Trp His
          20          25          30
Ser Ile Lys Asn Asn Lys Thr Val Gly Val Ile Asn Glu Asp Lys Gln
          35          40          45
Arg Gly Leu Val Ser Ile Ala Glu Pro Ile Gly Val Ile Ala Gly Val
          50          55          60
Thr Pro Val Thr Asn Pro Thr Ser Thr Thr Ile Phe Lys Ser Glu Ile
65          70          75          80
Ser Ile Lys Thr Arg Asn Pro Ile Ile Phe Ala Phe His Pro Gly Ala
          85          90          95
Gln Lys Ser Ser Ala Arg Ala Leu Glu Val Ile Arg Glu Glu Ala Glu
          100          105          110
Lys Ala Gly Leu Pro Lys Gly Ala Leu Gln Tyr Ile Pro Val Pro Ser
          115          120          125
Met Glu Ala Thr Lys Thr Leu Met Asp His Pro Gly Ile Ala Thr Ile
130          135          140
Leu Ala Thr Gly Gly Pro Gly Met Val Lys Ser Ala Tyr Ser Ser Gly
145          150          155          160
Lys Pro Ala Leu Gly Val Gly Ala Gly Asn Ala Pro Ala Tyr Ile Glu
          165          170          175
Ala Ser Ala Asn Ile Lys Gln Ala Val Asn Asp Leu Val Leu Ser Lys
          180          185          190
Ser Phe Asp Asn Gly Met Ile Cys Ala Ser Glu Gln Gly Ala Ile Val
          195          200          205
Asp Ser Ser Ile Tyr Asp Ala Ala Lys Lys Glu Phe Glu Ala Gln Gly
210          215          220
Ala Tyr Phe Val Lys Pro Lys Asp Met Lys Lys Phe Glu Ser Thr Val
225          230          235          240
Ile Asn Leu Glu Lys Gln Ser Val Asn Pro Arg Ile Val Gly Gln Ser
          245          250          255
Pro Lys Gln Ile Ala Glu Trp Ala Gly Ile Arg Ile Pro Asp Asp Thr
          260          265          270
Thr Ile Leu Ile Ala Glu Leu Lys Asp Val Gly Lys Lys Tyr Pro Leu

```

```

      275              280              285
Ser Arg Glu Lys Leu Ser Pro Val Leu Ala Met Val Lys Ala Asp Gly
  290              295              300
His Glu Asp Ala Phe Lys Lys Cys Glu Thr Met Leu Asp Ile Gly Gly
305              310              315              320
Leu Gly His Thr Ala Val Ile His Thr Ala Asp Asp Glu Leu Ala Leu
      325              330              335
Lys Phe Ala Asp Thr Met Gln Ala Cys Arg Ile Leu Ile Asn Thr Pro
  340              345              350
Ser Ser Val Gly Gly Ile Gly Asp Leu Tyr Asn Glu Met Ile Pro Ser
  355              360              365
Leu Thr Leu Gly Cys Gly Ser Tyr Gly Gly Asn Ser Ile Ser His Asn
  370              375              380
Val Gly Thr Val Asp Leu Leu Asn Ile Lys Thr Met Ala Lys Arg Arg
385              390              395              400
Asn Asn Met Gln Trp Met Lys Leu Pro Pro Lys Ile Tyr Phe Glu Lys
      405              410              415
Asn Ser Val Arg Tyr Leu Glu His Met Glu Ser Ile Lys Arg Ala Phe
  420              425              430
Ile Val Ala Asp Arg Ser Met Glu Lys Ala Gly Phe Arg Gln Asp His
  435              440              445

```

<210> 81

<211> 158

<212> PRT

<213> Lactobacillus rhamnosus

<400> 81

```

Val Leu Val Asn Asn Ala Gly Ile Thr Asp Asp Met Leu Ala Met Arg
  1              5              10              15
Met Lys Pro Ala Ser Phe Ala Lys Val Val Gln Val Asn Leu Asp Gly
      20              25              30
Thr Phe Tyr Val Thr Gln Pro Ala Phe Lys Lys Met Leu Lys Ala Arg
  35              40              45
Ala Gly Val Ile Ile Asn Leu Ala Ser Val Val Gly Leu Thr Gly Asn
  50              55              60
Ile Gly Gln Ala Asn Tyr Ala Ala Ser Lys Ala Gly Ile Ile Gly Leu
65              70              75              80
Thr Lys Thr Leu Ala Arg Glu Gly Ala Met Arg Gly Val Arg Val Asn
      85              90              95
Ala Ile Ala Pro Gly Met Ile Ala Thr Asp Met Thr Ala Ala Leu Ser
  100              105              110
Gln Ser Ser Gln Asp Gln Ile Leu Ala Glu Ile Pro Leu Lys Arg Phe
  115              120              125
Gly Gln Pro Glu Glu Ile Ala His Thr Ala Arg Phe Leu Val Glu Asn
  130              135              140
Ala Tyr Ile Thr Gly Gln Thr Val Thr Val Ala Gly Gly Leu
145              150              155

```

<210> 82

<211> 413

<212> PRT

<213> Lactobacillus rhamnosus

<400> 82

```

Ala Val Ala Leu Pro Leu Leu Gly Val Leu Ala Ile Ala Ala Thr His
  1              5              10              15

```

Ala Glu Gly Val Tyr Asp Ile Gly Arg Pro Leu Gly Arg Phe Phe Ala
 20 25 30
 Leu Ala Phe Met Val Leu Ile His Ala Thr Ile Gly Pro Met Phe Gly
 35 40 45
 Thr Pro Arg Thr Ala Thr Val Ser Phe Thr Thr Gly Val Leu Pro Met
 50 55 60
 Leu Pro Lys Ala Trp Gln Gln Gly Gly Leu Leu Val Phe Ser Ala Leu
 65 70 75 80
 Phe Phe Gly Ala Ala Phe Phe Leu Ser Tyr Lys Glu Arg Lys Ile Thr
 85 90 95
 Thr Ala Val Gly Lys Val Leu Asn Pro Val Phe Leu Leu Leu Leu Phe
 100 105 110
 Phe Val Phe Phe Ile Gly Phe Leu His Pro Met Gly Asn Pro Ala Ala
 115 120 125
 Gln Thr Val Thr Ala Ala Tyr Lys Asn Gly Gly Ser Phe Met Ser Gly
 130 135 140
 Phe Leu Gln Gly Tyr Asn Thr Met Asp Ala Leu Ala Ala Leu Ala Phe
 145 150 155 160
 Gly Val Thr Val Val Thr Ala Val Arg Gly Leu Gly Leu Lys Asn Asp
 165 170 175
 Asp His Val Ala Lys Ala Thr Ala Lys Ala Gly Val Met Ala Thr Ser
 180 185 190
 Trp Ile Ala Leu Ile Tyr Val Ala Leu Ile Val Leu Gly Ser Met Ser
 195 200 205
 Leu Ala His Phe Lys Leu Ser Ala Glu Gly Gly Thr Ala Phe Asn Gln
 210 215 220
 Val Gly Thr Phe Tyr Phe Gly Thr Val Gly His Pro Ala Trp Gln Pro
 225 230 235 240
 Cys Leu Thr Leu Thr Cys Leu Asn Thr Pro Val Gly Phe Val Arg Ala
 245 250 255
 Phe Pro His Asp Phe His Arg His Phe Pro Lys Val Ser Tyr Gln Val
 260 265 270
 Trp Leu Gly Leu Thr Ser Phe Leu Ser Phe Leu Thr Ala Asn Phe Gly
 275 280 285
 Leu Glu Gln Ile Ile Ala Trp Ser Val Pro Met Leu Met Phe Leu Tyr
 290 295 300
 Pro Phe Ser Met Val Leu Ile Leu Leu Ser Val Phe Gly Lys Ala Phe
 305 310 315 320
 His His Asp Pro Leu Val Tyr Arg Ile Val Val Ala Phe Thr Ile Val
 325 330 335
 Pro Ala Val Leu Asp Met Phe Ala Ala Phe Pro Ala Val Val Ser Gln
 340 345 350
 Ser Ser Leu Gly Leu Ala Leu His Ser Phe Gln Leu His Phe Leu Pro
 355 360 365
 Phe Ser Ala Met Gly Leu Gly Trp Leu Val Pro Ala Gly Val Gly Leu
 370 375 380
 Val Leu Gly Leu Val Ala His Ala Val Lys Val Arg Lys Ala Val Ala
 385 390 395 400
 Ala Thr His Leu Glu Ala Glu Gln Thr Gln Leu Val His
 405 410

<210> 83

<211> 627

<212> PRT

<213> Lactobacillus rhamnosus

<400> 83

Met Ala Asp Asn His Lys Ala Gln Thr Thr Lys Gln Pro Ser Gly Pro
 1 5 10 15
 Arg Met Gly Pro Gly Arg Gly Gly Leu Val Glu Lys Pro Lys Asn Phe
 20 25 30
 Trp Gly Thr Thr Ala Arg Leu Phe Gly Tyr Met Arg Asn Arg Leu Ile
 35 40 45
 Gly Ile Ile Ala Val Leu Val Leu Ala Ile Ala Ser Thr Val Phe Gln
 50 55 60
 Ile Arg Thr Pro Lys Ile Leu Gly Glu Ala Thr Thr Glu Ile Phe Lys
 65 70 75 80
 Gly Val Met Lys Gly Gln Ala Glu Gln Lys Ala Gly Ile Ala Val Gly
 85 90 95
 Asn Tyr Pro Ile Asp Phe Asp Lys Ile Lys Gln Ile Ile Leu Ile Val
 100 105 110
 Leu Val Leu Tyr Leu Gly Ser Ala Leu Phe Ser Phe Leu Gln Gln Phe
 115 120 125
 Ile Met Thr Arg Ile Ser Gln Asn Thr Val Tyr Gln Leu Arg Lys Asp
 130 135 140
 Leu Lys His Lys Met Lys Thr Val Pro Ile Lys Tyr Tyr Asp Thr His
 145 150 155 160
 Ser Asn Gly Asp Ile Met Ser Arg Ala Ile Asn Asp Met Asp Asn Ile
 165 170 175
 Ala Ser Thr Leu Gln Gln Ser Leu Thr Gln Met Val Thr Ser Ala Val
 180 185 190
 Met Phe Val Gly Thr Ile Trp Met Met Leu Thr Ile Ser Trp Lys Leu
 195 200 205
 Thr Leu Ile Ala Leu Val Thr Ile Pro Leu Gly Leu Ile Val Val Gly
 210 215 220
 Ile Val Ala Pro Lys Ser Gln Arg Phe Phe Ala Ala Gln Gln Lys Ala
 225 230 235 240
 Leu Gly Leu Leu Asn Asn Gln Val Glu Glu Thr Tyr Gly Gly Gln Val
 245 250 255
 Ile Ile Lys Ser Phe Asn Arg Glu Asp Asp Glu Val Glu Ala Phe Glu
 260 265 270
 Gly Gln Asn Gln Ala Phe Tyr Asp Ala Ala Trp Lys Ala Gln Phe Val
 275 280 285
 Ser Gly Ile Ile Met Pro Leu Met Ile Phe Leu Asn Asn Ile Gly Tyr
 290 295 300
 Val Phe Val Ala Ile Met Gly Gly Ile Glu Val Ser Asn Gly Thr Ile
 305 310 315 320
 Thr Leu Gly Asn Val Gln Ala Phe Leu Gln Tyr Met Gln Gln Phe Ser
 325 330 335
 Gln Pro Ile Ser Gln Leu Ala Asn Leu Ala Asn Thr Ile Gln Ser Thr
 340 345 350
 Ile Ala Ser Ala Glu Arg Ile Phe Ala Val Leu Asp Glu Glu Asp Met
 355 360 365
 Gln Asp Glu Pro Ser Gly Val Pro Ala Val Ala Asn Asp Pro Asn Lys
 370 375 380
 Leu Val Met Asp His Val Gln Phe Gly Tyr Thr Pro Asp Ala Leu Leu
 385 390 395 400
 Leu Lys Asp Tyr Asn Leu Gln Val Lys Pro Gly Glu Met Val Ala Ile
 405 410 415
 Val Gly Pro Thr Gly Ala Gly Lys Thr Thr Ile Ile Asn Leu Leu Glu
 420 425 430
 Arg Phe Tyr Asp Ile Ser Gly Gly Ser Ile Arg Leu Asn Gly Thr Asp
 435 440 445
 Thr Arg Asp Met Lys Arg Glu Asp Val Arg Ala His Phe Ala Met Val

```

      450              455              460
Leu Gln Asp Thr Trp Leu Phe Thr Gly Thr Ile Trp Asp Asn Leu Lys
465              470              475              480
Tyr Gly Arg Glu Asp Ala Thr Asp Asp Glu Val Leu Ala Ala Ala Lys
      485              490              495
Ala Ala His Val Asp Asn Phe Val Arg Gln Leu Pro Asp Gly Tyr Asn
      500              505              510
Thr Ile Leu Asn Glu Glu Ala Ser Asn Ile Ser Gln Gly Gln Arg Gln
      515              520              525
Leu Leu Thr Ile Ala Arg Ala Phe Val Ala Asp Pro Glu Ile Leu Ile
      530              535              540
Leu Asp Glu Ala Thr Ser Ser Val Asp Thr Arg Thr Glu Ile His Ile
545              550              555              560
Gln His Ala Met Asn Arg Leu Leu Thr Asp Arg Thr Ser Phe Val Val
      565              570              575
Ala His Arg Leu Ser Thr Ile Arg Asp Ala Asp Lys Ile Ile Val Met
      580              585              590
Asn His Gly Ser Ile Val Glu Thr Gly Asn His Asp Glu Leu Met Ala
      595              600              605
Lys Asn Gly Phe Tyr Ala Asp Leu Tyr Asn Ser Gln Phe Ser Gly Asn
      610              615              620
Val Ala Ile
625

```

<210> 84

<211> 202

<212> PRT

<213> Lactobacillus rhamnosus

<400> 84

```

Thr Thr Arg Leu Ser Ser Leu Ile Thr Glu Tyr Leu Asp Ser Gln Leu
1              5              10              15
Ala Glu Arg Arg Ser Met His Gly Val Leu Val Asp Ile Tyr Gly Leu
      20              25              30
Gly Val Leu Ile Thr Gly Asp Ser Gly Val Gly Lys Ser Glu Thr Ala
      35              40              45
Leu Glu Leu Val Gln Arg Gly His Arg Leu Ile Ala Asp Asp Arg Val
      50              55              60
Asp Val Tyr Gln Gln Asp Glu Gln Thr Val Val Gly Ala Ala Pro Pro
65              70              75              80
Ile Leu Ser His Leu Leu Glu Ile Arg Gly Leu Gly Ile Ile Asp Val
      85              90              95
Met Asn Leu Phe Gly Ala Gly Ala Val Arg Glu Asp Thr Thr Ile Ser
      100              105              110
Leu Ile Val His Leu Glu Asn Trp Thr Pro Asp Lys Thr Phe Asp Arg
      115              120              125
Leu Gly Ser Gly Glu Gln Thr Gln Met Ile Phe Asp Val Pro Val Pro
      130              135              140
Lys Ile Thr Ile Pro Val Lys Val Gly Arg Asn Leu Ala Ile Ile Ile
145              150              155              160
Glu Val Ala Ala Met Asn Phe Arg Ala Lys Ser Met Gly Tyr Asp Ala
      165              170              175
Thr Lys Thr Phe Glu Lys Asn Leu Asn His Leu Ile Glu His Asn Glu
      180              185              190
Ala Asn Asp Gln Lys Ser Ser Glu Glu Lys
      195              200

```

<210> 85
 <211> 341
 <212> PRT
 <213> Lactobacillus rhamnosus

<220>
 <221> VARIANT
 <222> (1)...(341)
 <223> Xaa = Any Amino Acid

<400> 85
 Met Ser Ile Ser Thr Arg Ala Asn Lys Leu Asp Gly Val Glu Gln Ala
 1 5 10 15
 Xaa Val Ala Met Ala Thr Glu Met Asn Lys Gly Val Leu Lys Asn Leu
 20 25 30
 Gly Leu Leu Thr Pro Glu Leu Glu Gln Ala Lys Asn Gly Asp Leu Met
 35 40 45
 Ile Val Ile Asn Gly Lys Ser Gly Ala Asp Asn Glu Gln Leu Leu Val
 50 55 60
 Glu Ile Glu Glu Leu Phe Asn Thr Lys Ala Gln Ser Gly Ser His Glu
 65 70 75 80
 Ala Arg Tyr Ala Thr Ile Gly Ser Ala Lys Lys His Ile Pro Glu Ser
 85 90 95
 Asn Leu Ala Val Ile Ser Val Asn Gly Leu Phe Ala Ala Arg Glu Ala
 100 105 110
 Arg Gln Ala Leu Gln Asn Asp Leu Asn Val Met Leu Phe Ser Asp Asn
 115 120 125
 Val Ser Val Glu Asp Glu Leu Ala Leu Lys Gln Leu Ala His Glu Lys
 130 135 140
 Gly Leu Leu Met Met Gly Pro Asp Cys Gly Thr Ala Ile Ile Asn Gly
 145 150 155 160
 Ala Ala Leu Cys Phe Gly Asn Ala Val Arg Arg Gly Asn Ile Gly Ile
 165 170 175
 Val Gly Ala Ser Gly Thr Gly Ser Gln Glu Leu Ser Val Arg Ile His
 180 185 190
 Glu Phe Gly Gly Gly Val Ser Gln Leu Ile Gly Thr Gly Gly Arg Asp
 195 200 205
 Leu Ser Glu Lys Ile Gly Gly Leu Met Met Leu Asp Ala Ile Gly Met
 210 215 220
 Leu Glu Asn Asp Pro Gln Thr Glu Ile Ile Ala Leu Ile Ser Lys Pro
 225 230 235 240
 Pro Ala Pro Ala Val Ala Arg Lys Val Leu Glu Arg Ala Arg Ala Cys
 245 250 255
 Arg Lys Pro Val Val Val Cys Phe Leu Asp Arg Gly Glu Thr Pro Val
 260 265 270
 Asp Glu Gln Gly Leu Gln Phe Ala Arg Gly Thr Lys Glu Ala Ala Leu
 275 280 285
 Lys Ala Val Met Leu Ser Gly Val Lys Gln Glu Asn Leu Asp Leu His
 290 295 300
 Thr Leu Asn Gln Pro Leu Ile Ala Asp Val Arg Ala Arg Leu Gln Pro
 305 310 315 320
 Gln Gln Lys Tyr Ile Arg Gly Leu Ser Ala Ala Ala Arg Cys Ala Thr
 325 330 335
 Lys Pro Cys Ser Arg
 340

<210> 86

<211> 409

<212> PRT

<213> Lactobacillus rhamnosus

<400> 86

Gln Ile Leu Asn Asn Pro Phe Leu Asn Lys Gly Thr Ala Phe Thr Gln
 1 5 10 15
 Glu Glu Arg Asn Gln Tyr Gly Leu Asn Gly Leu Leu Pro Pro Ala Val
 20 25 30
 Gln Thr Leu Asp Gln Gln Val Lys Gln Ala Tyr Ala Gln Leu Gln Thr
 35 40 45
 Lys Pro Thr Asp Leu Ala Lys Arg Gln Phe Leu Met Thr Leu Phe Asn
 50 55 60
 Glu Asn His Val Leu Phe Tyr Lys Leu Phe Ser Glu His Ile Asn Glu
 65 70 75 80
 Phe Met Pro Ile Val Tyr Asp Pro Thr Ile Ala Asp Thr Ile Glu Asn
 85 90 95
 Tyr Ser Ala Leu Phe Val Asn Pro Gln Asn Ala Thr Tyr Leu Ser Ile
 100 105 110
 Asp Asp Pro Asp His Ile Glu Ser Ala Leu Lys His Ser Ala Asp Gly
 115 120 125
 Arg Asp Ile Arg Leu Leu Val Val Ser Asp Ala Glu Gly Ile Leu Gly
 130 135 140
 Ile Gly Asp Trp Gly Thr Gln Gly Val Asp Ile Ser Val Gly Lys Leu
 145 150 155 160
 Met Val Tyr Thr Ala Ala Ala Gly Ile Asp Pro Ser Gln Val Leu Pro
 165 170 175
 Val Val Leu Asp Val Gly Thr Asn Asn Glu Gly Leu Leu Asn Asp Asp
 180 185 190
 Leu Tyr Leu Gly Asn Arg His Lys Arg Val Tyr Gly Glu Lys Tyr His
 195 200 205
 His Phe Val Asp Lys Phe Val Ala Ala Ala Glu Lys Leu Phe Pro Asn
 210 215 220
 Leu Tyr Leu His Phe Glu Asp Phe Gly Arg Ser Asn Ala Ala Asp Ile
 225 230 235 240
 Leu Asn Gln Tyr Lys Asp Lys Ile Thr Thr Phe Asn Asp Asp Ile Gln
 245 250 255
 Gly Thr Gly Ile Ile Val Leu Ala Gly Leu Leu Gly Ala Met Asn Ile
 260 265 270
 Ser Lys Gln Lys Leu Thr Asp Gln Val Tyr Leu Ser Phe Gly Ala Gly
 275 280 285
 Thr Ala Gly Ala Gly Ile Ala Ser Arg Val Tyr Glu Ala Phe Val Glu
 290 295 300
 Glu Gly Leu Ser Pro Glu Glu Ala Lys Lys His Phe Tyr Leu Val Asp
 305 310 315 320
 Lys Gln Gly Leu Leu Phe Asp Asp Met Thr Asp Leu Thr Pro Glu Gln
 325 330 335
 Lys Pro Phe Ala Arg Ser Arg Ser Glu Phe Ala Asn Ala Asp Glu Leu
 340 345 350
 Thr Thr Leu Glu Ala Val Val Lys Ala Val His Pro Thr Val Leu Val
 355 360 365
 Gly Thr Ser Thr Val Pro Gly Thr Phe Thr Glu Ser Ile Val Lys Glu
 370 375 380
 Met Ala Ala His Thr Asp Arg Pro Ile Ile Phe Pro Leu Ser Asn Pro
 385 390 395 400
 Thr Lys Leu Ala Glu Ala Lys Ala Asp
 405

<210> 87
 <211> 386
 <212> PRT
 <213> Lactobacillus rhamnosus

<220>
 <221> VARIANT
 <222> (1)...(386)
 <223> Xaa = Any Amino Acid

<400> 87.

```

Met Ile Lys Pro Glu Lys Thr Ile Asn Gly Thr Lys Trp Ile Glu Thr
 1           5           10           15
Ile Gln Ile Asn Ala Glu Glu Arg Ala Thr Leu Glu Asp Gln Tyr Gly
 20           25           30
Val Asp Glu Asp Ile Ile Glu Tyr Val Thr Asp Asn Asp Glu Ser Thr
 35           40           45
Asn Tyr Val Tyr Asp Ile Asn Glu Asp Asp Gln Leu Phe Ile Phe Leu
 50           55           60
Ala Pro Tyr Ala Leu Asp Lys Asp Ala Leu Arg Tyr Ile Thr Gln Pro
 65           70           75           80
Phe Gly Met Leu Leu His Lys Gly Val Leu Phe Thr Phe Asn Gln Ser
 85           90           95
His Ile Pro Glu Val Asn Thr Ala Leu Tyr Ser Ala Leu Asp Asn Pro
 100          105          110
Glu Val Lys Ser Val Asp Ala Phe Ile Leu Glu Thr Leu Phe Thr Val
 115          120          125
Val Asp Ser Phe Ile Pro Ile Ser Arg Gly Ile Thr Lys Lys Arg Asn
 130          135          140
Tyr Leu Asp Lys Met Leu Asn Arg Lys Thr Lys Asn Ser Asp Leu Val
 145          150          155          160
Ser Leu Ser Tyr Leu Gln Gln Thr Leu Thr Phe Leu Ser Ser Ala Val
 165          170          175
Gln Thr Asn Leu Ser Glu Leu Asp Leu Asn Gly Ser Asp Ala Leu Gln
 180          185          190
Gln Ile Ile Glu Leu Leu Asn Gln His Pro Leu Asp Xaa Ala Pro Asp
 195          200          205
Glu Lys Gly Ala Tyr Ser Asn Ser Asn Tyr Tyr Leu Leu Gly His Ile
 210          215          220
Ile Thr Gln Val Ala Asn Met Pro Leu Ser Asp Phe Leu Asn Gln His
 225          230          235          240
Phe Phe Glu Pro Leu Ala Met Thr Lys Thr Gln Leu Gly Thr Gln His
 245          250          255
Ala Asp Ala Asn Ser Tyr Asp Asp Leu Asp Phe Thr Asn Gly Lys Pro
 260          265          270
Val Ala Leu Gly Arg Gly His Tyr Gln Gly Gly Asp Gly Ala Val Val
 275          280          285
Ser Ser Leu Ala Asp Leu Ala Ile Trp Ala Arg Ala Val Leu Gln Arg
 290          295          300
Arg Ile Leu Pro Glu Ser Ala Trp Asp Glu Ala Leu Thr Leu Thr His
 305          310          315          320
Asp Phe Tyr Gly Met Gly Trp Met Lys Ser Arg Thr Gln His Trp Leu
 325          330          335
Ser His Asn Gly His Ile Phe Gly Tyr Trp Ala Phe Phe Asp Val Ser
 340          345          350
Phe Glu Lys Gln Leu Ala Gln Ile Thr Leu Thr Asn Met Ser Pro Gly

```

355 360 365
 Val Glu Thr Leu Lys Lys Trp Gln Glu Glu Met Ala Asn Trp Arg Ala
 370 375 380
 Ser Leu
 385

<210> 88

<211> 357

<212> PRT

<213> Lactobacillus rhamnosus

<400> 88

Leu Asp Asn Gln Asp Ala Asp Phe Lys Pro Thr Ile Gln Ile Leu Asp
 1 5 10 15
 Glu Val Gly Lys Val Val Asn Pro Asp Ile Met Pro Asp Leu Ser Asp
 20 25 30
 Asp Gln Leu Val Asp Leu Met Ser Lys Met Val Trp Gln Arg Val Leu
 35 40 45
 Asp Gln Arg Ala Thr Ala Leu Asn Arg Gln Gly Arg Leu Gly Phe Tyr
 50 55 60
 Ala Pro Ser Ala Gly Glu Glu Ala Ser Met Ile Gly Ser His Ala Ala
 65 70 75 80
 Met Lys Ser Ser Asp Trp Leu Leu Pro Ala Tyr Arg Asp Leu Pro Gln
 85 90 95
 Leu Ile Gln His Gly Leu Pro Leu Asp Lys Ala Phe Leu Trp Ser Arg
 100 105 110
 Gly His Val Ala Gly Asn Glu Tyr Pro Glu Asp Phe His Ala Leu Pro
 115 120 125
 Pro Gln Ile Ile Ile Gly Ala Gln Tyr Val Gln Thr Ala Gly Val Ala
 130 135 140
 Leu Gly Leu Lys Lys Asn Gly Ser Asp Glu Val Ala Phe Thr Tyr Thr
 145 150 155 160
 Gly Asp Gly Gly Thr Ser Gln Gly Asp Phe Tyr Glu Gly Val Asn Phe
 165 170 175
 Ala Gly His Phe Lys Ala Pro Ala Leu Phe Ile Val Gln Asp Asn Gly
 180 185 190
 Phe Ala Ile Ser Val Pro Arg Ala Ser Gln Thr Ala Ala Lys Thr Leu
 195 200 205
 Ala Gln Lys Ala Val Ala Ala Gly Val Pro Gly Val Gln Val Asp Gly
 210 215 220
 Met Asp Ala Leu Ala Val Tyr Glu Val Thr Lys Glu Ala Arg Ala Trp
 225 230 235 240
 Ala Ala Ala Gly Asn Gly Pro Val Leu Ile Glu Thr Leu Thr Tyr Arg
 245 250 255
 Tyr Gly Pro His Thr Leu Ser Gly Asp Asp Pro Thr Arg Tyr Arg Ser
 260 265 270
 Lys Glu Thr Asp Glu Leu Trp Gln Lys Arg Asp Pro Leu Ile Arg Met
 275 280 285
 Arg Asn Tyr Leu Thr Asp Lys Gly Leu Trp Ser Lys Asp Lys Glu Asp
 290 295 300
 Ala Leu Ile Glu Lys Val Lys Asp Glu Ile Lys Asp Ala Ile Asn Lys
 305 310 315 320
 Ala Asp Lys Ala Pro Gln Gln Thr Val Ser Arg Phe Leu Lys Asp Thr
 325 330 335
 Tyr Glu Val Ala Pro Gln Asn Val Ala Glu Gln Leu Ala Glu Phe Gln
 340 345 350
 Gly Lys Glu Ser Lys

355

<210> 89

<211> 436

<212> PRT

<213> Lactobacillus rhamnosus

<400> 89

```

Ser Val Leu Asn Ile Asn Gly Gly Asn Leu Thr Leu Thr Asp Asp Gly
 1           5           10           15
Val Ser Ala Gly Thr Leu Thr Gly Gly Gly Phe Leu Asn Ile Ser Gly
      20           25           30
Gly Val Leu Asp Ile Thr Gly Gly Asn His Thr Phe Ala Val Ser Thr
      35           40           45
Ile Ile Ala Lys Asp Ala Thr Val Arg Met Asn Asp Val Ser Gly Leu
      50           55           60
Gly Thr Gly Asn Ile Ser Asn Ala Gly Thr Leu Ser Leu Thr His Ala
      65           70           75           80
Ser Gly Leu Leu Ser Asn Asn Leu Ser Gly Ser Gly Thr Val Ser Leu
      85           90           95
Ile Asn Ser Asp Thr Gln Ile Ser Gly Asn Asn Ser Asn Tyr Ser Gly
      100           105           110
Leu Phe Val Val Asp Thr Ser Ser Gln Leu Thr Ala Thr Gly Ala Gln
      115           120           125
Asn Leu Gly Ile Ala Ser Val Ser Asn Arg Gly Ile Leu Gln Leu Asn
      130           135           140
Asn Thr Thr Asp Trp Gln Leu Ile Asn Asn Val Thr Gly Thr Gly Asn
      145           150           155           160
Val Arg Lys Thr Gly Ser Gly Ser Leu Thr Val Arg Ser Asn Ala Ala
      165           170           175
Trp Ser Gly Gln Thr Asp Ile Asp Asp Gly Ser Leu Ile Leu Gly Gln
      180           185           190
Ser Asp Ala Pro Val Met Leu Ala Ser Ser Leu Val Asn Ile Ala Lys
      195           200           205
Asn Gly Lys Leu Thr Gly Phe Gly Gly Val Val Gly Asn Val Thr Asn
      210           215           220
Ser Gly Ser Leu Asp Leu Arg Ser Ala Ala Pro Gly Asn Ile Leu Thr
      225           230           235           240
Ile Gly Gly Asn Tyr Thr Gly Asn Asn Gly Thr Leu Leu Ile Asn Thr
      245           250           255
Val Leu Asp Asp Ser Ser Ser Ala Thr Asp Lys Leu Val Ile Lys Gly
      260           265           270
Asp Ala Ser Gly Lys Thr Arg Val Ala Val Thr Asn Val Gly Gly Ser
      275           280           285
Gly Ala Asn Thr Leu Asn Ser Ile Glu Val Ile His Val Asp Gly Asn
      290           295           300
Ala Ala Asn Ala Glu Phe Ile Gln Ala Gly Arg Ile Ala Ala Gly Ala
      305           310           315           320
Tyr Asp Tyr Thr Leu Gly Arg Gly Pro Gly Ser Asn Tyr Gly Asn Trp
      325           330           335
Tyr Leu Ser Ser Ser Lys Asn Thr Pro Glu Pro Arg Pro Asp Pro Glu
      340           345           350
Pro Thr Pro Glu Gly His Asp Asn Asn Leu Arg Pro Glu Ala Ser Ser
      355           360           365
Tyr Thr Ala Asn Ile Ala Ala Asn Thr Met Phe Val Thr Arg Leu
      370           375           380
His Glu Arg Leu Gly Gln Thr Gln Tyr Val Asp Ala Ile Thr Gly Glu

```

```

385          390          395          400
Pro Lys Ala Thr Ser Met Trp Met Arg His Glu Gly Gly His Asn Arg
          405          410          415
Trp Arg Asp Gly Ser Gly Gln Leu Lys Thr Gln Ser Asn Arg Tyr Val
          420          425          430
Ile Gln Leu Gly
          435

```

<210> 90
 <211> 215
 <212> PRT
 <213> Lactobacillus rhamnosus

```

<400> 90
Met Lys Ile Leu Ile Thr Gly Ala Gln Gly Gln Leu Gly Thr Glu Leu
 1          5          10          15
Arg His Leu Leu Asp Ala Arg Gly Ile Thr Tyr Arg Ala Thr Asp Ala
          20          25          30
Lys Asp Leu Asp Ile Thr Asp Glu Ala Ala Val Asn Gln Tyr Phe Ala
          35          40          45
Asp Tyr Gln Pro Asp Val Val Tyr His Cys Ala Ala Tyr Thr Ala Val
          50          55          60
Asp Lys Ala Glu Asp Glu Ala Lys Ala Leu Asn Gln Leu Val Asn Val
          65          70          75          80
Asp Gly Thr Arg Asn Leu Ala Lys Ala Ala Lys Val Asp Ala Thr
          85          90          95
Leu Val Tyr Ile Ser Thr Asp Tyr Val Phe Asp Gly Asp Ser Lys Glu
          100          105          110
Ile Tyr Thr Val Asp Asp Gln Pro Ala Pro Arg Asn Glu Tyr Gly Arg
          115          120          125
Ala Lys Tyr Glu Gly Glu Gln Gln Val Gln Lys Tyr Leu Lys Lys Tyr
          130          135          140
Tyr Ile Ile Arg Thr Ser Trp Val Phe Gly Glu Tyr Gly His Asn Phe
          145          150          155          160
Val Tyr Thr Met Leu Asn Leu Ala Lys Thr His Lys Glu Leu Thr Val
          165          170          175
Val Asp Asp His Gln Glu Ser Phe Ser Val Ser Ser Ser Arg Thr Phe
          180          185          190
Val Lys Tyr Gln His Glu His Leu Ile Tyr Ser Arg Pro Val Pro Tyr
          195          200          205
Arg Pro His Leu Pro Gly Ile
          210          215

```

<210> 91
 <211> 640
 <212> PRT
 <213> Lactobacillus rhamnosus

<220>
 <221> VARIANT
 <222> (1)...(640)
 <223> Xaa = Any Amino Acid

```

<400> 91
Met Leu Gly Gly Lys Gln Met Pro Glu Val Lys Lys Phe Glu Ala Gly
 1          5          10          15
Thr Tyr Asp Val Ile Val Val Gly Ala Gly His Ala Gly Xaa Val Lys

```


SUBSTITUTE SHEET (Rule 26)

Ala Lys Arg Gln Ala Ile Thr Asp Glu Leu Ala Arg Leu Glu His Thr
 485 490 495
 Arg Leu Lys Pro Lys Asp Val Asn Pro Trp Leu Glu Ala His His Phe
 500 505 510
 Ala Ser Leu Lys Asp Gly Val Leu Ala Ser Asp Phe Leu Lys Arg Pro
 515 520 525
 Glu Ile Asn Tyr Gln Thr Leu Glu Gln Phe Leu Pro Glu Asn Pro Thr
 530 535 540
 Leu Asp His Arg Val Ile Glu Gln Val Glu Ile Gln Ile Lys Tyr Ala
 545 550 555 560
 Gly Tyr Ile Ala Lys Glu Glu Xaa Gln Cys Ala Lys Leu Lys Arg Leu
 565 570 575
 Glu Gly Lys Lys Ile Pro Ala Arg Ile Asn Tyr Glu Ala Ile Asn Gly
 580 585 590
 Leu Ala Thr Glu Ala Arg Gln Lys Leu Val Lys Ile Gln Pro Glu Thr
 595 600 605
 Ile Ala Gln Ala Ser Arg Ile Ser Gly Val Asn Pro Ala Asp Val Ala
 610 615 620
 Ile Leu Ser Val Tyr Ile Glu Gln Gly Arg Ile Ser Lys Val Ala Gln
 625 630 635 640

<210> 92

<211> 254

<212> PRT

<213> Lactobacillus rhamnosus

<400> 92

Pro Leu Ser Thr Met Met Leu Ala Gly Ile Arg Asp Ile Leu Val Ile
 1 5 10 15
 Ser Thr Pro Arg Asp Ile Asp Arg Phe Gln Asp Leu Leu Lys Asp Gly
 20 25 30
 Lys Gln Leu Gly Leu Asn Ile Ser Tyr Lys Ile Gln Glu Lys Pro Asn
 35 40 45
 Gly Leu Ala Glu Ala Phe Ile Val Gly Ala Asp Phe Ile Gly Asp Asp
 50 55 60
 Ser Val Cys Leu Ile Leu Gly Asp Asn Ile Phe Tyr Gly Ser Gly Leu
 65 70 75 80
 Ser Lys Leu Val Gln Arg Ser Ala Ala Lys Thr Thr Gly Ala Thr Val
 85 90 95
 Phe Gly Tyr Gln Val Asn Asp Pro Glu Arg Phe Gly Val Val Ala Phe
 100 105 110
 Asp Glu Gln His His Val Gln Ser Ile Val Glu Lys Pro Glu His Pro
 115 120 125
 Glu Ser Asn Phe Ala Val Thr Gly Met Tyr Phe Tyr Asp Asn Gln Val
 130 135 140
 Val Asp Ile Ala Lys Asn Leu Lys Pro Ser Pro Arg Gly Glu Leu Glu
 145 150 155 160
 Ile Thr Asp Val Asn Lys Ala Tyr Leu Glu Arg Gly Gln Leu Asp Val
 165 170 175
 Glu Leu Leu Gly Arg Gly Phe Ala Trp Leu Asp Thr Gly Thr His Glu
 180 185 190
 Ser Leu His Glu Ala Ala Ser Phe Ile Glu Thr Val Gln Lys Arg Gln
 195 200 205
 Asn Leu Lys Ile Ala Cys Leu Glu Glu Val Ala Tyr Arg Met Gly Tyr
 210 215 220
 Ile Asp Arg Asp Gln Leu Arg Lys Leu Ala Gln Pro Leu Lys Lys Asn
 225 230 235 240

Asp Tyr Gly Gln Tyr Ile Leu Arg Leu Ala Asp Glu Glu Asp
 245 250

<210> 93

<211> 312

<212> PRT

<213> Lactobacillus rhamnosus

<400> 93

Met Ala Ile Asn Leu Val Gly Ile Asn Asp Ala Asn Leu Thr Leu Ile
 1 5 10 15
 Glu Glu Gly Leu Asn Val Arg Ile Ser Pro Phe Gly Asp Glu Leu Arg
 20 25 30
 Ile Ser Gly Glu Thr Glu Ala Val Ser Leu Thr Leu Gln Leu Leu Glu
 35 40 45
 Ala Ala Thr Lys Leu Leu Ala Gln Gly Ile Lys Leu Ser Pro Gln Asp
 50 55 60
 Ile Ala Ser Ala Val Ala Met Ala Lys Arg Gly Thr Leu Glu Tyr Phe
 65 70 75 80
 Ala Asp Met Tyr Ser Glu Thr Leu Leu Arg Asp Ala Lys Gly Gln Pro
 85 90 95
 Ile Arg Ile Lys Asn Phe Gly Gln Arg Gln Tyr Val Asp Ala Ile Lys
 100 105 110
 His Asn Asp Ile Thr Phe Gly Ile Gly Pro Ala Gly Thr Gly Lys Thr
 115 120 125
 Phe Leu Ala Val Val Met Ala Val Ala Ala Met Lys Ala Gly Gln Val
 130 135 140
 Glu Arg Ile Ile Leu Thr Arg Pro Ala Val Glu Ala Gly Glu Ser Leu
 145 150 155 160
 Gly Phe Leu Pro Gly Asp Leu Lys Glu Lys Val Asp Pro Tyr Leu Arg
 165 170 175
 Pro Val Tyr Asp Ala Leu Tyr Ala Val Leu Gly Lys Glu His Thr Asp
 180 185 190
 Arg Leu Met Asp Arg Gly Val Ile Glu Ile Ala Pro Leu Ala Tyr Met
 195 200 205
 Arg Gly Arg Thr Leu Asp Asn Ala Phe Ala Ile Leu Asp Glu Ala Gln
 210 215 220
 Asn Thr Thr Gln Ala Gln Met Lys Met Phe Leu Thr Arg Leu Gly Phe
 225 230 235 240
 Gly Ser Lys Met Ile Val Asn Gly Asp Val Thr Gln Ile Asp Leu Pro
 245 250 255
 His Asn Ala Lys Ser Gly Leu Leu Gln Ala Glu Gln Leu Leu Lys Gly
 260 265 270
 Ile Ser His Ile Ala Phe Thr Gln Phe Ser Ala Gln Asp Val Val Arg
 275 280 285
 His Pro Val Val Ala Lys Ile Ile Glu Ala Tyr Gly Lys His Asp Leu
 290 295 300
 Gln Leu Gln Lys Gln Thr Lys Glu
 305 310

<210> 94

<211> 280

<212> PRT

<213> Lactobacillus rhamnosus

<400> 94

Met Lys Lys Phe Asp Lys Met Met Asp Trp Leu Ala Asp Val Tyr Val

```

1           5           10           15
Asn Ala Leu Asn Val Ile His Tyr Met His Asp Lys Tyr Tyr Tyr Glu
20           25           30
Ala Ala Gln Leu Ala Leu Lys Asp Thr Arg Leu Asn Arg Thr Phe Ala
35           40           45
Thr Gly Ile Ser Gly Leu Ser His Ala Val Asp Ser Ile Ser Ala Ile
50           55           60
Lys Tyr Gly His Val Lys Ala Ile Arg Asp Glu Asn Gly Val Ala Ile
65           70           75           80
Asp Phe Val Ala Asp Asn Asp Asp Tyr Pro Arg Tyr Gly Asn Asn Asp
85           90           95
Asp Arg Ala Asp Asn Ile Ala Lys Trp Leu Val Lys Thr Phe Tyr Asn
100          105          110
Lys Met Asn Thr His His Leu Tyr Arg Gly Ala Lys Leu Ser Thr Ser
115          120          125
Val Leu Thr Ile Thr Ser Asn Val Val Tyr Gly Lys Asn Thr Gly Thr
130          135          140
Thr Pro Asn Gly Arg Gln Lys Gly Glu Pro Phe Ser Pro Gly Ala Asn
145          150          155          160
Pro Ala Tyr Gly Ala Glu Lys Asn Gly Ala Leu Ala Ser Leu Met Ser
165          170          175
Thr Ala Lys Ile Pro Tyr His Tyr Ala Thr Asp Gly Ile Ser Asn Thr
180          185          190
Phe Gly Val Thr Pro Asn Thr Leu Gly His Asp Asp Glu Thr Arg Lys
195          200          205
Asp Thr Leu Val His Met Val Asp Gly Tyr Met Glu Asn Ser Gly Met
210          215          220
His Leu Asn Ile Asn Val Phe Asn Lys Glu Thr Leu Ile Asp Ala Gln
225          230          235          240
Lys His Pro Glu Glu Tyr Pro Thr Leu Thr Val Arg Val Ser Gly Tyr
245          250          255
Cys Val Tyr Phe Ala Asp Leu Thr Lys Glu Gln Gln Asp Asp Val Ile
260          265          270
Ala Arg Thr Phe Phe Asp Glu Met
275          280

```

<210> 95

<211> 447

<212> PRT

<213> Lactobacillus rhammosus

<400> 95

```

Met Ala Phe Ser Lys Glu Thr Arg Thr Gln Thr Ile Asp Gln Leu Lys
1           5           10           15
Gln Thr Glu Leu Asp Leu Leu Ile Val Gly Gly Gly Ile Thr Gly Ala
20           25           30
Gly Val Ala Ile Gln Ala Ala Ala Ser Gly Leu Lys Thr Gly Leu Ile
35           40           45
Glu Met Gln Asp Phe Ala Glu Gly Thr Ser Ser Arg Ser Thr Lys Leu
50           55           60
Val His Gly Gly Ile Arg Tyr Leu Lys Thr Phe Asp Val Gly Val Val
65           70           75           80
Ala Asp Thr Val Lys Glu Arg Ala Val Val Gln Gly Ile Ala Pro His
85           90           95
Ile Pro Arg Pro Phe Pro Met Leu Leu Pro Ile Tyr Gln Glu Ala Gly
100          105          110
Ser Thr Phe Asp Met Phe Ser Ile Lys Ile Ala Met Asp Leu Tyr Asp

```

```

      115              120              125
Arg Leu Ala Asn Val Glu Gly Ser Gln Tyr Ala Asn Tyr Thr Val Thr
130              135              140
Lys Asp Glu Ile Leu Gln Arg Glu Pro His Leu Ala Ser Asp Gly Leu
145              150              155              160
Gln Gly Gly Gly Val Tyr Leu Asp Phe Val Asn Asn Asp Ala Arg Leu
165              170              175
Val Ile Glu Asn Ile Lys Glu Ala Ala Glu Leu Gly Gly Leu Met Ala
180              185              190
Ser Arg Val Gln Ala Ile Gly Val Leu His Asp Asp Ala Gly Gln Val
195              200              205
Asn Gly Leu Gln Val Lys Asp Leu Leu Asp Gly Ser Val Phe Asp Ile
210              215              220
His Ala Lys Leu Val Ile Asn Thr Thr Gly Pro Trp Ser Asp Lys Phe
225              230              235              240
Lys Ala Leu Asp Gln Ala Glu Asp Gln Thr Pro Thr Leu Arg Pro Thr
245              250              255
Lys Gly Val His Leu Val Val Asp Gly Ser Arg Leu Pro Val Pro Gln
260              265              270
Pro Thr Tyr Met Asp Thr Gly Leu Asn Asp Gly Arg Met Phe Phe Val
275              280              285
Val Pro Arg Glu Gly Lys Thr Tyr Phe Gly Thr Thr Asp Thr Asp Tyr
290              295              300
His Gly Asp Phe Asn His Pro Gln Val Glu Gln Ala Asp Val Asp Tyr
305              310              315              320
Leu Leu Lys Val Ile Asn Lys Arg Tyr Pro Gln Ser His Ile Thr Leu
325              330              335
Asp Asp Ile Glu Ala Ser Trp Ala Gly Leu Arg Pro Leu Ile Ala Asn
340              345              350
Asn Gly Ser Ser Asp Tyr Asn Gly Gly Gly Ala Asn Thr Gly Lys Val
355              360              365
Ser Asp Asp Ser Phe Glu Ala Leu Ile Arg Val Val Asp Asp Tyr Glu
370              375              380
Asp Asn Gln Ala Thr Arg Ala Asp Val Glu His Ala Ile Ser Lys Leu
385              390              395              400
Glu Thr Ala His Ala Glu Ala Ala Leu Ser Pro Ser Gln Val Ser Arg
405              410              415
Gly Ser Ser Leu Arg Gln Ala Asp Asp Gly Met Ile Thr Leu Ser Gly
420              425              430
Gly Lys Ile Thr Asp Tyr Arg Lys Met Ala Ala Gly Ala Leu Ala
435              440              445

```

<210> 96

<211> 242

<212> PRT

<213> Lactobacillus rhamnosus

<400> 96

```

Asp Leu Phe Cys Pro Asp Ile Thr Ala Asp Ile Leu Thr Arg Lys Asp
1              5              10              15
Asp Leu Gly Ser Asp Lys Pro Ile Val Asp Val Ile Leu Asp Arg Ala
20              25              30
Gly Asn Lys Gly Thr Gly Lys Trp Ser Ser Gln Ser Ala Leu Glu Leu
35              40              45
Gly Val Pro Gln Ser Val Ile Thr Glu Ser Val Tyr Ala Arg Tyr Ile
50              55              60
Ser Ala Met Lys Gln Glu Arg Val Ala Ala Ser Lys Val Leu Pro Lys

```

```

65          70          75          80
Pro Val Gly Asn Val Thr Ile Asp Lys Lys Glu Ala Ile Glu Met Ile
      85          90          95
Arg Lys Ala Leu Tyr Phe Ser Lys Leu Met Ser Tyr Ala Gln Gly Phe
      100         105         110
Glu Gln Met Arg Val Ala Ser Asp Asn Tyr Asp Trp Asn Leu Gln Tyr
      115         120         125
Gly Glu Leu Ala Lys Ile Trp Arg Ala Gly Cys Ile Ile Arg Ala Arg
      130         135         140
Phe Leu Gln Asn Ile Thr Asp Ala Tyr Asp Lys Lys Pro Asp Leu Gln
      145         150         155
Asn Leu Leu Leu Asp Asp Tyr Phe Leu Asn Ile Ala Lys Asn Tyr Gln
      165         170         175
Glu Ser Val Arg Asp Leu Val Gly Leu Ala Val Lys Ala Gly Val Pro
      180         185         190
Val Pro Gly Phe Ser Ala Ala Ile Ser Tyr Tyr Asp Ser Tyr Arg Ala
      195         200         205
Pro Val Leu Pro Ala Asn Leu Thr Gln Ala Gln Arg Asp Tyr Phe Gly
      210         215         220
Ala His Thr Tyr Glu Arg Thr Asp Arg Asp Gly Ile Phe His Tyr Thr
      225         230         235         240
Trp Tyr

```

<210> 97

<211> 323

<212> PRT

<213> Lactobacillus rhamnosus

<400> 97

```

Glu Asp Phe Phe Ile Gln Ile Ser Ala Thr Gln His His Ile Pro Asp
1          5          10          15
Cys Cys Asp Gln Ile Pro Thr Gly Asp Phe Ser Phe Phe Asp Asn Thr
      20         25         30
Leu Asp Val Ala Asn Leu Leu Asn Ile Val Pro Lys Arg Tyr Gln Asp
      35         40         45
Leu Asn Leu Ser Pro Leu Asp Thr Tyr Phe Ala Gln Ala Arg Gly Tyr
      50         55         60
Gln Gly Glu Ala Gly Asp Val Lys Ala Leu Ala Met Lys Lys Trp Phe
      65         70         75         80
Asn Thr Asn Tyr His Tyr Leu Val Pro Glu Phe Asp Arg Asp Thr Lys
      85         90         95
Ile Gln Val Thr Asp Trp Gln Leu Phe Val Gln Phe Glu Glu Ala Lys
      100        105        110
Ala Leu Gly Ile Asn Gly Arg Pro Thr Leu Ile Gly Pro Tyr Thr Leu
      115        120        125
Leu Lys Leu Ser Arg Phe Ile Asp Val Val Pro Asp Asp Phe Val Ala
      130        135        140
Asp Leu Ile Ser Ala Tyr Thr Thr Ile Ile Asp Arg Leu His Asp Ala
      145        150        155        160
Gly Ala Asp Trp Val Gln Leu Asp Glu Pro Ala Leu Val Tyr Asp Gln
      165        170        175
Thr Asp Ala Asp Leu Ala Leu Phe Glu Arg Leu Tyr Thr Pro Ile Leu
      180        185        190
Thr Gln Lys Lys Ala Ala Lys Ile Leu Val Gln Thr Tyr Phe Gly Asp
      195        200        205
Leu Thr Asp Ser Phe Asp Arg Ile Gln Lys Leu Pro Phe Asp Gly Phe

```

210	215	220
Gly Leu Asp Phe Val Glu Gly Tyr Ala Asn Leu Asp Leu Leu Lys Gln		
225	230	235
His Gly Phe Pro Ala His Ala Thr Leu Phe Ala Gly Ile Val Asn Gly		240
	245	250
Lys Asn Ile Trp Arg Thr His Tyr Ala Asp Ala Leu Ala Thr Ile Lys		255
	260	265
Gln Leu Ala Thr Ile Thr Asp Lys Leu Val Leu Ser Thr Ser Thr Ser		270
	275	280
Leu Leu His Val Pro Tyr Thr Leu Arg Asn Glu Thr His Leu Lys Pro		285
	290	295
Glu Glu Lys Gln Tyr Leu Ala Phe Ala Glu Glu Lys Leu Asn Glu Leu		300
305	310	315
His Glu Leu		320

<210> 98

<211> 296

<212> PRT

<213> Lactobacillus rhamnosus

<400> 98

Gly Pro Ala Ile Phe Gly Phe Ile Pro Met Gln Asp Gly Ser Pro Ala		
1	5	10
Pro Gly Leu Ser Asn Ile Thr Ala Glu Gly Trp Phe Pro His Gly Gly		15
	20	25
Leu Pro Ile Leu Met Thr Met Val Ala Val Asn Phe Ala Phe Ser Gly		30
	35	40
Thr Glu Leu Ile Gly Ile Ala Ala Gly Glu Thr Glu Asn Pro Arg Lys		45
	50	55
Val Ile Pro Val Ala Ile Arg Thr Thr Ile Ala Arg Leu Ile Ile Phe		60
65	70	75
Phe Ile Gly Thr Val Phe Val Leu Ala Ala Leu Ile Pro Met Gln Gln		80
	85	90
Val Gly Val Glu Lys Ser Pro Phe Val Leu Val Phe Glu Lys Val Gly		95
	100	105
Ile Pro Tyr Ala Ala Asp Ile Phe Asn Phe Val Ile Leu Thr Ala Ile		110
	115	120
Leu Cys Ala Ala Asn Ser Gly Leu Tyr Ala Ser Gly Arg Met Leu Trp		125
	130	135
Ser Leu Ser Asn Glu Arg Thr Leu Pro Ala Cys Phe Ala Arg Val Thr		140
145	150	155
Lys Asn Gly Val Pro Leu Thr Ala Leu Ser Val Ser Met Leu Gly Gly		160
	165	170
Val Leu Ala Leu Phe Ser Ser Val Val Ala Pro Asn Thr Val Phe Val		175
	180	185
Ala Leu Ser Ala Ile Ser Gly Phe Ala Val Val Ala Val Trp Leu Ser		190
	195	200
Ile Cys Ala Ser His Phe Val Phe Arg Arg Arg His Leu Gln Gln Gly		205
	210	215
Lys Ala Leu Ser Glu Leu His Tyr Arg Ala Pro Trp Tyr Pro Leu Val		220
225	230	235
Pro Val Leu Gly Phe Val Leu Cys Leu Val Ala Cys Val Gly Leu Ala		240
	245	250
Phe Asp Pro Ala Gln Arg Ile Ala Leu Trp Cys Gly Leu Pro Phe Val		255
	260	265
Ala Leu Cys Tyr Gly Ala Tyr Phe Leu Thr Gln Pro Arg Asn Ala Lys		270

275 280 285
 Gln Glu Pro Glu His Val Ala Glu
 290 295

<210> 99
 <211> 474
 <212> PRT
 <213> Lactobacillus rhamnosus

<400> 99
 Met Arg Lys Gln Leu Pro Lys Asp Phe Val Ile Gly Gly Ala Thr Ala
 1 5 10 15
 Ala Tyr Gln Val Glu Gly Ala Thr Lys Glu Asp Gly Lys Gly Arg Val
 20 25 30
 Leu Trp Asp Asp Phe Leu Glu Lys Gln Gly Arg Phe Ser Pro Asp Pro
 35 40 45
 Ala Ala Asp Phe Tyr His Arg Tyr Asp Glu Asp Leu Ala Leu Ala Glu
 50 55 60
 Ala Tyr Gly His Gln Val Ile Arg Leu Ser Ile Ala Trp Ser Arg Ile
 65 70 75 80
 Phe Ser Asp Gly Ala Gly Ala Val Glu Ser Arg Gly Val Ala Phe Tyr
 85 90 95
 His Arg Leu Phe Ala Ala Cys Ala Lys His His Leu Ile Pro Phe Val
 100 105 110
 Thr Leu His His Phe Asp Thr Pro Glu Arg Leu His Glu Ile Gly Asp
 115 120 125
 Trp Leu Ser Gln Glu Met Leu Glu Asp Phe Val Glu Tyr Ala Arg Phe
 130 135 140
 Cys Phe Glu Glu Phe Pro Glu Ile Lys His Trp Ile Thr Ile Asn Glu
 145 150 155 160
 Pro Thr Ser Met Ala Val Gln Gln Tyr Thr Ser Gly Thr Phe Pro Pro
 165 170 175
 Ala Glu Thr Gly His Phe Asp Lys Thr Phe Gln Ala Glu His Asn Gln
 180 185 190
 Ile Val Ala His Ala Arg Ile Val Asn Leu Tyr Lys Ser Met Gly Leu
 195 200 205
 Asp Gly Glu Ile Gly Ile Val His Ala Leu Gln Thr Pro Tyr Pro Tyr
 210 215 220
 Ser Asp Ser Ser Glu Asp Gln His Ala Ala Asp Leu Gln Asp Ala Leu
 225 230 235 240
 Glu Asn Arg Leu Tyr Leu Asp Gly Thr Leu Ala Gly Asp Tyr Ala Pro
 245 250 255
 Lys Thr Leu Ala Leu Ile Lys Glu Ile Leu Ala Ala Asn Gln Gln Pro
 260 265 270
 Met Phe Lys Tyr Thr Asp Glu Glu Met Ala Ala Ile Lys Lys Ala Ala
 275 280 285
 His Gln Leu Asp Phe Val Gly Val Asn Asn Tyr Phe Ser Lys Trp Leu
 290 295 300
 Arg Ala Tyr His Gly Lys Ser Glu Thr Ile His Asn Gly Asp Gly Ser
 305 310 315 320
 Lys Gly Ser Ser Val Ala Arg Leu His Gly Ile Gly Glu Glu Lys Lys
 325 330 335
 Pro Ala Gly Ile Glu Thr Thr Asp Trp Asp Trp Ser Ile Tyr Pro Arg
 340 345 350
 Gly Met Tyr Asp Met Leu Met Arg Ile His Gln Asp Tyr Pro Leu Val
 355 360 365
 Pro Ala Ile Tyr Val Thr Glu Asn Gly Ile Gly Leu Lys Glu Ser Leu

370 375 380
 Pro Ala Glu Val Thr Pro Asn Thr Val Ile Ala Asp Pro Lys Arg Ile
 385 390 395 400
 Asp Tyr Leu Lys Lys Tyr Leu Ser Ala Ile Ala Asp Ala Ile Gln Ala
 405 410 415
 Gly Ala Asn Val Lys Gly Tyr Phe Val Trp Ser Leu Gln Asp Gln Phe
 420 425 430
 Ser Trp Thr Asn Gly Tyr Ser Lys Arg Tyr Gly Leu Phe Phe Val Asp
 435 440 445
 Phe Pro Thr Gln Lys Arg Tyr Val Lys Gln Ser Ala Glu Trp Leu Lys
 450 455 460
 Gln Val Ser Gln Thr His Val Ile Pro Glu
 465 470

<210> 100

<211> 258.

<212> PRT

<213> Lactobacillus rhamnosus

<400> 100

Met Thr Thr Leu Lys Ser Phe Arg Val Ile Asn Lys Val Asp Leu Pro
 1 5 10 15
 Ser Ala Gln Pro Asp Val Val Lys Glu Glu Ile Glu Glu Met Ile Gly
 20 25 30
 Leu Asp Ala Ser Asp Ala Ile Leu Ala Ser Gly Lys Thr Gly Leu Gly
 35 40 45
 Val Pro Glu Ile Leu Glu Arg Ile Val Ser Asp Ile Pro Ala Pro Ser
 50 55 60
 Gly Asp Val Asn Ala Pro Leu Gln Ala Leu Ile Phe Asp Ser Val Tyr
 65 70 75 80
 Asp Asp Tyr Arg Gly Val Val Leu Asp Val Arg Val Lys Glu Gly Gln
 85 90 95
 Val Lys Val Gly Asp Thr Ile Gln Leu Met Ser Asn Gly Lys Gln Phe
 100 105 110
 Gln Val Thr Glu Val Gly Val Met Ser Pro Lys Ala Val Lys Arg Asp
 115 120 125
 Phe Leu Met Val Gly Asp Val Gly Tyr Ile Thr Ala Ser Ile Lys Thr
 130 135 140
 Ile Gln Asp Thr Arg Val Gly Asp Thr Val Thr Leu Ala Asp Arg Pro
 145 150 155 160
 Ala Ala Ala Pro Leu Lys Gly Tyr Arg Lys Ile Thr Pro Met Val Tyr
 165 170 175
 Ser Gly Leu Phe Pro Val Asp Asn Ala Lys Phe Asn Asp Leu Arg Glu
 180 185 190
 Ala Leu Glu Lys Leu Gln Leu Asn Asp Ala Ala Leu Glu Phe Glu Pro
 195 200 205
 Glu Thr Ser Gln Ala Leu Gly Phe Gly Phe Arg Cys Gly Phe Leu Gly
 210 215 220
 Leu Leu His Met Asp Val Val Gln Glu Arg Leu Glu Arg Asp Tyr Gly
 225 230 235 240
 Leu Asp Leu Ile Met Thr Ala Pro Ser Val Asp Tyr Gln Val Ala Leu
 245 250 255
 Thr Asp

<210> 101

<211> 418

<212> PRT

<213> Lactobacillus rhamnosus

<400> 101

```

Met Asp Val Thr Thr Ile Asp Leu Glu Gln Met Gly Arg Ala Ala Lys
 1          5          10          15
Ala Ala Ala Thr Val Leu Ser Gln Leu Thr Thr Ala Gln Lys Asn Ala
 20          25          30
Gly Leu Leu Ala Met Val Thr Ala Leu Glu Thr His Thr Glu Thr Ile
 35          40          45
Leu Gly Ala Asn His Glu Asp Leu Lys Ala Ala Ala Ser Leu Pro Ala
 50          55          60
Lys Phe Thr Asp Arg Leu Val Leu Thr Ala Glu Arg Ile Ala Asp Met
 65          70          75          80
Ala Ala Gly Val Arg Gln Val Ala Ala Leu Pro Asp Pro Thr Ala Gln
 85          90          95
Thr Asp Lys Ala Trp Val Asn His Ala Gly Leu Asn Ile Ala Gln Lys
100          105          110
Arg Val Pro Leu Gly Val Val Gly Met Ile Tyr Glu Ala Arg Pro Asn
115          120          125
Val Thr Val Asp Ala Ala Ala Leu Thr Phe Lys Ser Gly Asn Ala Val
130          135          140
Ile Leu Arg Gly Gly Lys Glu Ala Leu His Ser Asn Leu Ala Leu Ala
145          150          155          160
Thr Val Leu Gln Ala Ala Leu Thr Ala Gln Gly Leu Pro Lys Asp Ala
165          170          175
Ile Gln Leu Ile Thr Asp Pro Lys Arg Glu Val Ala Asn Gln Met Met
180          185          190
His Leu Asn Gly Tyr Ile Asp Val Leu Ile Pro Arg Gly Gly Arg Gly
195          200          205
Leu Ile Lys Ala Val Val Glu Gln Ala Thr Val Pro Val Ile Glu Thr
210          215          220
Gly Ala Gly Asn Cys His Ile Tyr Val Asp Ala Tyr Ala Gln Ala Gln
225          230          235          240
Met Ala Ile Asp Ile Val Val Asn Ala Lys Val Gln Arg Pro Ser Val
245          250          255
Cys Asn Ala Ala Glu Lys Leu Leu Ile His Ala Asp Val Ala Asn Ala
260          265          270
Gln Leu Pro Leu Ile Ala Ala Ala Leu Gln Ala His Gly Val Glu Leu
275          280          285
Arg Gly Asp Glu Arg Ala Arg Ala Ile Val Pro Asn Met Gln Ile Ala
290          295          300
Thr Glu Glu Asp Trp Asp Thr Glu Tyr Asn Asp Leu Ile Met Ala Val
305          310          315          320
Lys Val Val Asp Ser Glu Glu Glu Ala Ile Ala His Ile Asn Ala His
325          330          335
Asn Thr Lys His Ser Glu Ala Ile Ile Thr Asp Asn Tyr Gln Asn Ser
340          345          350
Gln Gln Phe Leu Gln Gln Val Asp Ala Ala Val Val Tyr Val Asn Ala
355          360          365
Ser Thr Arg Phe Thr Asp Gly Phe Glu Phe Gly Phe Gly Ala Glu Ile
370          375          380
Gly Ile Ser Thr Gln Lys Leu His Ala Arg Gly Pro Met Gly Leu Ala
385          390          395          400
Ala Leu Thr Thr Ile Lys Tyr Gln Val Leu Gly Asn Gly Gln Val Arg
405          410          415
Glu Gly

```

INTERNATIONAL SEARCH REPORT

International application No.

PCT/NZ01/00286

A. CLASSIFICATION OF SUBJECT MATTERInt. Cl. ⁷: (C12N 15/31, C12R 1:225)

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

SEE ELECTRONIC DATA BASES

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

SEE ELECTRONIC DATA BASES

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

SwissProt, PIR, GenPept, embl, GenBank: Sequence IDs 41 - 59, 62 - 101

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
PX	WO 02/12506 A (GENESIS RESEARCH AND DEVELOPMENT CORPORATION LIMITED) 14 February 2002 Sequence ID 50 (equivalent to current Seq ID 64) Sequence ID 47 (equivalent to current Seq ID 69)	3, 5, 11
X	A Holck & H Naes <i>Journal of General Microbiology</i> (1992) 138(7) pp 1353-64 "Cloning, sequencing and expression of the gene encoding the cell-envelope-associated proteinase from <i>Lactobacillus paracasei</i> subsp. <i>paracasei</i> NCDO 151" & Swiss-Prot Accession Number Q02470 15 July 1998 & GenBank Accession Number M83946 26 April 1993 Whole Document (equivalent to Seq ID 73)	3, 5, 11

☒ Further documents are listed in the continuation of Box C ☒ See patent family annex

* Special categories of cited documents:	
"A" document defining the general state of the art which is not considered to be of particular relevance	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"E" earlier application or patent but published on or after the international filing date	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"O" document referring to an oral disclosure, use, exhibition or other means	"&" document member of the same patent family
"P" document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

19 March 2002

Date of mailing of the international search report

11 APR 2002

Name and mailing address of the ISA/AU

AUSTRALIAN PATENT OFFICE
PO BOX 200, WODEN ACT 2606, AUSTRALIA
E-mail address: pct@ipaustalia.gov.au
Facsimile No. (02) 6285 3929

Authorized officer

CRAIG ALLATT

Telephone No : (02) 6283 2414

INTERNATIONAL SEARCH REPORT

International application No.

PCT/NZ01/00286

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0307011 A (NEDERLANDS INSTITUUT VOOR ZUIVELONDERZOEK) 15 March 1989 & GenPept Accession Number CAA01252 17 February 1994 & GenBank Accession Number A15841 17 February 1994 & Trembl Accession Number E973430 1 November 1998 Whole Document (equivalent to Seq ID 73)	3, 5, 11
X	M. Kiwaki et al <i>Molecular Microbiology</i> (1989) 3(3) pp 359 - 369 "Molecular characterization of a cell wall-associated proteinase gene from <i>Streptococcus lactis</i> NCDO763" & GenBank Accession Number X14130 10 February 1999 & GenPept Accession Number CAA32350 10 February 1999 Whole Document (equivalent to Seq ID 73)	3, 5, 11
X	Dossonnet V et al <i>Journal of Bacteriology</i> (2000) 182(9) pp 2582 - 90 "Phosphorylation of HPr by the bifunctional HPr Kinase/P-ser-HPr phosphatase from <i>Lactobacillus casei</i> controls catabolite repression and inducer exclusion but not inducer expulsion." & GenBank Accession Number Y18948 25 April 2000 & GenPept Accession Number CAB65151 25 April 2000 Whole Document (equivalent to Seq ID 84)	3, 5, 11
X	K Makino et al <i>Genes & Genetic Systems</i> (1999) 74(5) pp 227 - 39 "Complete nucleotide sequence of the prophage VT2-Sakai carrying the verotoxin 2 genes of the enterohemorrhagic <i>Escherichia coli</i> O157:H7 derived from the Sakai outbreak." & GenPept Accession Number BAB33792 7 March 2001 Whole Document	3, 5, 11
X	D. O'Sullivan et al <i>Molecular Microbiology</i> (2000) 36(4) pp 866 - 75 "Novel type I restriction specificities through domain shuffling of HsdS subunits in <i>Lactococcus lactis</i> " & GenPept Accession Number AAF17616 14 June 2000 Whole Document (equivalent to Seq ID 87)	3, 5, 11
X	R. van Kranenburg & W. M. de Vos <i>Journal of Bacteriology</i> (1998) 180(20) pp 5285 - 90 "Characterization of multiple regions involved in replication and mobilization of plasmid pNZ4000 coding for exopolysaccharide production in <i>Lactococcus lactis</i> " & GenBank Accession Number AF036486 17 October 1998 Whole Document (equivalent to Seq ID 87)	3, 5, 11
X	R. van Kranenburg et al <i>Journal of Bacteriology</i> (1999) 181(1) pp 338 - 40 "Exopolysaccharide biosynthesis in <i>Lactococcus lactis</i> NIZO B40: functional analysis of the glycosyltransferase genes involved in synthesis of the polysaccharide backbone." & GenPept Accession Number AAD40365 28 June 1999 Whole Document (equivalent to Seq ID 87)	3, 5, 11

INTERNATIONAL SEARCH REPORT

International application No.
PCT/NZ01/00286

C (Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	L. S. Frost et al <i>Microbiological Reviews</i> (1994) 58(2) pp 162 - 210 "Analysis of the Sequence and gene products of the transfer region of the F sex factor" & GenPept Accession Number BAA97898 4 July 2000 & GenBank Accession Number AP001918 4 July 2000 Whole Document (equivalent to Seq ID 89)	3, 5, 11
X	F. R. Blattner et al <i>Science</i> (1997) 277(5331) pp 1453 - 74 "The complete genome sequence of Escherichia coli K-12. " & EMBL Accession Number AE00134 29 January 1997 & Swiss-Prot Accession Number Q47689 30 May 2000 Whole Document (equivalent to Seq ID 98)	3, 5, 11
X	GenPept Accession Number BAA77928 28 May 1999 "Amino acid permease RocE [Escherichia coli]" Whole Document (equivalent to Seq ID 98)	3, 5, 11
X	Swiss-Prot Accession Number Q47689 30 May 2000 "Probable S-methylmethionine permease" Whole Document (equivalent to Seq ID 98)	3, 5, 11
X	M. J. Gosalbes et al <i>FEMS Microbiology Letters</i> (1997) 148(1) pp 83 - 9 "Establishing a model to study the regulation of the lactose operon in Lactobacillus casei." & Swiss-Prot Accession Number P14696 7 April 1997 & GenBank Accession Number Z80834 7 April 1997 Whole Document (equivalent to Seq ID 99)	3, 5, 11
X	E. V. Porter & B. M. Chassy <i>Gene</i> (1988) 62(2) pp 263 - 76 "Nucleotide sequence of the beta-D-phosphogalactoside galactohydrolase gene of Lactobacillus casei: comparison to analogous pbg genes of other gram-positive organisms." & GenBank Accession Number M20151 14 February 1996 Whole Document (equivalent to Seq ID 99)	3, 5, 11
X	J. Andrews et al <i>Gene</i> (1985) 35(1-2) p 217 - 22 "Nucleotide sequence of the dihydrofolate reductase gene of methotrexate-resistant <i>Lactobacillus casei</i> " & GenPept Accession Number AAA25237 26 April 1993 & GenBank Accession Number M10922 26 April 1993 Whole Document (equivalent to Seq IDS 41 & 102)	3, 5, 11
X	S. F. Kim et al <i>Applied and Environmental Microbiology</i> (1991) 57(8) pp 2413 - 7. "Cloning and nucleotide sequence of the Lactobacillus casei lactate dehydrogenase gene." & GenPept Accession Number AAA25245 15 March 2000 & GenBank Accession Number M76708 15 March 2000 Whole Document (equivalent to Seq IDS 42 & 103)	3, 5, 11

INTERNATIONAL SEARCH REPORT

International application No.
PCT/NZ01/00286

C (Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	G. Schmidt <i>Systematic and Applied Microbiology</i> (1999) 22(3) pp 321 - 8 "Molecular characterisation of the dnaK operon of <i>Lactobacillus sakei</i> LTH681." & GenPept Accession Number CAA06939 15 November 1999 & EMBL Accession Number AJ006274 15 November 1999 Whole Document (equivalent to Seq IDS 43 & 104)	3, 5, 11
X	A. H. F. Griffiths et al "Functional Genomics" in <i>Modern Genetic Analysis</i> (1999) (W. H. Freeman & Company: New York) ISBN 0 7167 3597 0 pages 399 - 405 Whole Document	3, 5, 11

INTERNATIONAL SEARCH REPORT

International application No.

PCT/NZ01/00286

Box I Observations where certain claims were found unsearchable (Continuation of item 2 of first sheet)

This international search report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos :
because they relate to subject matter not required to be searched by this Authority, namely:
2. ☒ Claims Nos : 1, 2, 3 (in part), 4, 5 (in part), 6 - 10, 11 (in part), 12 - 29
because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:
See Supplemental Box
3. ☐ Claims Nos :
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a)

Box II Observations where unity of invention is lacking (Continuation of item 3 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

See Supplemental Box

1. ☒ As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☒ No protest accompanied the payment of additional search fees.

Supplemental Box

(To be used when the space in any of Boxes I to VIII is not sufficient)

Continuation of Box No: I

Claims 1, 2, 3 (in part), 4, 5 (in part), 6 - 10, 11 (in part), 12 - 29 are not limited to the technical features that define the inventions. The inventions are the sequences identified in Table 1 pages 14 - 21 and sequences down to 75% similarity. The claims have not been searched to the extent they encompass material beyond this.

Additionally, due to the complexity of the claims and large number of possibilities, it is not economic to search the full scope of the claims. The search has been limited to Sequence IDs 41 - 59, 62 - 101.

Continuation of Box No: II

You have claimed more than one invention. Rule 13.1 of the PCT states the principle that an International Application should relate to only one invention, or if there is more than one invention, that the inclusion of these inventions in one international application is only permitted if all inventions are so linked as to form a single general inventive concept.

Rule 13.2 of the PCT defines the method for determining whether the requirement of unity of invention is satisfied in respect of a group of inventions claimed in an international application. Unity of invention exists only when there is a technical relationship among the claimed inventions involving one or more of the same or corresponding "special technical features". The expression "special technical features" is defined in Rule 13.2 as meaning those technical features that define a contribution, which each of the inventions, considered as a whole, make over the prior art. The determination is made on the contents of the claims as interpreted in light of the description and drawings (if any).

In the present application, the feature that all sequences come from *Lactobacillus rhamnosus* strain HN001 does not provide a special technical feature. Genes and their expressed proteins from *Lactobacillus rhamnosus* are known (see for example GenBank Accession number AF261767). The applicant has provided no evidence that the nucleotide sequences of the present application, and the peptides they express, form a unique group of protein types. On the contrary, putative peptides derived from the nucleotide sequences of the application have various functions assigned to them purely on the basis of their similarity to known proteins.

The applicant has grouped the polynucleotides of the application into activity categories according to putative functions of the proteins they encode. However, the applicants' groupings do not form a homogenous set of proteins either in structure or function. For example Seq IDs 3 and 5 are directed toward enzymes that may affect production of flavour compounds. However, these enzymes have unrelated activities; Seq ID 3 encodes a histidinol-phosphate aminotransferase, whereas Seq ID 5 encodes a cysteine desulfurase which are unrelated reactions. Seq ID 15 encodes a heat shock protein which belongs to a totally different class of compounds those involved in production of flavour compounds.

In the absence of a common structure and/or specific biological activity existing between the proteins encoded by the polynucleotides claimed, there are no special technical features identified in the specification which unite the claimed inventions.

The ISA therefore considers that each nucleotide/peptide sequence pair (defined in Table 1 pages 14 - 21) comprises one invention and that there are 59 different inventions (the inventions being numbered sequentially).

However, as a service to the applicants, the ISA will search the first ten inventions, which comprises 10 nucleotide and 10 protein sequences, without inviting additional search fees.

The ISA is also prepared, for a single additional search fee, to search any further group of ten inventions that the applicant may nominate. If the applicants wish all sequences to be searched, they will be required to pay five additional search fees.

This offer should not be taken to have any bearing on the ISA's assessment of the number of inventions claimed in the present application.